

```

<?xml version="1.0" encoding="UTF-8"?>
<wsdl:definitions xmlns:wsdl="http://schemas.xmlsoap.org/wsdl/"
xmlns:xs="http://www.w3.org/2001/XMLSchema" name="DinaPaq"
xmlns:soap="http://schemas.xmlsoap.org/wsdl/soap/"
xmlns:soapenc="http://schemas.xmlsoap.org/soap/encoding/"
xmlns:mime="http://schemas.xmlsoap.org/wsdl/mime/"
targetNamespace="http://tempuri.org/" xmlns:tns="http://tempuri.org/">
  <wsdl:types>
    <xs:schema targetNamespace="http://tempuri.org/"
elementFormDefault="qualified">
      <xs:element name="LoginWSService__Login">
        <xs:complexType>
          <xs:sequence>
            <xs:element name="strCod"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strPass"
minOccurs="1" maxOccurs="1" type="xs:string"/>
          </xs:sequence>
        </xs:complexType>
      </xs:element>
      <xs:element name="LoginWSService__LoginResponse">
        <xs:complexType>
          <xs:sequence>
            <xs:element name="Result"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
            <xs:element name="strNom"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strCodAge"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strCodCR"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strTipo"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strVersion"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strError"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strSesion"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element
name="strURLDetSegEnv" minOccurs="1" maxOccurs="1" type="xs:string"/>
          </xs:sequence>
        </xs:complexType>
      </xs:element>
      <xs:element name="LoginWSService__Login2">
        <xs:complexType>
          <xs:sequence>
            <xs:element name="strCod"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strPass"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strIdioma"
minOccurs="1" maxOccurs="1" type="xs:string"/>
          </xs:sequence>
        </xs:complexType>
      </xs:element>
    </xs:schema>
  </wsdl:types>

```

```

        </xs:complexType>
    </xs:element>
    <xs:element name="LoginWSService___Login2Response">
        <xs:complexType>
            <xs:sequence>
                <xs:element name="Result"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
                <xs:element name="strNom"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                <xs:element name="strCodAge"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                <xs:element name="strCodCR"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                <xs:element name="strTipo"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                <xs:element name="strVersion"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                <xs:element name="strError"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                <xs:element name="strSesion"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                <xs:element
name="strURLDetSegEnv" minOccurs="1" maxOccurs="1" type="xs:string"/>
            </xs:sequence>
        </xs:complexType>
    </xs:element>
    <xs:element name="LoginWSService___LoginCli">
        <xs:complexType>
            <xs:sequence>
                <xs:element name="strCodAge"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                <xs:element name="strCod"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                <xs:element name="strPass"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            </xs:sequence>
        </xs:complexType>
    </xs:element>
    <xs:element name="LoginWSService___LoginCliResponse">
        <xs:complexType>
            <xs:sequence>
                <xs:element name="Result"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
                <xs:element name="strNom"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                <xs:element name="strCodCR"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                <xs:element name="strTipo"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                <xs:element name="strVersion"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                <xs:element name="strError"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                <xs:element name="strSesion"

```

```

minOccurs="1" maxOccurs="1" type="xs:string"/>
    <xs:element
name="strURLDetSegEnv" minOccurs="1" maxOccurs="1" type="xs:string"/>
    </xs:sequence>
</xs:complexType>
</xs:element>
<xs:element name="LoginWSService___LoginCli2">
    <xs:complexType>
        <xs:sequence>
            <xs:element name="strCodAge"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strCod"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strPass"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strIdioma"
minOccurs="1" maxOccurs="1" type="xs:string"/>
        </xs:sequence>
    </xs:complexType>
</xs:element>
<xs:element name="LoginWSService___LoginCli2Response">
    <xs:complexType>
        <xs:sequence>
            <xs:element name="Result"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
            <xs:element name="strNom"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strCodCR"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strTipo"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strVersion"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strError"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strSesion"
minOccurs="1" maxOccurs="1" type="xs:string"/>
        </xs:sequence>
    </xs:complexType>
</xs:element>
<xs:element name="LoginWSService___LoginDep">
    <xs:complexType>
        <xs:sequence>
            <xs:element name="strCodAge"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strCodCli"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strCod"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strPass"
minOccurs="1" maxOccurs="1" type="xs:string"/>
        </xs:sequence>
    </xs:complexType>
</xs:element>

```

```

        </xs:complexType>
    </xs:element>
    <xs:element name="LoginWSService___LoginDepResponse">
        <xs:complexType>
            <xs:sequence>
                <xs:element name="Result"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
                <xs:element name="strNom"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                <xs:element name="strCodCR"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                <xs:element name="strTipo"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                <xs:element name="strVersion"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                <xs:element name="strError"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                <xs:element name="strSesion"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                <xs:element
name="strURLDetSegEnv" minOccurs="1" maxOccurs="1" type="xs:string"/>
            </xs:sequence>
        </xs:complexType>
    </xs:element>
    <xs:element name="LoginWSService___LoginDep2">
        <xs:complexType>
            <xs:sequence>
                <xs:element name="strCodAge"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                <xs:element name="strCodCli"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                <xs:element name="strCod"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                <xs:element name="strPass"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                <xs:element name="strIdioma"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            </xs:sequence>
        </xs:complexType>
    </xs:element>
    <xs:element name="LoginWSService___LoginDep2Response">
        <xs:complexType>
            <xs:sequence>
                <xs:element name="Result"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
                <xs:element name="strNom"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                <xs:element name="strCodCR"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                <xs:element name="strTipo"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                <xs:element name="strVersion"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                <xs:element name="strError"

```

```

minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strSesion"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="strURLDetSegEnv" minOccurs="1" maxOccurs="1" type="xs:string"/>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element name="LoginWSService___GrabaIncidencia">
<xs:complexType>
<xs:sequence>
<xs:element name="strGUID"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strFecha"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="boRecogerEnDelegacion" minOccurs="1" maxOccurs="1" type="xs:boolean"/>
<xs:element name="intIdHoraEntr"
minOccurs="1" maxOccurs="1" type="xs:int"/>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element
name="LoginWSService___GrabaIncidenciaResponse">
<xs:complexType>
<xs:sequence>
<xs:element name="Result"
minOccurs="1" maxOccurs="1" type="xs:string"/>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element name="ROClientIDHeader">
<xs:complexType>
<xs:sequence>
<xs:element name="ID"
minOccurs="0" maxOccurs="1" type="xs:string"/>
</xs:sequence>
</xs:complexType>
</xs:element>
</xs:schema>
</wsdl:types>
<wsdl:message name="LoginWSService___LoginRequest">
<wsdl:part name="parameters"
element="tns:LoginWSService___Login"/>
</wsdl:message>
<wsdl:message name="LoginWSService___LoginResponse">
<wsdl:part name="parameters"
element="tns:LoginWSService___LoginResponse"/>
</wsdl:message>
<wsdl:message name="LoginWSService___Login2Request">
<wsdl:part name="parameters"
element="tns:LoginWSService___Login2"/>
</wsdl:message>
<wsdl:message name="LoginWSService___Login2Response">

```

```

        <wsdl:part name="parameters"
element="tns:LoginWSService__Login2Response"/>
    </wsdl:message>
    <wsdl:message name="LoginWSService__LoginCliRequest">
        <wsdl:part name="parameters"
element="tns:LoginWSService__LoginCli"/>
    </wsdl:message>
    <wsdl:message name="LoginWSService__LoginCliResponse">
        <wsdl:part name="parameters"
element="tns:LoginWSService__LoginCliResponse"/>
    </wsdl:message>
    <wsdl:message name="LoginWSService__LoginCli2Request">
        <wsdl:part name="parameters"
element="tns:LoginWSService__LoginCli2"/>
    </wsdl:message>
    <wsdl:message name="LoginWSService__LoginCli2Response">
        <wsdl:part name="parameters"
element="tns:LoginWSService__LoginCli2Response"/>
    </wsdl:message>
    <wsdl:message name="LoginWSService__LoginDepRequest">
        <wsdl:part name="parameters"
element="tns:LoginWSService__LoginDep"/>
    </wsdl:message>
    <wsdl:message name="LoginWSService__LoginDepResponse">
        <wsdl:part name="parameters"
element="tns:LoginWSService__LoginDepResponse"/>
    </wsdl:message>
    <wsdl:message name="LoginWSService__LoginDep2Request">
        <wsdl:part name="parameters"
element="tns:LoginWSService__LoginDep2"/>
    </wsdl:message>
    <wsdl:message name="LoginWSService__LoginDep2Response">
        <wsdl:part name="parameters"
element="tns:LoginWSService__LoginDep2Response"/>
    </wsdl:message>
    <wsdl:message name="LoginWSService__GrabaIncidenciaRequest">
        <wsdl:part name="parameters"
element="tns:LoginWSService__GrabaIncidencia"/>
    </wsdl:message>
    <wsdl:message name="LoginWSService__GrabaIncidenciaResponse">
        <wsdl:part name="parameters"
element="tns:LoginWSService__GrabaIncidenciaResponse"/>
    </wsdl:message>
    <wsdl:message name="ROClientIDHeaderMessage">
        <wsdl:part name="ROClientID" element="tns:ROClientIDHeader"/>
    </wsdl:message>
    <wsdl:portType name="LoginWSService">
        <wsdl:operation name="Login">
            <wsdl:input
message="tns:LoginWSService__LoginRequest"/>
            <wsdl:output
message="tns:LoginWSService__LoginResponse"/>
        </wsdl:operation>
        <wsdl:operation name="Login2">

```

```

        <wsdl:input
message="tns:LoginWSService__Login2Request"/>
        <wsdl:output
message="tns:LoginWSService__Login2Response"/>
        </wsdl:operation>
        <wsdl:operation name="LoginCli">
            <wsdl:input
message="tns:LoginWSService__LoginCliRequest"/>
            <wsdl:output
message="tns:LoginWSService__LoginCliResponse"/>
            </wsdl:operation>
            <wsdl:operation name="LoginCli2">
                <wsdl:input
message="tns:LoginWSService__LoginCli2Request"/>
                <wsdl:output
message="tns:LoginWSService__LoginCli2Response"/>
                </wsdl:operation>
                <wsdl:operation name="LoginDep">
                    <wsdl:input
message="tns:LoginWSService__LoginDepRequest"/>
                    <wsdl:output
message="tns:LoginWSService__LoginDepResponse"/>
                    </wsdl:operation>
                    <wsdl:operation name="LoginDep2">
                        <wsdl:input
message="tns:LoginWSService__LoginDep2Request"/>
                        <wsdl:output
message="tns:LoginWSService__LoginDep2Response"/>
                        </wsdl:operation>
                        <wsdl:operation name="GrabaIncidencia">
                            <wsdl:input
message="tns:LoginWSService__GrabaIncidenciaRequest"/>
                            <wsdl:output
message="tns:LoginWSService__GrabaIncidenciaResponse"/>
                            </wsdl:operation>
                        </wsdl:portType>
                        <wsdl:binding name="LoginWSServiceBinding" type="tns:LoginWSService">
                            <soap:binding transport="http://schemas.xmlsoap.org/soap/http"/>
                            <wsdl:operation name="Login">
                                <soap:operation
soapAction="urn:DinaPaq-LoginWSService#Login" style="document"/>
                                <wsdl:input>
                                    <soap:body use="literal"/>
                                    <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
                                </wsdl:input>
                                <wsdl:output>
                                    <soap:body use="literal"/>
                                    <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
                                </wsdl:output>
                            </wsdl:operation>
                            <wsdl:operation name="Login2">
                                <soap:operation

```

```

soapAction="urn:DinaPaq-LoginWSService#Login2" style="document"/>
    <wsdl:input>
        <soap:body use="literal"/>
        <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
        </wsdl:input>
    <wsdl:output>
        <soap:body use="literal"/>
        <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
        </wsdl:output>
    </wsdl:operation>
    <wsdl:operation name="LoginCli">
        <soap:operation
soapAction="urn:DinaPaq-LoginWSService#LoginCli" style="document"/>
        <wsdl:input>
            <soap:body use="literal"/>
            <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
            </wsdl:input>
        <wsdl:output>
            <soap:body use="literal"/>
            <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
            </wsdl:output>
        </wsdl:operation>
        <wsdl:operation name="LoginCli2">
            <soap:operation
soapAction="urn:DinaPaq-LoginWSService#LoginCli2" style="document"/>
            <wsdl:input>
                <soap:body use="literal"/>
                <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
                </wsdl:input>
            <wsdl:output>
                <soap:body use="literal"/>
                <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
                </wsdl:output>
            </wsdl:operation>
            <wsdl:operation name="LoginDep">
                <soap:operation
soapAction="urn:DinaPaq-LoginWSService#LoginDep" style="document"/>
                <wsdl:input>
                    <soap:body use="literal"/>
                    <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
                    </wsdl:input>
                <wsdl:output>
                    <soap:body use="literal"/>
                    <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
                    </wsdl:output>
                </wsdl:operation>

```

```

        <wsdl:operation name="LoginDep2">
            <soap:operation
soapAction="urn:DinaPaq-LoginWSService#LoginDep2" style="document"/>
            <wsdl:input>
                <soap:body use="literal"/>
                <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
            </wsdl:input>
            <wsdl:output>
                <soap:body use="literal"/>
                <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
            </wsdl:output>
        </wsdl:operation>
        <wsdl:operation name="GrabaIncidencia">
            <soap:operation
soapAction="urn:DinaPaq-LoginWSService#GrabaIncidencia" style="document"/>
            <wsdl:input>
                <soap:body use="literal"/>
                <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
            </wsdl:input>
            <wsdl:output>
                <soap:body use="literal"/>
                <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
            </wsdl:output>
        </wsdl:operation>
    </wsdl:binding>
    <wsdl:service name="LoginWSService_validacion">
        <wsdl:port name="LoginWSServicePort"
binding="tns:LoginWSServiceBinding">
            <soap:address
location="https://testapps.tipsa-dinapaq.com/SOAP?service=LoginWSService"/>
        </wsdl:port>
    </wsdl:service></wsdl:definitions>

```