

```

<?xml version="1.0" encoding="UTF-8"?>
<wsdl:definitions xmlns:wsdl="http://schemas.xmlsoap.org/wsdl/"
xmlns:xs="http://www.w3.org/2001/XMLSchema" name="DinaPaq"
xmlns:soap="http://schemas.xmlsoap.org/wsdl/soap/"
xmlns:soapenc="http://schemas.xmlsoap.org/soap/encoding/"
xmlns:mime="http://schemas.xmlsoap.org/wsdl/mime/"
targetNamespace="http://tempuri.org/" xmlns:tns="http://tempuri.org/">
  <wsdl:types>
    <xs:schema targetNamespace="http://tempuri.org/"
elementFormDefault="qualified">
      <xs:element name="WebServService___ConsEnvio">
        <xs:complexType>
          <xs:sequence>
            <xs:element
name="strCodAgeCargo" minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strCodAgeOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strAlbaran"
minOccurs="1" maxOccurs="1" type="xs:string"/>
          </xs:sequence>
        </xs:complexType>
      </xs:element>
      <xs:element name="WebServService___ConsEnvioResponse">
        <xs:complexType>
          <xs:sequence>
            <xs:element name="strEnvio"
minOccurs="1" maxOccurs="1" type="xs:string"/>
          </xs:sequence>
        </xs:complexType>
      </xs:element>
      <xs:element name="WebServService___ConsEnvEstados">
        <xs:complexType>
          <xs:sequence>
            <xs:element
name="strCodAgeCargo" minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strCodAgeOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strAlbaran"
minOccurs="1" maxOccurs="1" type="xs:string"/>
          </xs:sequence>
        </xs:complexType>
      </xs:element>
      <xs:element
name="WebServService___ConsEnvEstadosResponse">
        <xs:complexType>
          <xs:sequence>
            <xs:element name="strEnvEstados"
minOccurs="1" maxOccurs="1" type="xs:string"/>
          </xs:sequence>
        </xs:complexType>
      </xs:element>
      <xs:element name="WebServService___ConsEnvEstadosRef">
        <xs:complexType>
          <xs:sequence>

```

```

        <xs:element name="strRef"
minOccurs="1" maxOccurs="1" type="xs:string"/>
        </xs:sequence>
    </xs:complexType>
</xs:element>
<xs:element
name="WebServiceService___ConsEnvEstadosRefResponse">
    <xs:complexType>
        <xs:sequence>
            <xs:element
name="strEnvEstadosRef" minOccurs="1" maxOccurs="1" type="xs:string"/>
        </xs:sequence>
    </xs:complexType>
</xs:element>
<xs:element name="WebServiceService___ConsRecogida">
    <xs:complexType>
        <xs:sequence>
            <xs:element name="strCod"
minOccurs="1" maxOccurs="1" type="xs:string"/>
        </xs:sequence>
    </xs:complexType>
</xs:element>
<xs:element
name="WebServiceService___ConsRecogidaResponse">
    <xs:complexType>
        <xs:sequence>
            <xs:element name="strRecogida"
minOccurs="1" maxOccurs="1" type="xs:string"/>
        </xs:sequence>
    </xs:complexType>
</xs:element>
<xs:element name="WebServiceService___ConsRecEstados">
    <xs:complexType>
        <xs:sequence>
            <xs:element name="strCodRec"
minOccurs="1" maxOccurs="1" type="xs:string"/>
        </xs:sequence>
    </xs:complexType>
</xs:element>
<xs:element
name="WebServiceService___ConsRecEstadosResponse">
    <xs:complexType>
        <xs:sequence>
            <xs:element name="strRecEstados"
minOccurs="1" maxOccurs="1" type="xs:string"/>
        </xs:sequence>
    </xs:complexType>
</xs:element>
<xs:element name="WebServiceService___GrabaEnvio">
    <xs:complexType>
        <xs:sequence>
            <xs:element
name="strCodAgeCargo" minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strCodAgeOri"

```

minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strAlbaran"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="dtFecha"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>	<xs:element name="strCodAgeDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element
name="strCodTipoServ" minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCodCli"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCodCliDep"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strNomOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strTipoViaOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strDirOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strNumOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strPisoOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strPobOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCPOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCodProOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strTlfOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strNomDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strTipoViaDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strDirDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strNumDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strPisoDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strPobDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCPDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCodProDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strTlfDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="intDoc"
minOccurs="1" maxOccurs="1" type="xs:int"/>	<xs:element name="intPaq"
minOccurs="1" maxOccurs="1" type="xs:int"/>	<xs:element name="dPesoOri"

```

minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:double"/>
name="dPesoVolVolpes" minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:double"/>
name="dReembolsoAnterior" minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:double"/>
name="dAnticipoAnterior" minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:double"/>
name="dCobCliAnterior" minOccurs="1" maxOccurs="1" type="xs:double"/>
name="dPorteDebAnterior" minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="dAltoOri"
<xs:element name="dAnchoOri"
<xs:element name="dLargoOri"
<xs:element name="dPesoVolpes"
<xs:element name="dAltoVolpes"
<xs:element name="dAnchoVolpes"
<xs:element name="dLargoVolpes"
<xs:element
<xs:element name="dReembolso"
<xs:element
<xs:element name="dValor"
<xs:element name="dAnticipo"
<xs:element
<xs:element name="dCobCli"
<xs:element
<xs:element
<xs:element name="strObs"
<xs:element name="dtFecEntr"
<xs:element name="boSabado"
<xs:element name="boRetorno"
<xs:element name="boGestOri"
<xs:element name="boGestDes"
<xs:element name="boAnulado"
<xs:element name="boAcuse"
<xs:element name="boTecleDes"
<xs:element name="strCodRep"
<xs:element name="strRef"

```

```

minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="strAsociadoRet" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strTipoAsoc"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strCodSalRuta"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="dBaseImp"
minOccurs="1" maxOccurs="1" type="xs:double"/>
<xs:element name="dImpuesto"
minOccurs="1" maxOccurs="1" type="xs:double"/>
<xs:element name="boValidado"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
<xs:element name="boCliente"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
<xs:element name="boPorteDebCli"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
<xs:element name="boInsert"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
<xs:element name="strTipoEnvOld"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="strPersContacto" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="boDesSMS"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
<xs:element name="strDesMoviles"
minOccurs="1" maxOccurs="1" type="xs:string"/>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element name="WebServiceService___GrabaEnvioResponse">
<xs:complexType>
<xs:sequence>
<xs:element name="strAlbaranOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="dPesoVolOriOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
<xs:element
name="dPesoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
<xs:element
name="dAltoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
<xs:element
name="dAnchoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
<xs:element
name="dLargoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
<xs:element
name="dPesoVolVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
<xs:element name="dtFecEntrOut"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
<xs:element name="strTipoEnvOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="dtFecHoraAltaOut" minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
<xs:element name="dKmsManOut"

```

```

minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
name="strCodAgeDesOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
name="strCodProDesOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element name="WebServiceService___GrabaEnvio2">
  <xs:complexType>
    <xs:sequence>
      <xs:element
name="strCodAgeCargo" minOccurs="1" maxOccurs="1" type="xs:string"/>
      <xs:element name="strCodAgeOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
      <xs:element name="dtFecha"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
      <xs:element name="strCodAgeDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
      <xs:element
name="strCodTipoServ" minOccurs="1" maxOccurs="1" type="xs:string"/>
      <xs:element name="strCodCli"
minOccurs="1" maxOccurs="1" type="xs:string"/>
      <xs:element name="strCodCliDep"
minOccurs="1" maxOccurs="1" type="xs:string"/>
      <xs:element name="strNomOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
      <xs:element name="strTipoViaOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
      <xs:element name="strDirOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
      <xs:element name="strNumOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
      <xs:element name="strPisoOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
      <xs:element name="strPobOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
      <xs:element name="strCPOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
      <xs:element name="strCodProOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
      <xs:element name="strTlfOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
      <xs:element name="strNomDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
      <xs:element name="strTipoViaDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
      <xs:element name="strDirDes"

```

minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strNumDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strPisoDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strPobDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCPDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCodProDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strTlfDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="intDoc"
minOccurs="1" maxOccurs="1" type="xs:int"/>	<xs:element name="intPaq"
minOccurs="1" maxOccurs="1" type="xs:int"/>	<xs:element name="dPesoOri"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dAltoOri"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dAnchoOri"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dLargoOri"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dReembolso"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dValor"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dAnticipo"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dCobCli"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="strObs"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="boSabado"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boRetorno"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boGestOri"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boGestDes"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boAnulado"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boAcuse"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="strCodRep"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strRef"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCodSalRuta"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="dBaseImp"

```

minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
name="strPersContacto" minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element name="WebServiceService___GrabaEnvio2Response">
  <xs:complexType>
    <xs:sequence>
      <xs:element name="strAlbaranOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
      <xs:element
name="dPesoVolOriOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
      <xs:element
name="dPesoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
      <xs:element
name="dAltoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
      <xs:element
name="dAnchoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
      <xs:element
name="dLargoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
      <xs:element
name="dPesoVolVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
      <xs:element name="dtFecEntrOut"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
      <xs:element name="strTipoEnvOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
      <xs:element
name="dtFecHoraAltaOut" minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
      <xs:element name="dKmsManOut"
minOccurs="1" maxOccurs="1" type="xs:double"/>
      <xs:element name="boTecleDesOut"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
      <xs:element
name="strCodAgeDesOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
      <xs:element
name="strCodProDesOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
      <xs:element name="dPorteDebOut"
minOccurs="1" maxOccurs="1" type="xs:double"/>
      <xs:element name="strGuidOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>
<xs:element name="WebServiceService___GrabaEnvio3">
  <xs:complexType>

```

```

<xs:sequence>
  <xs:element
name="strCodAgeCargo" minOccurs="1" maxOccurs="1" type="xs:string"/>
  <xs:element name="strCodAgeOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
  <xs:element name="dtFecha"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
  <xs:element name="strCodAgeDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
  <xs:element
name="strCodTipoServ" minOccurs="1" maxOccurs="1" type="xs:string"/>
  <xs:element name="strCodCli"
minOccurs="1" maxOccurs="1" type="xs:string"/>
  <xs:element name="strCodCliDep"
minOccurs="1" maxOccurs="1" type="xs:string"/>
  <xs:element name="strNomOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
  <xs:element name="strTipoViaOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
  <xs:element name="strDirOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
  <xs:element name="strNumOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
  <xs:element name="strPisoOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
  <xs:element name="strPobOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
  <xs:element name="strCPOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
  <xs:element name="strCodProOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
  <xs:element name="strTlfOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
  <xs:element name="strNomDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
  <xs:element name="strTipoViaDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
  <xs:element name="strDirDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
  <xs:element name="strNumDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
  <xs:element name="strPisoDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
  <xs:element name="strPobDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
  <xs:element name="strCPDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
  <xs:element name="strCodProDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
  <xs:element name="strTlfDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
  <xs:element name="intDoc"
minOccurs="1" maxOccurs="1" type="xs:int"/>
  <xs:element name="intPaq"

```

```

minOccurs="1" maxOccurs="1" type="xs:int"/>
minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
name="strPersContacto" minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element name="WebServiceService___GrabaEnvio3Response">
  <xs:complexType>
    <xs:sequence>
      <xs:element name="dPesoOri" type="xs:double"/>
      <xs:element name="dAltoOri" type="xs:double"/>
      <xs:element name="dAnchoOri" type="xs:double"/>
      <xs:element name="dLargoOri" type="xs:double"/>
      <xs:element name="dReembolso" type="xs:double"/>
      <xs:element name="dValor" type="xs:double"/>
      <xs:element name="dAnticipo" type="xs:double"/>
      <xs:element name="dCobCli" type="xs:double"/>
      <xs:element name="strObs" type="xs:string"/>
      <xs:element name="boSabado" type="xs:boolean"/>
      <xs:element name="boRetorno" type="xs:boolean"/>
      <xs:element name="boGestOri" type="xs:boolean"/>
      <xs:element name="boGestDes" type="xs:boolean"/>
      <xs:element name="boAnulado" type="xs:boolean"/>
      <xs:element name="boAcuse" type="xs:boolean"/>
      <xs:element name="strCodRep" type="xs:string"/>
      <xs:element name="strRef" type="xs:string"/>
      <xs:element name="strCodSalRuta" type="xs:string"/>
      <xs:element name="dBaseImp" type="xs:double"/>
      <xs:element name="dImpuesto" type="xs:double"/>
      <xs:element name="boPorteDebCli" type="xs:boolean"/>
      <xs:element name="strPersContacto" type="xs:string"/>
      <xs:element name="boDesSMS" type="xs:boolean"/>
      <xs:element name="strDesMoviles" type="xs:string"/>
    
```

```

        <xs:sequence>
            <xs:element name="strAlbaranOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element
name="dPesoVolOriOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
            <xs:element
name="dPesoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
            <xs:element
name="dAltoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
            <xs:element
name="dAnchoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
            <xs:element
name="dLargoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
            <xs:element
name="dPesoVolVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
            <xs:element name="dtFecEntrOut"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
            <xs:element name="strTipoEnvOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element
name="dtFecHoraAltaOut" minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
            <xs:element name="dKmsManOut"
minOccurs="1" maxOccurs="1" type="xs:double"/>
            <xs:element name="boTecleDesOut"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
            <xs:element
name="strCodAgeDesOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element
name="strCodProDesOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="dPorteDebOut"
minOccurs="1" maxOccurs="1" type="xs:double"/>
            <xs:element name="strCodRepOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strGuidOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
        </xs:sequence>
    </xs:complexType>
</xs:element>
<xs:element name="WebServiceService___GrabaEnvio4">
    <xs:complexType>
        <xs:sequence>
            <xs:element
name="strCodAgeCargo" minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strCodAgeOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="dtFecha"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
            <xs:element name="strCodAgeDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element
name="strCodTipoServ" minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strCodCli"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strCodCliDep"

```

```
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:int"/>
minOccurs="1" maxOccurs="1" type="xs:int"/>
minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:double"/>
```

```

minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
name="strPersContacto" minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
name="strDesDirEmails" minOccurs="1" maxOccurs="1" type="xs:string"/>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element name="WebServiceService___GrabaEnvio4Response">
  <xs:complexType>
    <xs:sequence>
      <xs:element name="strAlbaranOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
      <xs:element
name="dPesoVolOriOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
      <xs:element
name="dPesoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
      <xs:element
name="dAltoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
      <xs:element

```

```

name="dAnchoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
    <xs:element
name="dLargoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
    <xs:element
name="dPesoVolVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
    <xs:element name="dtFecEntrOut"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
    <xs:element name="strTipoEnvOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
    <xs:element
name="dtFecHoraAltaOut" minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
    <xs:element name="dKmsManOut"
minOccurs="1" maxOccurs="1" type="xs:double"/>
    <xs:element name="boTecleDesOut"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
    <xs:element
name="strCodAgeDesOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
    <xs:element
name="strCodProDesOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
    <xs:element name="dPorteDebOut"
minOccurs="1" maxOccurs="1" type="xs:double"/>
    <xs:element name="strCodRepOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
    <xs:element name="strGuidOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
    <xs:element
name="strCodSalRutaOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
    </xs:sequence>
</xs:complexType>
</xs:element>
<xs:element name="WebServiceService___GrabaEnvio5">
    <xs:complexType>
        <xs:sequence>
            <xs:element
name="strCodAgeCargo" minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strCodAgeOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="dtFecha"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
            <xs:element name="strCodAgeDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element
name="strCodTipoServ" minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strCodCli"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strCodCliDep"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strNomOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strTipoViaOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strDirOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strNumOri"

```

minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strPisoOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strPobOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCPOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCodProOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strTlfOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strNomDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strTipoViaDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strDirDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strNumDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strPisoDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strPobDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCPDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCodProDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strTlfDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="intDoc"
minOccurs="1" maxOccurs="1" type="xs:int"/>	<xs:element name="intPaq"
minOccurs="1" maxOccurs="1" type="xs:int"/>	<xs:element name="dPesoOri"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dAltoOri"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dAnchoOri"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dLargoOri"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dReembolso"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dValor"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dAnticipo"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dCobCli"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="strObs"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="boSabado"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boRetorno"

```

minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
name="strPersContacto" minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
name="strDesDirEmails" minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element name="WebServiceService___GrabaEnvio5Response">
  <xs:complexType>
    <xs:sequence>
      <xs:element name="strAlbaranOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
      <xs:element
name="dPesoVolOriOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
      <xs:element
name="dPesoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
      <xs:element
name="dAltoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
      <xs:element
name="dAnchoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
      <xs:element
name="dLargoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
      <xs:element

```

```

name="dPesoVolVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
    <xs:element name="dtFecEntrOut"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
    <xs:element name="strTipoEnvOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
    <xs:element
name="dtFecHoraAltaOut" minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
    <xs:element name="dKmsManOut"
minOccurs="1" maxOccurs="1" type="xs:double"/>
    <xs:element name="boTecleDesOut"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
    <xs:element
name="strCodAgeDesOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
    <xs:element
name="strCodProDesOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
    <xs:element name="dPorteDebOut"
minOccurs="1" maxOccurs="1" type="xs:double"/>
    <xs:element name="strCodRepOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
    <xs:element name="strGuidOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
    <xs:element
name="strCodSalRutaOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
    </xs:sequence>
</xs:complexType>
</xs:element>
<xs:element name="WebServiceService___GrabaEnvio6">
    <xs:complexType>
        <xs:sequence>
            <xs:element
name="strCodAgeCargo" minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strCodAgeOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="dtFecha"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
            <xs:element name="strCodAgeDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element
name="strCodTipoServ" minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strCodCli"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strCodCliDep"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strNomOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strTipoViaOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strDirOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strNumOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strPisoOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strPobOri"

```

minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCPOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCodProOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strTlfOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strNomDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strTipoViaDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strDirDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strNumDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strPisoDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strPobDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCPDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCodProDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strTlfDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="intDoc"
minOccurs="1" maxOccurs="1" type="xs:int"/>	<xs:element name="intPaq"
minOccurs="1" maxOccurs="1" type="xs:int"/>	<xs:element name="dPesoOri"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dAltoOri"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dAnchoOri"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dLargoOri"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dReembolso"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dValor"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dAnticipo"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dCobCli"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="strObs"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="boSabado"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boRetorno"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boGestOri"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boGestDes"

```

minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
name="strPersContacto" minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
name="strDesDirEmails" minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element name="WebServiceService___GrabaEnvio6Response">
  <xs:complexType>
    <xs:sequence>
      <xs:element name="strAlbaranOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
      <xs:element
name="dPesoVolOriOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
      <xs:element
name="dPesoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
      <xs:element
name="dAltoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
      <xs:element
name="dAnchoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
      <xs:element
name="dLargoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
      <xs:element
name="dPesoVolVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
      <xs:element name="dtFecEntrOut"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
      <xs:element name="strTipoEnvOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
      <xs:element

```

```

name="dtFecHoraAltaOut" minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
<xs:element name="dKmsManOut"
minOccurs="1" maxOccurs="1" type="xs:double"/>
<xs:element name="boTecleDesOut"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
<xs:element
name="strCodAgeDesOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="strCodProDesOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="dPorteDebOut"
minOccurs="1" maxOccurs="1" type="xs:double"/>
<xs:element name="strGuidOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="strCodSalRutaOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element name="WebServiceService___GrabaEnvio7">
<xs:complexType>
<xs:sequence>
<xs:element
name="strCodAgeCargo" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strCodAgeOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="dtFecha"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
<xs:element name="strCodAgeDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="strCodTipoServ" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strCodCli"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strCodCliDep"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strNomOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strTipoViaOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strDirOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strNumOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strPisoOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strPobOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strCPOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strCodProOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strTlfOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strNomDes"

```

minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strTipoViaDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strDirDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strNumDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strPisoDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strPobDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCPDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCodProDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strTlfDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="intDoc"
minOccurs="1" maxOccurs="1" type="xs:int"/>	<xs:element name="intPaq"
minOccurs="1" maxOccurs="1" type="xs:int"/>	<xs:element name="dPesoOri"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dAltoOri"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dAnchoOri"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dLargoOri"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dReembolso"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dValor"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dAnticipo"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dCobCli"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="strObs"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="boSabado"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boRetorno"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boGestOri"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boGestDes"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boAnulado"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boAcuse"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="strRef"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCodSalRuta"

```

minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
name="strPersContacto" minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
name="strDesDirEmails" minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element name="WebServiceService___GrabaEnvio7Response">
  <xs:complexType>
    <xs:sequence>
      <xs:element name="strAlbaranOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
      <xs:element
name="dPesoVolOriOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
      <xs:element
name="dPesoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
      <xs:element
name="dAltoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
      <xs:element
name="dAnchoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
      <xs:element
name="dLargoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
      <xs:element
name="dPesoVolVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
      <xs:element name="dtFecEntrOut"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
      <xs:element name="strTipoEnvOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
      <xs:element
name="dtFecHoraAltaOut" minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
      <xs:element name="dKmsManOut"
minOccurs="1" maxOccurs="1" type="xs:double"/>
      <xs:element name="boTecleDesOut"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>

```

```

name="strCodAgeDesOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
    <xs:element
name="strCodProDesOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
    <xs:element name="dPorteDebOut"
minOccurs="1" maxOccurs="1" type="xs:double"/>
    <xs:element name="strGuidOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
    <xs:element
name="strCodSalRutaOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
    <xs:element name="strCPDesOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
    <xs:element name="strCodPaisOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
    </xs:sequence>
    </xs:complexType>
</xs:element>
<xs:element name="WebServiceService__GrabaEnvio8">
    <xs:complexType>
        <xs:sequence>
            <xs:element
name="strCodAgeCargo" minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strCodAgeOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="dtFecha"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
            <xs:element name="strCodAgeDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element
name="strCodTipoServ" minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strCodCli"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strCodCliDep"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strNomOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strTipoViaOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strDirOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strNumOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strPisoOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strPobOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strCPOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strCodProOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strTlfOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strNomDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strTipoViaDes"

```

minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strDirDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strNumDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strPisoDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strPobDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCPDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCodProDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strTlfDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="intDoc"
minOccurs="1" maxOccurs="1" type="xs:int"/>	<xs:element name="intPaq"
minOccurs="1" maxOccurs="1" type="xs:int"/>	<xs:element name="dPesoOri"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dAltoOri"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dAnchoOri"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dLargoOri"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dReembolso"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dValor"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dAnticipo"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dCobCli"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="strObs"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="boSabado"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boRetorno"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boGestOri"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boGestDes"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boAnulado"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boAcuse"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="strRef"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCodSalRuta"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="dBaseImp"

```

minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
name="strPersContacto" minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
name="strDesDirEmails" minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:double"/>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element name="WebServService___GrabaEnvio8Response">
  <xs:complexType>
    <xs:sequence>
      <xs:element name="strAlbaranOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
      <xs:element
name="dPesoVolOriOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
      <xs:element
name="dPesoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
      <xs:element
name="dAltoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
      <xs:element
name="dAnchoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
      <xs:element
name="dLargoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
      <xs:element
name="dPesoVolVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
      <xs:element name="dtFecEntrOut"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
      <xs:element name="strTipoEnvOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
      <xs:element
name="dtFecHoraAltaOut" minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
      <xs:element name="dKmsManOut"
minOccurs="1" maxOccurs="1" type="xs:double"/>
      <xs:element name="boTecleDesOut"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
      <xs:element

```

```

name="strCodAgeDesOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
      <xs:element
name="strCodProDesOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
      <xs:element name="dPorteDebOut"
minOccurs="1" maxOccurs="1" type="xs:double"/>
      <xs:element name="strGuidOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
      <xs:element
name="strCodSalRutaOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
      <xs:element name="strCPDesOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
      <xs:element name="strCodPaisOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>
<xs:element name="WebServiceService___GrabaEnvio9">
  <xs:complexType>
    <xs:sequence>
      <xs:element
name="strCodAgeCargo" minOccurs="1" maxOccurs="1" type="xs:string"/>
      <xs:element name="strCodAgeOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
      <xs:element name="dtFecha"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
      <xs:element name="strCodAgeDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
      <xs:element
name="strCodTipoServ" minOccurs="1" maxOccurs="1" type="xs:string"/>
      <xs:element name="strCodCli"
minOccurs="1" maxOccurs="1" type="xs:string"/>
      <xs:element name="strCodCliDep"
minOccurs="1" maxOccurs="1" type="xs:string"/>
      <xs:element name="strNomOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
      <xs:element name="strTipoViaOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
      <xs:element name="strDirOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
      <xs:element name="strNumOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
      <xs:element name="strPisoOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
      <xs:element name="strPobOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
      <xs:element name="strCPOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
      <xs:element name="strCodProOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
      <xs:element name="strTlfOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
      <xs:element name="strNomDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
      <xs:element name="strTipoViaDes"

```

minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strDirDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strNumDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strPisoDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strPobDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCPDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCodProDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strTlfDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="intDoc"
minOccurs="1" maxOccurs="1" type="xs:int"/>	<xs:element name="intPaq"
minOccurs="1" maxOccurs="1" type="xs:int"/>	<xs:element name="dPesoOri"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dAltoOri"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dAnchoOri"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dLargoOri"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dReembolso"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dValor"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dAnticipo"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dCobCli"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="strObs"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="boSabado"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boRetorno"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boGestOri"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boGestDes"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boAnulado"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boAcuse"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="strRef"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCodSalRuta"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="dBaseImp"

```

minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
name="strPersContacto" minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
name="strDesDirEmails" minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element name="WebServiceService___GrabaEnvio9Response">
  <xs:complexType>
    <xs:sequence>
      <xs:element name="strAlbaranOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
      <xs:element
name="dPesoVolOriOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
      <xs:element
name="dPesoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
      <xs:element
name="dAltoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
      <xs:element
name="dAnchoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
      <xs:element
name="dLargoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
      <xs:element
name="dPesoVolVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
      <xs:element name="dtFecEntrOut"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
      <xs:element name="strTipoEnvOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
      <xs:element
name="dtFecHoraAltaOut" minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
      <xs:element name="dKmsManOut"

```

```

minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
name="strCodAgeDesOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
name="strCodProDesOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
name="strCodSalRutaOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element name="WebServiceService___GrabaEnvio10">
  <xs:complexType>
    <xs:sequence>
      <xs:element
name="strCodAgeCargo" minOccurs="1" maxOccurs="1" type="xs:string"/>
      <xs:element name="strCodAgeOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
      <xs:element name="dtFecha"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
      <xs:element name="strCodAgeDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
      <xs:element
name="strCodTipoServ" minOccurs="1" maxOccurs="1" type="xs:string"/>
      <xs:element name="strCodCli"
minOccurs="1" maxOccurs="1" type="xs:string"/>
      <xs:element name="strCodCliDep"
minOccurs="1" maxOccurs="1" type="xs:string"/>
      <xs:element name="strNomOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
      <xs:element name="strTipoViaOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
      <xs:element name="strDirOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
      <xs:element name="strNumOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
      <xs:element name="strPisoOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
      <xs:element name="strPobOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
      <xs:element name="strCPOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
      <xs:element name="strCodProOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
      <xs:element name="strTlfOri"

```

minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strNomDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strTipoViaDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strDirDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strNumDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strPisoDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strPobDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCPDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCodProDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strTlfDes"
minOccurs="1" maxOccurs="1" type="xs:int"/>	<xs:element name="intDoc"
minOccurs="1" maxOccurs="1" type="xs:int"/>	<xs:element name="intPaq"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dPesoOri"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dAltoOri"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dAnchoOri"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dLargoOri"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dReembolso"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dValor"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dAnticipo"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dCobCli"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strObs"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boSabado"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boRetorno"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boGestOri"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boGestDes"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boAnulado"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boAcuse"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="strRef"

```

minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
name="strPersContacto" minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
name="strDesDirEmails" minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element
name="WebServiceService___GrabaEnvio10Response">
  <xs:complexType>
    <xs:sequence>
      <xs:element name="strAlbaranOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
      <xs:element
name="dPesoVolOriOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
      <xs:element
name="dPesoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
      <xs:element
name="dAltoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
      <xs:element
name="dAnchoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
      <xs:element
name="dLargoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
      <xs:element
name="dPesoVolVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
    
```

```

minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
<xs:element name="dtFecEntrOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="dtFecHoraAltaOut" minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
<xs:element name="dKmsManOut"
minOccurs="1" maxOccurs="1" type="xs:double"/>
<xs:element name="boTecleDesOut"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
<xs:element
name="strCodAgeDesOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="strCodProDesOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="dPorteDebOut"
minOccurs="1" maxOccurs="1" type="xs:double"/>
<xs:element name="strGuidOut"
<xs:element
name="strCodSalRutaOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strCPDesOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strCodPaisOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="boEnvioAgrupadoOut" minOccurs="1" maxOccurs="1" type="xs:boolean"/>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element name="WebServiceService___GrabaEnvio11">
<xs:complexType>
<xs:sequence>
<xs:element
name="strCodAgeCargo" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strCodAgeOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="dtFecha"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
<xs:element name="strCodAgeDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="strCodTipoServ" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strCodCli"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strCodCliDep"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strNomOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strTipoViaOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strDirOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strNumOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>

```

minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strPisoOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strPobOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCPOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCodProOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strTlfOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strNomDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strTipoViaDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strDirDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strNumDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strPisoDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strPobDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCPDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCodProDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strTlfDes"
minOccurs="1" maxOccurs="1" type="xs:int"/>	<xs:element name="intDoc"
minOccurs="1" maxOccurs="1" type="xs:int"/>	<xs:element name="intPaq"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dPesoOri"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dAltoOri"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dAnchoOri"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dLargoOri"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dReembolso"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dValor"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dAnticipo"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dCobCli"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="strObs"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="boSabado"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boRetorno"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	

```

minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
name="strPersContacto" minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
name="strDesDirEmails" minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
name="strCargosAduaneros" minOccurs="1" maxOccurs="1" type="xs:string"/>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element
name="WebServiceService___GrabaEnvio11Response">
<xs:complexType>
<xs:sequence>
<xs:element name="strAlbaranOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
<xs:element name="boGestOri"
<xs:element name="boGestDes"
<xs:element name="boAnulado"
<xs:element name="boAcuse"
<xs:element name="strRef"
<xs:element name="strCodSalRuta"
<xs:element name="dBaseImp"
<xs:element name="dImpuesto"
<xs:element name="boPorteDebCli"
<xs:element
name="strPersContacto" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="boDesSMS"
<xs:element name="boDesEmail"
<xs:element name="strDesMoviles"
<xs:element
name="strDesDirEmails" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="dtHoraEntrIni"
<xs:element name="dtHoraEntrFin"
<xs:element name="strCodPais"
<xs:element name="dValorFactInt"
<xs:element name="boInsert"
<xs:element name="strAlbaran"
<xs:element name="strConcAgru"
<xs:element
name="strCargosAduaneros" minOccurs="1" maxOccurs="1" type="xs:string"/>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element
name="WebServiceService___GrabaEnvio11Response">
<xs:complexType>
<xs:sequence>
<xs:element name="strAlbaranOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element

```

```

name="dPesoVolOriOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
    <xs:element
name="dPesoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
    <xs:element
name="dAltoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
    <xs:element
name="dAnchoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
    <xs:element
name="dLargoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
    <xs:element
name="dPesoVolVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
    <xs:element name="dtFecEntrOut"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
    <xs:element name="strTipoEnvOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
    <xs:element
name="dtFecHoraAltaOut" minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
    <xs:element name="dKmsManOut"
minOccurs="1" maxOccurs="1" type="xs:double"/>
    <xs:element name="boTecleDesOut"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
    <xs:element
name="strCodAgeDesOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
    <xs:element
name="strCodProDesOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
    <xs:element name="dPorteDebOut"
minOccurs="1" maxOccurs="1" type="xs:double"/>
    <xs:element name="strGuidOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
    <xs:element
name="strCodSalRutaOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
    <xs:element name="strCPDesOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
    <xs:element name="strCodPaisOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
    <xs:element
name="boEnvioAgrupadoOut" minOccurs="1" maxOccurs="1" type="xs:boolean"/>
    <xs:element
name="strCargosAduanerosOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
    <xs:element name="dtFechaOut"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>
<xs:element name="WebServService___GrabaEnvio12">
  <xs:complexType>
    <xs:sequence>
      <xs:element
name="strCodAgeCargo" minOccurs="1" maxOccurs="1" type="xs:string"/>
      <xs:element name="strCodAgeOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
      <xs:element name="dtFecha"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
      <xs:element name="strCodAgeDes"

```

```
<xs:element name="strCodTipoServ" minOccurs="1" maxOccurs="1" type="xs:string"/>  
<xs:element name="strCodCli" minOccurs="1" maxOccurs="1" type="xs:string"/>  
<xs:element name="strCodCliDep" minOccurs="1" maxOccurs="1" type="xs:string"/>  
<xs:element name="strNomOri" minOccurs="1" maxOccurs="1" type="xs:string"/>  
<xs:element name="strTipoViaOri" minOccurs="1" maxOccurs="1" type="xs:string"/>  
<xs:element name="strDirOri" minOccurs="1" maxOccurs="1" type="xs:string"/>  
<xs:element name="strNumOri" minOccurs="1" maxOccurs="1" type="xs:string"/>  
<xs:element name="strPisoOri" minOccurs="1" maxOccurs="1" type="xs:string"/>  
<xs:element name="strPobOri" minOccurs="1" maxOccurs="1" type="xs:string"/>  
<xs:element name="strCPOri" minOccurs="1" maxOccurs="1" type="xs:string"/>  
<xs:element name="strCodProOri" minOccurs="1" maxOccurs="1" type="xs:string"/>  
<xs:element name="strTlfOri" minOccurs="1" maxOccurs="1" type="xs:string"/>  
<xs:element name="strNomDes" minOccurs="1" maxOccurs="1" type="xs:string"/>  
<xs:element name="strTipoViaDes" minOccurs="1" maxOccurs="1" type="xs:string"/>  
<xs:element name="strDirDes" minOccurs="1" maxOccurs="1" type="xs:string"/>  
<xs:element name="strNumDes" minOccurs="1" maxOccurs="1" type="xs:string"/>  
<xs:element name="strPisoDes" minOccurs="1" maxOccurs="1" type="xs:string"/>  
<xs:element name="strPobDes" minOccurs="1" maxOccurs="1" type="xs:string"/>  
<xs:element name="strCPDes" minOccurs="1" maxOccurs="1" type="xs:string"/>  
<xs:element name="strCodProDes" minOccurs="1" maxOccurs="1" type="xs:string"/>  
<xs:element name="strTlfDes" minOccurs="1" maxOccurs="1" type="xs:string"/>  
<xs:element name="intDoc" minOccurs="1" maxOccurs="1" type="xs:int"/>  
<xs:element name="intPaq" minOccurs="1" maxOccurs="1" type="xs:int"/>  
<xs:element name="dPesoOri" minOccurs="1" maxOccurs="1" type="xs:double"/>  
<xs:element name="dAltoOri" minOccurs="1" maxOccurs="1" type="xs:double"/>  
<xs:element name="dAnchoOri" minOccurs="1" maxOccurs="1" type="xs:double"/>  
<xs:element name="dLargoOri" minOccurs="1" maxOccurs="1" type="xs:double"/>
```

minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dReembolso"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dValor"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dAnticipo"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dCobCli"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="strObs"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="boSabado"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boRetorno"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boGestOri"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boGestDes"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boAnulado"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boAcuse"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="strRef"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCodSalRuta"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="dBaseImp"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dImpuesto"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="boPorteDebCli"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element
name="strPersContacto" minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="boDesSMS"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boDesEmail"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="strDesMoviles"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element
name="strDesDirEmails" minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="dtHoraEntrIni"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>	<xs:element name="dtHoraEntrFin"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>	<xs:element name="strCodPais"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="dValorFactInt"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="boInsert"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="strAlbaran"

```

minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strConcAgru"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="strCargosAduaneros" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="strCodDirAgrupDes" minOccurs="1" maxOccurs="1" type="xs:string"/>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element
name="WebServService___GrabaEnvio12Response">
<xs:complexType>
<xs:sequence>
<xs:element name="strAlbaranOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="dPesoVolOriOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
<xs:element
name="dPesoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
<xs:element
name="dAltoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
<xs:element
name="dAnchoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
<xs:element
name="dLargoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
<xs:element
name="dPesoVolVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
<xs:element name="dtFecEntrOut"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
<xs:element name="strTipoEnvOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="dtFecHoraAltaOut" minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
<xs:element name="dKmsManOut"
minOccurs="1" maxOccurs="1" type="xs:double"/>
<xs:element name="boTecleDesOut"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
<xs:element
name="strCodAgeDesOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="strCodProDesOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="dPorteDebOut"
minOccurs="1" maxOccurs="1" type="xs:double"/>
<xs:element name="strGuidOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="strCodSalRutaOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strCPDesOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strCodPaisOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="boEnvioAgrupadoOut" minOccurs="1" maxOccurs="1" type="xs:boolean"/>

```

```

                                <xs:element
name="strCargosAduanerosOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
                                <xs:element name="dtFechaOut"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
                                <xs:element
name="strCodDirAgrupDesOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
                                </xs:sequence>
                                </xs:complexType>
                                </xs:element>
                                <xs:element name="WebService___GrabaEnvio13">
                                <xs:complexType>
                                <xs:sequence>
                                <xs:element
name="strCodAgeCargo" minOccurs="1" maxOccurs="1" type="xs:string"/>
                                <xs:element name="strCodAgeOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                                <xs:element name="dtFecha"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
                                <xs:element name="strCodAgeDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                                <xs:element
name="strCodTipoServ" minOccurs="1" maxOccurs="1" type="xs:string"/>
                                <xs:element name="strCodCli"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                                <xs:element name="strCodCliDep"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                                <xs:element name="strNomOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                                <xs:element name="strTipoViaOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                                <xs:element name="strDirOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                                <xs:element name="strNumOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                                <xs:element name="strPisoOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                                <xs:element name="strPobOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                                <xs:element name="strCPOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                                <xs:element name="strCodProOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                                <xs:element name="strTlfOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                                <xs:element name="strNomDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                                <xs:element name="strTipoViaDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                                <xs:element name="strDirDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                                <xs:element name="strNumDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                                <xs:element name="strPisoDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>

```

minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strPobDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCPDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCodProDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strTlfDes"
minOccurs="1" maxOccurs="1" type="xs:int"/>	<xs:element name="intDoc"
minOccurs="1" maxOccurs="1" type="xs:int"/>	<xs:element name="intPaq"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dPesoOri"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dAltoOri"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dAnchoOri"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dLargoOri"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dReembolso"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dValor"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dAnticipo"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dCobCli"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strObs"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boSabado"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boRetorno"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boGestOri"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boGestDes"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boAnulado"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boAcuse"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strRef"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCodSalRuta"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dBaseImp"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dImpuesto"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boPorteDebCli"
name="strPersContacto" minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element

```

minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
name="strDesDirEmails" minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
name="strCargosAduaneros" minOccurs="1" maxOccurs="1" type="xs:string"/>
name="strCodDirAgrupDes" minOccurs="1" maxOccurs="1" type="xs:string"/>
name="boSeguroFranquicia" minOccurs="1" maxOccurs="1" type="xs:boolean"/>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element
name="WebServiceService___GrabaEnvio13Response">
<xs:complexType>
<xs:sequence>
<xs:element name="strAlbaranOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="dPesoVolOriOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
<xs:element
name="dPesoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
<xs:element
name="dAltoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
<xs:element
name="dAnchoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
<xs:element
name="dLargoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
<xs:element
name="dPesoVolVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
<xs:element name="dtFecEntrOut"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
<xs:element name="strTipoEnvOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element

```

```

name="dtFecHoraAltaOut" minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
<xs:element name="dKmsManOut"
minOccurs="1" maxOccurs="1" type="xs:double"/>
<xs:element name="boTecleDesOut"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
<xs:element
name="strCodAgeDesOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="strCodProDesOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="dPorteDebOut"
minOccurs="1" maxOccurs="1" type="xs:double"/>
<xs:element name="strGuidOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="strCodSalRutaOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strCPDesOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strCodPaisOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="boEnvioAgrupadoOut" minOccurs="1" maxOccurs="1" type="xs:boolean"/>
<xs:element
name="strCargosAduanerosOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="dtFechaOut"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
<xs:element
name="strCodDirAgrupDesOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element name="WebServiceService___GrabaEnvio14">
<xs:complexType>
<xs:sequence>
<xs:element
name="strCodAgeCargo" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strCodAgeOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="dtFecha"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
<xs:element name="strCodAgeDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="strCodTipoServ" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strCodCli"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strCodCliDep"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strNomOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strTipoViaOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strDirOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strNumOri"

```

minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strPisoOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strPobOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCPOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCodProOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strTlfOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strNomDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strTipoViaDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strDirDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strNumDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strPisoDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strPobDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCPDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCodProDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strTlfDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="intDoc"
minOccurs="1" maxOccurs="1" type="xs:int"/>	<xs:element name="intPaq"
minOccurs="1" maxOccurs="1" type="xs:int"/>	<xs:element name="dPesoOri"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dAltoOri"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dAnchoOri"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dLargoOri"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dReembolso"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dValor"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dAnticipo"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dCobCli"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="strObs"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="boSabado"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boRetorno"

```

minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
name="strPersContacto" minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
name="strDesDirEmails" minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
name="strCargosAduaneros" minOccurs="1" maxOccurs="1" type="xs:string"/>
name="strCodDirAgrupDes" minOccurs="1" maxOccurs="1" type="xs:string"/>
name="boSeguroFranquicia" minOccurs="1" maxOccurs="1" type="xs:boolean"/>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element
name="WebServiceService___GrabaEnvio14Response">

```

```

        <xs:complexType>
            <xs:sequence>
                <xs:element name="strAlbaranOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                <xs:element
name="dPesoVolOriOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
                <xs:element
name="dPesoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
                <xs:element
name="dAltoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
                <xs:element
name="dAnchoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
                <xs:element
name="dLargoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
                <xs:element
name="dPesoVolVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
                <xs:element name="dtFecEntrOut"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
                <xs:element name="strTipoEnvOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                <xs:element
name="dtFecHoraAltaOut" minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
                <xs:element name="dKmsManOut"
minOccurs="1" maxOccurs="1" type="xs:double"/>
                <xs:element name="boTecleDesOut"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
                <xs:element
name="strCodAgeDesOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
                <xs:element
name="strCodProDesOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
                <xs:element name="dPorteDebOut"
minOccurs="1" maxOccurs="1" type="xs:double"/>
                <xs:element name="strGuidOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                <xs:element
name="strCodSalRutaOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
                <xs:element name="strCPDesOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                <xs:element name="strCodPaisOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                <xs:element
name="boEnvioAgrupadoOut" minOccurs="1" maxOccurs="1" type="xs:boolean"/>
                <xs:element
name="strCargosAduanerosOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
                <xs:element name="dtFechaOut"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
                <xs:element
name="strCodDirAgrupDesOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
                <xs:element
name="intBultosAnteriorOut" minOccurs="1" maxOccurs="1" type="xs:int"/>
                <xs:element
name="intBultosPosteriorOut" minOccurs="1" maxOccurs="1" type="xs:int"/>
            </xs:sequence>
        </xs:complexType>

```

```

        </xs:element>
        <xs:element name="WebServiceService___GrabaEnvio15">
            <xs:complexType>
                <xs:sequence>
                    <xs:element
name="strCodAgeCargo" minOccurs="1" maxOccurs="1" type="xs:string"/>
                    <xs:element name="strCodAgeOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                    <xs:element name="dtFecha"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
                    <xs:element name="strCodAgeDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                    <xs:element
name="strCodTipoServ" minOccurs="1" maxOccurs="1" type="xs:string"/>
                    <xs:element name="strCodCli"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                    <xs:element name="strCodCliDep"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                    <xs:element name="strNomOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                    <xs:element name="strTipoViaOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                    <xs:element name="strDirOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                    <xs:element name="strNumOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                    <xs:element name="strPisoOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                    <xs:element name="strPobOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                    <xs:element name="strCPOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                    <xs:element name="strCodProOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                    <xs:element name="strTlfOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                    <xs:element name="strNomDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                    <xs:element name="strTipoViaDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                    <xs:element name="strDirDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                    <xs:element name="strNumDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                    <xs:element name="strPisoDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                    <xs:element name="strPobDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                    <xs:element name="strCPDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                    <xs:element name="strCodProDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                    <xs:element name="strTlfDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>

```

minOccurs="1" maxOccurs="1" type="xs:int"/>	<xs:element name="intDoc"
minOccurs="1" maxOccurs="1" type="xs:int"/>	<xs:element name="intPaq"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dPesoOri"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dAltoOri"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dAnchoOri"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dLargoOri"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dReembolso"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dValor"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dAnticipo"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dCobCli"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strObs"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boSabado"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boRetorno"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boGestOri"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boGestDes"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boAnulado"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boAcuse"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strRef"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCodSalRuta"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dBaseImp"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dImpuesto"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boPorteDebCli"
name="strPersContacto" minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boDesSMS"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boDesEmail"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strDesMoviles"
name="strDesDirEmails" minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element

```

minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
<xs:element name="dtHoraEntrFin"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
<xs:element name="strCodPais"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="dValorFactInt"
minOccurs="1" maxOccurs="1" type="xs:double"/>
<xs:element name="boInsert"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
<xs:element name="strAlbaran"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strConcAgru"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="strCargosAduaneros" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="strCodDirAgrupDes" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="boSeguroFranquicia" minOccurs="1" maxOccurs="1" type="xs:boolean"/>
<xs:element name="strContenido"
minOccurs="1" maxOccurs="1" type="xs:string"/>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element
name="WebServService___GrabaEnvio15Response">
<xs:complexType>
<xs:sequence>
<xs:element name="strAlbaranOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="dPesoVolOriOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
<xs:element
name="dPesoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
<xs:element
name="dAltoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
<xs:element
name="dAnchoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
<xs:element
name="dLargoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
<xs:element
name="dPesoVolVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
<xs:element name="dtFecEntrOut"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
<xs:element name="strTipoEnvOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="dtFecHoraAltaOut" minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
<xs:element name="dKmsManOut"
minOccurs="1" maxOccurs="1" type="xs:double"/>
<xs:element name="boTecleDesOut"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
<xs:element

```

```

name="strCodAgeDesOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
    <xs:element
name="strCodProDesOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
    <xs:element name="dPorteDebOut"
minOccurs="1" maxOccurs="1" type="xs:double"/>
    <xs:element name="strGuidOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
    <xs:element
name="strCodSalRutaOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
    <xs:element name="strCPDesOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
    <xs:element name="strCodPaisOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
    <xs:element
name="boEnvioAgrupadoOut" minOccurs="1" maxOccurs="1" type="xs:boolean"/>
    <xs:element
name="strCargosAduanerosOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
    <xs:element name="dtFechaOut"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
    <xs:element
name="strCodDirAgrupDesOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
    <xs:element
name="intBultosAnteriorOut" minOccurs="1" maxOccurs="1" type="xs:int"/>
    <xs:element
name="intBultosPosteriorOut" minOccurs="1" maxOccurs="1" type="xs:int"/>
    <xs:element
name="strContenidoOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>
<xs:element name="WebServiceService___GrabaEnvio16">
  <xs:complexType>
    <xs:sequence>
      <xs:element
name="strCodAgeCargo" minOccurs="1" maxOccurs="1" type="xs:string"/>
      <xs:element name="strCodAgeOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
      <xs:element name="dtFecha"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
      <xs:element name="strCodAgeDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
      <xs:element
name="strCodTipoServ" minOccurs="1" maxOccurs="1" type="xs:string"/>
      <xs:element name="strCodCli"
minOccurs="1" maxOccurs="1" type="xs:string"/>
      <xs:element name="strCodCliDep"
minOccurs="1" maxOccurs="1" type="xs:string"/>
      <xs:element name="strNomOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
      <xs:element name="strTipoViaOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
      <xs:element name="strDirOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
      <xs:element name="strNumOri"

```

minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strPisoOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strPobOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCPOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCodProOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strTlfOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strNomDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strTipoViaDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strDirDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strNumDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strPisoDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strPobDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCPDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCodProDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strTlfDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="intDoc"
minOccurs="1" maxOccurs="1" type="xs:int"/>	<xs:element name="intPaq"
minOccurs="1" maxOccurs="1" type="xs:int"/>	<xs:element name="dPesoOri"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dAltoOri"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dAnchoOri"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dLargoOri"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dReembolso"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dValor"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dAnticipo"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dCobCli"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="strObs"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="boSabado"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boRetorno"

```

minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
name="strPersContacto" minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
name="strDesDirEmails" minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
name="strCargosAduaneros" minOccurs="1" maxOccurs="1" type="xs:string"/>
name="strCodDirAgrupDes" minOccurs="1" maxOccurs="1" type="xs:string"/>
name="boSeguroFranquicia" minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
name="strCodPuntoRec" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="boGestOri"
<xs:element name="boGestDes"
<xs:element name="boAnulado"
<xs:element name="boAcuse"
<xs:element name="strRef"
<xs:element name="strCodSalRuta"
<xs:element name="dBaseImp"
<xs:element name="dImpuesto"
<xs:element name="boPorteDebCli"
<xs:element
name="strPersContacto" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="boDesSMS"
<xs:element name="boDesEmail"
<xs:element name="strDesMoviles"
<xs:element
name="strDesDirEmails" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="dtHoraEntrIni"
<xs:element name="dtHoraEntrFin"
<xs:element name="strCodPais"
<xs:element name="dValorFactInt"
<xs:element name="boInsert"
<xs:element name="strAlbaran"
<xs:element name="strConcAgru"
<xs:element
name="strCargosAduaneros" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="strCodDirAgrupDes" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="boSeguroFranquicia" minOccurs="1" maxOccurs="1" type="xs:boolean"/>
<xs:element name="strContenido"
<xs:element
name="strCodPuntoRec" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element

```

```

name="strCodDevolucion" minOccurs="1" maxOccurs="1" type="xs:string"/>
        </xs:sequence>
    </xs:complexType>
</xs:element>
<xs:element
name="WebServService___GrabaEnvio16Response">
    <xs:complexType>
        <xs:sequence>
            <xs:element name="strAlbaranOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element
name="dPesoVolOriOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
            <xs:element
name="dPesoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
            <xs:element
name="dAltoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
            <xs:element
name="dAnchoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
            <xs:element
name="dLargoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
            <xs:element
name="dPesoVolVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
            <xs:element name="dtFecEntrOut"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
            <xs:element name="strTipoEnvOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element
name="dtFecHoraAltaOut" minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
            <xs:element name="dKmsManOut"
minOccurs="1" maxOccurs="1" type="xs:double"/>
            <xs:element name="boTecleDesOut"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
            <xs:element
name="strCodAgeDesOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element
name="strCodProDesOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="dPorteDebOut"
minOccurs="1" maxOccurs="1" type="xs:double"/>
            <xs:element name="strGuidOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element
name="strCodSalRutaOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strCPDesOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strCodPaisOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element
name="boEnvioAgrupadoOut" minOccurs="1" maxOccurs="1" type="xs:boolean"/>
            <xs:element
name="strCargosAduanerosOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="dtFechaOut"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
            <xs:element
name="strCodDirAgrupDesOut" minOccurs="1" maxOccurs="1" type="xs:string"/>

```

```

                                <xs:element
name="intBultosAnteriorOut" minOccurs="1" maxOccurs="1" type="xs:int"/>
                                <xs:element
name="intBultosPosteriorOut" minOccurs="1" maxOccurs="1" type="xs:int"/>
                                <xs:element
name="strContenidoOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
                                <xs:element
name="strCodPuntoRecOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
                                </xs:sequence>
                                </xs:complexType>
                                </xs:element>
                                <xs:element name="WebServiceService___GrabaEnvio17">
                                <xs:complexType>
                                <xs:sequence>
                                <xs:element
name="strCodAgeCargo" minOccurs="1" maxOccurs="1" type="xs:string"/>
                                <xs:element name="strCodAgeOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                                <xs:element name="dtFecha"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
                                <xs:element name="strCodAgeDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                                <xs:element
name="strCodTipoServ" minOccurs="1" maxOccurs="1" type="xs:string"/>
                                <xs:element name="strCodCli"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                                <xs:element name="strCodCliDep"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                                <xs:element name="strNomOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                                <xs:element name="strTipoViaOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                                <xs:element name="strDirOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                                <xs:element name="strNumOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                                <xs:element name="strPisoOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                                <xs:element name="strPobOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                                <xs:element name="strCPOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                                <xs:element name="strCodProOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                                <xs:element name="strTlfOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                                <xs:element name="strNomDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                                <xs:element name="strTipoViaDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                                <xs:element name="strDirDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                                <xs:element name="strNumDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>

```

minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strPisoDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strPobDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCPDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCodProDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strTlfDes"
minOccurs="1" maxOccurs="1" type="xs:int"/>	<xs:element name="intDoc"
minOccurs="1" maxOccurs="1" type="xs:int"/>	<xs:element name="intPaq"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dPesoOri"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dAltoOri"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dAnchoOri"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dLargoOri"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dReembolso"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dValor"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dAnticipo"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dCobCli"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="strObs"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="boSabado"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boRetorno"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boGestOri"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boGestDes"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boAnulado"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boAcuse"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strRef"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCodSalRuta"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dBaseImp"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dImpuesto"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boPorteDebCli"

```

name="strPersContacto" minOccurs="1" maxOccurs="1" type="xs:string"/>
name="boDesSMS" minOccurs="1" maxOccurs="1" type="xs:boolean"/>
name="boDesEmail" minOccurs="1" maxOccurs="1" type="xs:boolean"/>
name="strDesMoviles" minOccurs="1" maxOccurs="1" type="xs:string"/>
name="strDesDirEmails" minOccurs="1" maxOccurs="1" type="xs:string"/>
name="dtHoraEntrIni" minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
name="dtHoraEntrFin" minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
name="strCodPais" minOccurs="1" maxOccurs="1" type="xs:string"/>
name="dValorFactInt" minOccurs="1" maxOccurs="1" type="xs:double"/>
name="boInsert" minOccurs="1" maxOccurs="1" type="xs:boolean"/>
name="strAlbaran" minOccurs="1" maxOccurs="1" type="xs:string"/>
name="strConcAgru" minOccurs="1" maxOccurs="1" type="xs:string"/>
name="strCargosAduaneros" minOccurs="1" maxOccurs="1" type="xs:string"/>
name="strCodDirAgrupDes" minOccurs="1" maxOccurs="1" type="xs:string"/>
name="boSeguroFranquicia" minOccurs="1" maxOccurs="1" type="xs:boolean"/>
name="strContenido" minOccurs="1" maxOccurs="1" type="xs:string"/>
name="strCodPuntoRec" minOccurs="1" maxOccurs="1" type="xs:string"/>
name="strCodDevolucion" minOccurs="1" maxOccurs="1" type="xs:string"/>
name="strRefAgrupaFact" minOccurs="1" maxOccurs="1" type="xs:string"/>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element
name="WebServService___GrabaEnvio17Response">
<xs:complexType>
<xs:sequence>
<xs:element name="strAlbaranOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="dPesoVolOriOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
<xs:element
name="dPesoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
<xs:element
name="dAltoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
</xs:sequence>
</xs:complexType>
</xs:element>

```

```

name="dAnchoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
    <xs:element
name="dLargoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
    <xs:element
name="dPesoVolVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
    <xs:element name="dtFecEntrOut"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
    <xs:element name="strTipoEnvOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
    <xs:element
name="dtFecHoraAltaOut" minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
    <xs:element name="dKmsManOut"
minOccurs="1" maxOccurs="1" type="xs:double"/>
    <xs:element name="boTecleDesOut"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
    <xs:element
name="strCodAgeDesOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
    <xs:element
name="strCodProDesOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
    <xs:element name="dPorteDebOut"
minOccurs="1" maxOccurs="1" type="xs:double"/>
    <xs:element name="strGuidOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
    <xs:element
name="strCodSalRutaOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
    <xs:element name="strCPDesOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
    <xs:element name="strCodPaisOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
    <xs:element
name="boEnvioAgrupadoOut" minOccurs="1" maxOccurs="1" type="xs:boolean"/>
    <xs:element
name="strCargosAduanerosOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
    <xs:element name="dtFechaOut"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
    <xs:element
name="strCodDirAgrupDesOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
    <xs:element
name="intBultosAnteriorOut" minOccurs="1" maxOccurs="1" type="xs:int"/>
    <xs:element
name="intBultosPosteriorOut" minOccurs="1" maxOccurs="1" type="xs:int"/>
    <xs:element
name="strContenidoOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
    <xs:element
name="strCodPuntoRecOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
    <xs:element
name="strRefAgrupaFactOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
    </xs:sequence>
</xs:complexType>
</xs:element>
<xs:element name="WebServiceService__GrabaEnvio18">
    <xs:complexType>
        <xs:sequence>
            <xs:element

```

```

name="strCodAgeCargo" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strCodAgeOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="dtFecha"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
<xs:element name="strCodAgeDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="strCodTipoServ" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strCodCli"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strCodCliDep"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strNomOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strTipoViaOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strDirOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strNumOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strPisoOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strPobOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strCPOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strCodProOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strTlfOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strNomDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strTipoViaDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strDirDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strNumDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strPisoDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strPobDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strCPDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strCodProDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strTlfDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="intDoc"
minOccurs="1" maxOccurs="1" type="xs:int"/>
<xs:element name="intPaq"
minOccurs="1" maxOccurs="1" type="xs:int"/>
<xs:element name="dPesoOri"

```

```

minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
name="strPersContacto" minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
name="strDesDirEmails" minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
<xs:element name="dAltoOri"
<xs:element name="dAnchoOri"
<xs:element name="dLargoOri"
<xs:element name="dReembolso"
<xs:element name="dValor"
<xs:element name="dAnticipo"
<xs:element name="dCobCli"
<xs:element name="strObs"
<xs:element name="boSabado"
<xs:element name="boRetorno"
<xs:element name="boGestOri"
<xs:element name="boGestDes"
<xs:element name="boAnulado"
<xs:element name="boAcuse"
<xs:element name="strRef"
<xs:element name="strCodSalRuta"
<xs:element name="dBaseImp"
<xs:element name="dImpuesto"
<xs:element name="boPorteDebCli"
<xs:element
<xs:element name="boDesSMS"
<xs:element name="boDesEmail"
<xs:element name="strDesMoviles"
<xs:element
<xs:element name="dtHoraEntrIni"
<xs:element name="dtHoraEntrFin"
<xs:element name="strCodPais"

```

```

minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
name="strCargosAduaneros" minOccurs="1" maxOccurs="1" type="xs:string"/>
name="strCodDirAgrupDes" minOccurs="1" maxOccurs="1" type="xs:string"/>
name="boSeguroFranquicia" minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
name="strCodPuntoRec" minOccurs="1" maxOccurs="1" type="xs:string"/>
name="strCodDevolucion" minOccurs="1" maxOccurs="1" type="xs:string"/>
name="strRefAgrupaFact" minOccurs="1" maxOccurs="1" type="xs:string"/>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element
name="WebServService___GrabaEnvio18Response">
<xs:complexType>
<xs:sequence>
<xs:element name="strAlbaranOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="dPesoVolOriOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
<xs:element
name="dPesoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
<xs:element
name="dAltoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
<xs:element
name="dAnchoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
<xs:element
name="dLargoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
<xs:element
name="dPesoVolVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
<xs:element name="dtFecEntrOut"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
<xs:element name="strTipoEnvOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="dtFecHoraAltaOut" minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
<xs:element name="dKmsManOut"
minOccurs="1" maxOccurs="1" type="xs:double"/>
<xs:element name="boTecleDesOut"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>

```

```

name="strCodAgeDesOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
    <xs:element
name="strCodProDesOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
    <xs:element name="dPorteDebOut"
minOccurs="1" maxOccurs="1" type="xs:double"/>
    <xs:element name="strGuidOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
    <xs:element
name="strCodSalRutaOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
    <xs:element name="strCPDesOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
    <xs:element name="strCodPaisOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
    <xs:element
name="boEnvioAgrupadoOut" minOccurs="1" maxOccurs="1" type="xs:boolean"/>
    <xs:element
name="strCargosAduanerosOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
    <xs:element name="dtFechaOut"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
    <xs:element
name="strCodDirAgrupDesOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
    <xs:element
name="intBultosAnteriorOut" minOccurs="1" maxOccurs="1" type="xs:int"/>
    <xs:element
name="intBultosPosteriorOut" minOccurs="1" maxOccurs="1" type="xs:int"/>
    <xs:element
name="strContenidoOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
    <xs:element
name="strCodPuntoRecOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
    <xs:element
name="strRefAgrupaFactOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
    <xs:element name="strPobDesOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
    </xs:sequence>
    </xs:complexType>
</xs:element>
<xs:element name="WebServiceService___GrabaEnvio19">
    <xs:complexType>
        <xs:sequence>
            <xs:element
name="strCodAgeCargo" minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strCodAgeOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="dtFecha"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
            <xs:element name="strCodAgeDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element
name="strCodTipoServ" minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strCodCli"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strCodCliDep"
minOccurs="1" maxOccurs="1" type="xs:string"/>

```


minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dCobCli"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strObs"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boSabado"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boRetorno"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boGestOri"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boGestDes"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boAnulado"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boAcuse"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strRef"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCodSalRuta"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dBaseImp"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dImpuesto"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boPorteDebCli"
name="strPersContacto" minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boDesSMS"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boDesEmail"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strDesMoviles"
name="strDesDirEmails" minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>	<xs:element name="dtHoraEntrIni"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>	<xs:element name="dtHoraEntrFin"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCodPais"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dValorFactInt"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boInsert"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strAlbaran"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strConcAgru"
name="strCargosAduaneros" minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element
name="strCodDirAgrupDes" minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element

```

        <xs:element
name="boSeguroFranquicia" minOccurs="1" maxOccurs="1" type="xs:boolean"/>
        <xs:element name="strContenido"
minOccurs="1" maxOccurs="1" type="xs:string"/>
        <xs:element
name="strCodPuntoRec" minOccurs="1" maxOccurs="1" type="xs:string"/>
        <xs:element
name="strCodDevolucion" minOccurs="1" maxOccurs="1" type="xs:string"/>
        <xs:element
name="strRefAgrupaFact" minOccurs="1" maxOccurs="1" type="xs:string"/>
        <xs:element
name="strCodPuntoConveniencia" minOccurs="1" maxOccurs="1" type="xs:string"/>
    </xs:sequence>
</xs:complexType>
</xs:element>
<xs:element
name="WebServiceService___GrabaEnvio19Response">
    <xs:complexType>
        <xs:sequence>
            <xs:element name="strAlbaranOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element
name="dPesoVolOriOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
            <xs:element
name="dPesoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
            <xs:element
name="dAltoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
            <xs:element
name="dAnchoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
            <xs:element
name="dLargoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
            <xs:element
name="dPesoVolVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
            <xs:element name="dtFecEntrOut"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
            <xs:element name="strTipoEnvOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element
name="dtFecHoraAltaOut" minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
            <xs:element name="dKmsManOut"
minOccurs="1" maxOccurs="1" type="xs:double"/>
            <xs:element name="boTecleDesOut"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
            <xs:element
name="strCodAgeDesOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element
name="strCodProDesOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="dPorteDebOut"
minOccurs="1" maxOccurs="1" type="xs:double"/>
            <xs:element name="strGuidOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element
name="strCodSalRutaOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strCPDesOut"

```

```

minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strCodPaisOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="boEnvioAgrupadoOut" minOccurs="1" maxOccurs="1" type="xs:boolean"/>
<xs:element
name="strCargosAduanerosOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="dtFechaOut"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
<xs:element
name="strCodDirAgrupDesOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="intBultosAnteriorOut" minOccurs="1" maxOccurs="1" type="xs:int"/>
<xs:element
name="intBultosPosteriorOut" minOccurs="1" maxOccurs="1" type="xs:int"/>
<xs:element
name="strContenidoOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="strCodPuntoRecOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="strRefAgrupaFactOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strPobDesOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="strCodPuntoConvenienciaOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element name="WebServiceService__GrabaEnvio20">
<xs:complexType>
<xs:sequence>
<xs:element
name="strCodAgeCargo" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strCodAgeOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="dtFecha"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
<xs:element name="strCodAgeDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="strCodTipoServ" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strCodCli"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strCodCliDep"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strNomOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strTipoViaOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strDirOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strNumOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strPisoOri"

```

minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strPobOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCPOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCodProOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strTlfOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strNomDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strTipoViaDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strDirDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strNumDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strPisoDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strPobDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCPDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCodProDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strTlfDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="intDoc"
minOccurs="1" maxOccurs="1" type="xs:int"/>	<xs:element name="intPaq"
minOccurs="1" maxOccurs="1" type="xs:int"/>	<xs:element name="dPesoOri"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dAltoOri"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dAnchoOri"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dLargoOri"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dReembolso"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dValor"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dAnticipo"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dCobCli"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="strObs"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="boSabado"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boRetorno"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boGestOri"

```

minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
name="strPersContacto" minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
name="strDesDirEmails" minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
name="strCargosAduaneros" minOccurs="1" maxOccurs="1" type="xs:string"/>
name="strCodDirAgrupDes" minOccurs="1" maxOccurs="1" type="xs:string"/>
name="boSeguroFranquicia" minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
name="strCodPuntoRec" minOccurs="1" maxOccurs="1" type="xs:string"/>
name="strCodDevolucion" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="boGestDes"
<xs:element name="boAnulado"
<xs:element name="boAcuse"
<xs:element name="strRef"
<xs:element name="strCodSalRuta"
<xs:element name="dBaseImp"
<xs:element name="dImpuesto"
<xs:element name="boPorteDebCli"
<xs:element
<xs:element name="boDesSMS"
<xs:element name="boDesEmail"
<xs:element name="strDesMoviles"
<xs:element
<xs:element name="dtHoraEntrIni"
<xs:element name="dtHoraEntrFin"
<xs:element name="strCodPais"
<xs:element name="dValorFactInt"
<xs:element name="boInsert"
<xs:element name="strAlbaran"
<xs:element name="strConcAgru"
<xs:element
<xs:element
<xs:element
<xs:element name="strContenido"
<xs:element
<xs:element
<xs:element

```

```

name="strRefAgrupafact" minOccurs="1" maxOccurs="1" type="xs:string"/>
        <xs:element
name="strCodPuntoConveniencia" minOccurs="1" maxOccurs="1" type="xs:string"/>
        <xs:element
name="xmlEnvReferencias" minOccurs="1" maxOccurs="1" type="xs:string"/>
        </xs:sequence>
    </xs:complexType>
</xs:element>
<xs:element
name="WebServiceService___GrabaEnvio20Response">
    <xs:complexType>
        <xs:sequence>
            <xs:element name="strAlbaranOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element
name="dPesoVolOriOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
            <xs:element
name="dPesoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
            <xs:element
name="dAltoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
            <xs:element
name="dAnchoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
            <xs:element
name="dLargoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
            <xs:element
name="dPesoVolVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
            <xs:element name="dtFecEntrOut"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
            <xs:element name="strTipoEnvOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element
name="dtFecHoraAltaOut" minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
            <xs:element name="dKmsManOut"
minOccurs="1" maxOccurs="1" type="xs:double"/>
            <xs:element name="boTecleDesOut"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
            <xs:element
name="strCodAgeDesOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element
name="strCodProDesOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="dPorteDebOut"
minOccurs="1" maxOccurs="1" type="xs:double"/>
            <xs:element name="strGuidOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element
name="strCodSalRutaOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strCPDesOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strCodPaisOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element
name="boEnvioAgrupadoOut" minOccurs="1" maxOccurs="1" type="xs:boolean"/>
            <xs:element
name="strCargosAduanerosOut" minOccurs="1" maxOccurs="1" type="xs:string"/>

```

```

<xs:element name="dtFechaOut"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
<xs:element
name="strCodDirAgrupDesOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="intBultosAnteriorOut" minOccurs="1" maxOccurs="1" type="xs:int"/>
<xs:element
name="intBultosPosteriorOut" minOccurs="1" maxOccurs="1" type="xs:int"/>
<xs:element
name="strContenidoOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="strCodPuntoRecOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="strRefAgrupFactOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strPobDesOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="strCodPuntoConvenienciaOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="strNumEnvioIntOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element name="WebServiceService___GrabaEnvio21">
<xs:complexType>
<xs:sequence>
<xs:element
name="strCodAgeCargo" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strCodAgeOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="dtFecha"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
<xs:element name="strCodAgeDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="strCodTipoServ" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strCodCli"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strCodCliDep"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strNomOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strTipoViaOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strDirOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strNumOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strPisoOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strPobOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strCPOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>

```

minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCodProOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strTlfOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strNomDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strTipoViaDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strDirDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strNumDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strPisoDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strPobDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCPDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCodProDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strTlfDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="intDoc"
minOccurs="1" maxOccurs="1" type="xs:int"/>	<xs:element name="intPaq"
minOccurs="1" maxOccurs="1" type="xs:int"/>	<xs:element name="dPesoOri"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dAltoOri"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dAnchoOri"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dLargoOri"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dReembolso"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dValor"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dAnticipo"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dCobCli"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="strObs"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="boSabado"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boRetorno"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boGestOri"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boGestDes"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boAnulado"

minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boAcuse"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strRef"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCodSalRuta"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dBaseImp"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dImpuesto"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boPorteDebCli"
name="strPersContacto" minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boDesSMS"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boDesEmail"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strDesMoviles"
name="strDesDirEmails" minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>	<xs:element name="dtHoraEntrIni"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>	<xs:element name="dtHoraEntrFin"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCodPais"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dValorFactInt"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boInsert"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strAlbaran"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strConcAgru"
name="strCargosAduaneros" minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element
name="strCodDirAgrupDes" minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element
name="boSeguroFranquicia" minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="strContenido"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element
name="strCodPuntoRec" minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element
name="strCodDevolucion" minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element
name="strRefAgrupaFact" minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element
name="strCodPuntoConveniencia" minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element
name="xmlEnvReferencias" minOccurs="1" maxOccurs="1" type="xs:string"/>	

```

                                <xs:element name="strDNIDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                                </xs:sequence>
                                </xs:complexType>
                                </xs:element>
                                <xs:element
name="WebServService___GrabaEnvio21Response">
                                <xs:complexType>
                                <xs:sequence>
                                <xs:element name="strAlbaranOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                                <xs:element
name="dPesoVolOriOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
                                <xs:element
name="dPesoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
                                <xs:element
name="dAltoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
                                <xs:element
name="dAnchoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
                                <xs:element
name="dLargoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
                                <xs:element
name="dPesoVolVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
                                <xs:element name="dtFecEntrOut"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
                                <xs:element name="strTipoEnvOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                                <xs:element
name="dtFecHoraAltaOut" minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
                                <xs:element name="dKmsManOut"
minOccurs="1" maxOccurs="1" type="xs:double"/>
                                <xs:element name="boTecleDesOut"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
                                <xs:element
name="strCodAgeDesOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
                                <xs:element
name="strCodProDesOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
                                <xs:element name="dPorteDebOut"
minOccurs="1" maxOccurs="1" type="xs:double"/>
                                <xs:element name="strGuidOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                                <xs:element
name="strCodSalRutaOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
                                <xs:element name="strCPDesOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                                <xs:element name="strCodPaisOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                                <xs:element
name="boEnvioAgrupadoOut" minOccurs="1" maxOccurs="1" type="xs:boolean"/>
                                <xs:element
name="strCargosAduanerosOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
                                <xs:element name="dtFechaOut"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
                                <xs:element

```

```

name="strCodDirAgrupDesOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
    <xs:element
name="intBultosAnteriorOut" minOccurs="1" maxOccurs="1" type="xs:int"/>
    <xs:element
name="intBultosPosteriorOut" minOccurs="1" maxOccurs="1" type="xs:int"/>
    <xs:element
name="strContenidoOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
    <xs:element
name="strCodPuntoRecOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
    <xs:element
name="strRefAgrupaFactOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
    <xs:element name="strPobDesOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
    <xs:element
name="strCodPuntoConvenienciaOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
    <xs:element
name="strNumEnvioIntOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
    </xs:sequence>
    </xs:complexType>
  </xs:element>
  <xs:element name="WebServiceService___GrabaEnvio22">
    <xs:complexType>
      <xs:sequence>
        <xs:element
name="strCodAgeCargo" minOccurs="1" maxOccurs="1" type="xs:string"/>
        <xs:element name="strCodAgeOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
        <xs:element name="dtFecha"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
        <xs:element name="strCodAgeDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
        <xs:element
name="strCodTipoServ" minOccurs="1" maxOccurs="1" type="xs:string"/>
        <xs:element name="strCodCli"
minOccurs="1" maxOccurs="1" type="xs:string"/>
        <xs:element name="strCodCliDep"
minOccurs="1" maxOccurs="1" type="xs:string"/>
        <xs:element name="strNomOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
        <xs:element name="strTipoViaOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
        <xs:element name="strDirOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
        <xs:element name="strNumOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
        <xs:element name="strPisoOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
        <xs:element name="strPobOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
        <xs:element name="strCPOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
        <xs:element name="strCodProOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
        <xs:element name="strTlfOri"

```

minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strNomDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strTipoViaDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strDirDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strNumDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strPisoDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strPobDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCPDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCodProDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strTlfDes"
minOccurs="1" maxOccurs="1" type="xs:int"/>	<xs:element name="intDoc"
minOccurs="1" maxOccurs="1" type="xs:int"/>	<xs:element name="intPaq"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dPesoOri"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dAltoOri"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dAnchoOri"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dLargoOri"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dReembolso"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dValor"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dAnticipo"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dCobCli"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="strObs"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="boSabado"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boRetorno"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boGestOri"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boGestDes"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boAnulado"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boAcuse"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="strRef"

```

minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
name="strPersContacto" minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
name="strDesDirEmails" minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
name="strCargosAduaneros" minOccurs="1" maxOccurs="1" type="xs:string"/>
name="strCodDirAgrupDes" minOccurs="1" maxOccurs="1" type="xs:string"/>
name="boSeguroFranquicia" minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
name="strCodPuntoRec" minOccurs="1" maxOccurs="1" type="xs:string"/>
name="strCodDevolucion" minOccurs="1" maxOccurs="1" type="xs:string"/>
name="strRefAgrupaFact" minOccurs="1" maxOccurs="1" type="xs:string"/>
name="strCodPuntoConveniencia" minOccurs="1" maxOccurs="1" type="xs:string"/>
name="xmlEnvReferencias" minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strCodSalRuta" type="xs:string"/>
<xs:element name="dBaseImp" type="xs:double"/>
<xs:element name="dImpuesto" type="xs:double"/>
<xs:element name="boPorteDebCli" type="xs:boolean"/>
<xs:element name="boDesSMS" type="xs:boolean"/>
<xs:element name="boDesEmail" type="xs:boolean"/>
<xs:element name="strDesMoviles" type="xs:string"/>
<xs:element name="dtHoraEntrIni" type="xs:dateTime"/>
<xs:element name="dtHoraEntrFin" type="xs:dateTime"/>
<xs:element name="strCodPais" type="xs:string"/>
<xs:element name="dValorFactInt" type="xs:double"/>
<xs:element name="boInsert" type="xs:boolean"/>
<xs:element name="strAlbaran" type="xs:string"/>
<xs:element name="strConcAgru" type="xs:string"/>
<xs:element name="strCodDirAgrupDes" type="xs:string"/>
<xs:element name="strContenido" type="xs:string"/>
<xs:element name="strCodPuntoRec" type="xs:string"/>
<xs:element name="strCodDevolucion" type="xs:string"/>
<xs:element name="strRefAgrupaFact" type="xs:string"/>
<xs:element name="strCodPuntoConveniencia" type="xs:string"/>
<xs:element name="xmlEnvReferencias" type="xs:string"/>
<xs:element name="strDNIDes" type="xs:string"/>

```

```

name="boImprimeEtiqueta" minOccurs="1" maxOccurs="1" type="xs:boolean"/>
                                <xs:element name="intIdRepDet"
minOccurs="1" maxOccurs="1" type="xs:int"/>
                                <xs:element
name="strFormatoEtiqueta" minOccurs="1" maxOccurs="1" type="xs:string"/>
                                <xs:element name="intPosIni"
minOccurs="1" maxOccurs="1" type="xs:int"/>
                                <xs:element
name="boPrintOptimized" minOccurs="1" maxOccurs="1" type="xs:boolean"/>
                                </xs:sequence>
                                </xs:complexType>
                                </xs:element>
                                <xs:element
name="WebServService___GrabaEnvio22Response">
                                <xs:complexType>
                                <xs:sequence>
                                <xs:element name="strAlbaranOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                                <xs:element
name="dPesoVolOriOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
                                <xs:element
name="dPesoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
                                <xs:element
name="dAltoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
                                <xs:element
name="dAnchoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
                                <xs:element
name="dLargoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
                                <xs:element
name="dPesoVolVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
                                <xs:element name="dtFecEntrOut"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
                                <xs:element name="strTipoEnvOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                                <xs:element
name="dtFecHoraAltaOut" minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
                                <xs:element name="dKmsManOut"
minOccurs="1" maxOccurs="1" type="xs:double"/>
                                <xs:element name="boTecleDesOut"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
                                <xs:element
name="strCodAgeDesOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
                                <xs:element
name="strCodProDesOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
                                <xs:element name="dPorteDebOut"
minOccurs="1" maxOccurs="1" type="xs:double"/>
                                <xs:element name="strGuidOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                                <xs:element
name="strCodSalRutaOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
                                <xs:element name="strCPDesOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                                <xs:element name="strCodPaisOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>

```

```

                                <xs:element
name="boEnvioAgrupadoOut" minOccurs="1" maxOccurs="1" type="xs:boolean"/>
                                <xs:element
name="strCargosAduanerosOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
                                <xs:element name="dtFechaOut"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
                                <xs:element
name="strCodDirAgrupDesOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
                                <xs:element
name="intBultosAnteriorOut" minOccurs="1" maxOccurs="1" type="xs:int"/>
                                <xs:element
name="intBultosPosteriorOut" minOccurs="1" maxOccurs="1" type="xs:int"/>
                                <xs:element
name="strContenidoOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
                                <xs:element
name="strCodPuntoRecOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
                                <xs:element
name="strRefAgrupaFactOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
                                <xs:element name="strPobDesOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                                <xs:element
name="strCodPuntoConvenienciaOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
                                <xs:element
name="strNumEnvioIntOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
                                <xs:element
name="strEtiquetaOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
                                </xs:sequence>
                            </xs:complexType>
                        </xs:element>
                        <xs:element name="WebServiceService___GrabaEnvio23">
                            <xs:complexType>
                                <xs:sequence>
                                    <xs:element
name="strCodAgeCargo" minOccurs="1" maxOccurs="1" type="xs:string"/>
                                    <xs:element name="strCodAgeOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                                    <xs:element name="dtFecha"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
                                    <xs:element name="strCodAgeDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                                    <xs:element
name="strCodTipoServ" minOccurs="1" maxOccurs="1" type="xs:string"/>
                                    <xs:element name="strCodCli"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                                    <xs:element name="strCodCliDep"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                                    <xs:element name="strNomOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                                    <xs:element name="strTipoViaOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                                    <xs:element name="strDirOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                                    <xs:element name="strNumOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                                
```

minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strPisoOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strPobOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCPOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCodProOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strTlfOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strNomDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strTipoViaDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strDirDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strNumDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strPisoDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strPobDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCPDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCodProDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strTlfDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="intDoc"
minOccurs="1" maxOccurs="1" type="xs:int"/>	<xs:element name="intPaq"
minOccurs="1" maxOccurs="1" type="xs:int"/>	<xs:element name="dPesoOri"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dAltoOri"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dAnchoOri"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dLargoOri"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dReembolso"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dValor"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dAnticipo"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dCobCli"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="strObs"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="boSabado"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boRetorno"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	

minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boGestOri"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boGestDes"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boAnulado"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boAcuse"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strRef"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCodSalRuta"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dBaseImp"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dImpuesto"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boPorteDebCli"
name="strPersContacto" minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boDesSMS"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boDesEmail"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strDesMoviles"
name="strDesDirEmails" minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>	<xs:element name="dtHoraEntrIni"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>	<xs:element name="dtHoraEntrFin"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCodPais"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dValorFactInt"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boInsert"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strAlbaran"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strConcAgru"
name="strCargosAduaneros" minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element
name="strCodDirAgrupDes" minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element
name="boSeguroFranquicia" minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strContenido"
name="strCodPuntoRec" minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element
name="strCodDevolucion" minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element

```

<xs:element
name="strRefAgrupaFact" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="strCodPuntoConveniencia" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="xmlEnvReferencias" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strDNIDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="boImprimeEtiqueta" minOccurs="1" maxOccurs="1" type="xs:boolean"/>
<xs:element name="intIdRepDet"
minOccurs="1" maxOccurs="1" type="xs:int"/>
<xs:element
name="strFormatoEtiqueta" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="intPosIni"
minOccurs="1" maxOccurs="1" type="xs:int"/>
<xs:element
name="boPrintOptimized" minOccurs="1" maxOccurs="1" type="xs:boolean"/>
<xs:element name="strPINDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element
name="WebServiceService___GrabaEnvio23Response">
<xs:complexType>
<xs:sequence>
<xs:element name="strAlbaranOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="dPesoVolOriOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
<xs:element
name="dPesoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
<xs:element
name="dAltoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
<xs:element
name="dAnchoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
<xs:element
name="dLargoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
<xs:element
name="dPesoVolVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
<xs:element name="dtFecEntrOut"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
<xs:element name="strTipoEnvOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="dtFecHoraAltaOut" minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
<xs:element name="dKmsManOut"
minOccurs="1" maxOccurs="1" type="xs:double"/>
<xs:element name="boTecleDesOut"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
<xs:element
name="strCodAgeDesOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
</xs:sequence>
</xs:complexType>
</xs:element>

```

```

name="strCodProDesOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
    <xs:element name="dPorteDebOut"
minOccurs="1" maxOccurs="1" type="xs:double"/>
    <xs:element name="strGuidOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
    <xs:element
name="strCodSalRutaOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
    <xs:element name="strCPDesOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
    <xs:element name="strCodPaisOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
    <xs:element
name="boEnvioAgrupadoOut" minOccurs="1" maxOccurs="1" type="xs:boolean"/>
    <xs:element
name="strCargosAduanerosOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
    <xs:element name="dtFechaOut"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
    <xs:element
name="strCodDirAgrupDesOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
    <xs:element
name="intBultosAnteriorOut" minOccurs="1" maxOccurs="1" type="xs:int"/>
    <xs:element
name="intBultosPosteriorOut" minOccurs="1" maxOccurs="1" type="xs:int"/>
    <xs:element
name="strContenidoOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
    <xs:element
name="strCodPuntoRecOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
    <xs:element
name="strRefAgrupaFactOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
    <xs:element name="strPobDesOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
    <xs:element
name="strCodPuntoConvenienciaOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
    <xs:element
name="strNumEnvioIntOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
    <xs:element
name="strEtiquetaOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
    </xs:sequence>
    </xs:complexType>
</xs:element>
<xs:element name="WebServiceService___GrabaEnvio24">
    <xs:complexType>
        <xs:sequence>
            <xs:element
name="strCodAgeCargo" minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strCodAgeOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="dtFecha"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
            <xs:element name="strCodAgeDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element
name="strCodTipoServ" minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strCodCli"

```

```
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:int"/>
minOccurs="1" maxOccurs="1" type="xs:int"/>
minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:double"/>
```

minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dAnticipo"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dCobCli"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="strObs"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="boSabado"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boRetorno"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boGestOri"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boGestDes"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boAnulado"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boAcuse"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="strRef"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCodSalRuta"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="dBaseImp"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dImpuesto"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="boPorteDebCli"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element
name="strPersContacto" minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="boDesSMS"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boDesEmail"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="strDesMoviles"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element
name="strDesDirEmails" minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="dtHoraEntrIni"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>	<xs:element name="dtHoraEntrFin"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>	<xs:element name="strCodPais"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="dValorFactInt"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="boInsert"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="strAlbaran"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strConcAgru"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element

```

name="strCargosAduaneros" minOccurs="1" maxOccurs="1" type="xs:string"/>
    <xs:element
name="strCodDirAgrupDes" minOccurs="1" maxOccurs="1" type="xs:string"/>
    <xs:element
name="boSeguroFranquicia" minOccurs="1" maxOccurs="1" type="xs:boolean"/>
    <xs:element name="strContenido"
minOccurs="1" maxOccurs="1" type="xs:string"/>
    <xs:element
name="strCodPuntoRec" minOccurs="1" maxOccurs="1" type="xs:string"/>
    <xs:element
name="strCodDevolucion" minOccurs="1" maxOccurs="1" type="xs:string"/>
    <xs:element
name="strRefAgrupFact" minOccurs="1" maxOccurs="1" type="xs:string"/>
    <xs:element
name="strCodPuntoConveniencia" minOccurs="1" maxOccurs="1" type="xs:string"/>
    <xs:element
name="xmlEnvReferencias" minOccurs="1" maxOccurs="1" type="xs:string"/>
    <xs:element name="strDNIDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
    <xs:element
name="boImprimeEtiqueta" minOccurs="1" maxOccurs="1" type="xs:boolean"/>
    <xs:element name="intIdRepDet"
minOccurs="1" maxOccurs="1" type="xs:int"/>
    <xs:element
name="strFormatoEtiqueta" minOccurs="1" maxOccurs="1" type="xs:string"/>
    <xs:element name="intPosIni"
minOccurs="1" maxOccurs="1" type="xs:int"/>
    <xs:element
name="boPrintOptimized" minOccurs="1" maxOccurs="1" type="xs:boolean"/>
    <xs:element name="strPINDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
    </xs:sequence>
    </xs:complexType>
  </xs:element>
  <xs:element
name="WebServiceService___GrabaEnvio24Response">
    <xs:complexType>
      <xs:sequence>
        <xs:element name="strAlbaranOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
        <xs:element
name="dPesoVolOriOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
        <xs:element
name="dPesoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
        <xs:element
name="dAltoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
        <xs:element
name="dAnchoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
        <xs:element
name="dLargoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
        <xs:element
name="dPesoVolVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
        <xs:element name="dtFecEntrOut"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>

```

```

minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strTipoEnvOut"
name="dtFecHoraAltaOut" minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
<xs:element name="dKmsManOut"
minOccurs="1" maxOccurs="1" type="xs:double"/>
<xs:element name="boTecleDesOut"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
<xs:element
name="strCodAgeDesOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="strCodProDesOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="dPorteDebOut"
minOccurs="1" maxOccurs="1" type="xs:double"/>
<xs:element name="strGuidOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="strCodSalRutaOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strCPDesOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strCodPaisOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="boEnvioAgrupadoOut" minOccurs="1" maxOccurs="1" type="xs:boolean"/>
<xs:element
name="strCargosAduanerosOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="dtFechaOut"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
<xs:element
name="strCodDirAgrupDesOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="intBultosAnteriorOut" minOccurs="1" maxOccurs="1" type="xs:int"/>
<xs:element
name="intBultosPosteriorOut" minOccurs="1" maxOccurs="1" type="xs:int"/>
<xs:element
name="strContenidoOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="strCodPuntoRecOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="strRefAgrupaFactOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strPobDesOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="strCodPuntoConvenienciaOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="strNumEnvioIntOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="strEtiquetaOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="strCodAgeCargoOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="strCodAgeOriOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="strCodTipoServOut" minOccurs="1" maxOccurs="1" type="xs:string"/>

```

minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCodCliOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strNomOriOut"
name="strTipoViaOriOut" minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strDirOriOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strNumOriOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strPisoOriOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strPobOriOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strTlfOriOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strNomDesOut"
name="strTipoViaDesOut" minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strDirDesOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strNumDesOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strPisoDesOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strTlfDesOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="intBulOut"
minOccurs="1" maxOccurs="1" type="xs:int"/>	<xs:element name="dReembolsoOut"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dCobCliOut"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dAnticipoOut"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="strObsOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="boSabadoOut"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boRetornoOut"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boGestDesOut"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boAcuseOut"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="strRefOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element
name="strPersContactoOut" minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element
name="strUltDirDesOut" minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element
name="strUltViaDesOut" minOccurs="1" maxOccurs="1" type="xs:string"/>	

```

<xs:element
name="strUltNumDesOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="strUltPisoDesOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="strUltPobDesOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="strUltCPDesOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="strCodAgeImprOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="strNomAgeDesOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="strDesTipoServOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="strDesSalRutaOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strNomCliOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="dPesoMayorOut"
minOccurs="1" maxOccurs="1" type="xs:double"/>
<xs:element
name="dtHoraEntrIniOut" minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
<xs:element
name="dtHoraEntrFinOut" minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
<xs:element
name="strCodCliDepOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="strNomCliDepOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="strTipoImprOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strNomPaisOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element name="WebServiceService___GrabaEnvioPendiente">
<xs:complexType>
<xs:sequence>
<xs:element
name="strCodAgeCargo" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strCodAgeOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="dtFecha"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
<xs:element name="strCodAgeDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strCodCli"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strCodCliDep"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strNomOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strTipoViaOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>

```



```

minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
name="strPersContacto" minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
name="strDesDirEmails" minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
name="strCargosAduaneros" minOccurs="1" maxOccurs="1" type="xs:string"/>
name="boSeguroFranquicia" minOccurs="1" maxOccurs="1" type="xs:boolean"/>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element
name="WebService___GrabaEnvioPendienteResponse">
<xs:complexType>
<xs:sequence>
<xs:element name="strAlbaranOut"

```

```

minOccurs="1" maxOccurs="1" type="xs:string"/>
                                <xs:element
name="dPesoVolOriOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
                                <xs:element
name="dPesoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
                                <xs:element
name="dAltoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
                                <xs:element
name="dAnchoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
                                <xs:element
name="dLargoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
                                <xs:element
name="dPesoVolVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
                                <xs:element name="dtFecEntrOut"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
                                <xs:element name="strTipoEnvOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                                <xs:element
name="dtFecHoraAltaOut" minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
                                <xs:element name="dKmsManOut"
minOccurs="1" maxOccurs="1" type="xs:double"/>
                                <xs:element name="boTecleDesOut"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
                                <xs:element
name="strCodAgeDesOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
                                <xs:element
name="strCodProDesOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
                                <xs:element name="dPorteDebOut"
minOccurs="1" maxOccurs="1" type="xs:double"/>
                                <xs:element name="strGuidOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                                <xs:element
name="strCodSalRutaOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
                                <xs:element name="strCPDesOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                                <xs:element name="strCodPaisOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                                <xs:element
name="boEnvioAgrupadoOut" minOccurs="1" maxOccurs="1" type="xs:boolean"/>
                                <xs:element
name="strCargosAduanerosOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
                                <xs:element name="dtFechaOut"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
                                <xs:element
name="strCodDirAgrupDesOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
                                </xs:sequence>
                                </xs:complexType>
                                </xs:element>
                                <xs:element
name="WebServiceService___GrabaEnvioPendiente2">
                                <xs:complexType>
                                <xs:sequence>
                                <xs:element
name="strCodAgeCargo" minOccurs="1" maxOccurs="1" type="xs:string"/>

```

minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCodAgeOri"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>	<xs:element name="dtFecha"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCodAgeDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCodCli"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCodCliDep"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strNomOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strTipoViaOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strDirOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strNumOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strPisoOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strPobOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCPOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCodProOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strTlfOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strNomDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strTipoViaDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strDirDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strNumDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strPisoDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strPobDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCPDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCodProDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strTlfDes"
minOccurs="1" maxOccurs="1" type="xs:int"/>	<xs:element name="intDoc"
minOccurs="1" maxOccurs="1" type="xs:int"/>	<xs:element name="intPaq"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dPesoOri"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dAltoOri"

minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dAnchoOri"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dLargoOri"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dReembolso"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dValor"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dAnticipo"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dCobCli"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strObs"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boSabado"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boRetorno"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boGestOri"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boGestDes"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boAnulado"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boAcuse"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strRef"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCodSalRuta"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dBaseImp"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dImpuesto"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boPorteDebCli"
name="strPersContacto" minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	name="boDesSMS"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boDesEmail"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strDesMoviles"
name="strDesDirEmails" minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>	name="dtHoraEntrIni"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>	<xs:element name="dtHoraEntrFin"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dValorFactInt"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boInsert"

```

minOccurs="1" maxOccurs="1" type="xs:string"/>
        <xs:element name="strAlbaran"
name="strCargosAduaneros" minOccurs="1" maxOccurs="1" type="xs:string"/>
        <xs:element
name="boSeguroFranquicia" minOccurs="1" maxOccurs="1" type="xs:boolean"/>
        <xs:element
name="strCodPuntoRec" minOccurs="1" maxOccurs="1" type="xs:string"/>
        </xs:sequence>
    </xs:complexType>
</xs:element>
<xs:element
name="WebServService___GrabaEnvioPendiente2Response">
    <xs:complexType>
        <xs:sequence>
            <xs:element name="strAlbaranOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element
name="dPesoVolOriOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
            <xs:element
name="dPesoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
            <xs:element
name="dAltoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
            <xs:element
name="dAnchoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
            <xs:element
name="dLargoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
            <xs:element
name="dPesoVolVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
            <xs:element name="dtFecEntrOut"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
            <xs:element name="strTipoEnvOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element
name="dtFecHoraAltaOut" minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
            <xs:element name="dKmsManOut"
minOccurs="1" maxOccurs="1" type="xs:double"/>
            <xs:element name="boTecleDesOut"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
            <xs:element
name="strCodAgeDesOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element
name="strCodProDesOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="dPorteDebOut"
minOccurs="1" maxOccurs="1" type="xs:double"/>
            <xs:element name="strGuidOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element
name="strCodSalRutaOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strCPDesOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strCodPaisOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element

```

```

name="boEnvioAgrupadoOut" minOccurs="1" maxOccurs="1" type="xs:boolean"/>
    <xs:element
name="strCargosAduanerosOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
    <xs:element name="dtFechaOut"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
    <xs:element
name="strCodDirAgrupDesOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
    <xs:element
name="strCodPuntoRecOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
    </xs:sequence>
    </xs:complexType>
    </xs:element>
    <xs:element
name="WebServService___GrabaEnvioPendiente3">
    <xs:complexType>
    <xs:sequence>
    <xs:element
name="strCodAgeCargo" minOccurs="1" maxOccurs="1" type="xs:string"/>
    <xs:element name="strCodAgeOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
    <xs:element name="dtFecha"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
    <xs:element name="strCodAgeDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
    <xs:element name="strCodCli"
minOccurs="1" maxOccurs="1" type="xs:string"/>
    <xs:element name="strCodCliDep"
minOccurs="1" maxOccurs="1" type="xs:string"/>
    <xs:element name="strNomOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
    <xs:element name="strTipoViaOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
    <xs:element name="strDirOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
    <xs:element name="strNumOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
    <xs:element name="strPisoOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
    <xs:element name="strPobOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
    <xs:element name="strCPOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
    <xs:element name="strCodProOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
    <xs:element name="strTlfOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
    <xs:element name="strNomDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
    <xs:element name="strTipoViaDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
    <xs:element name="strDirDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
    <xs:element name="strNumDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>

```

minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strPisoDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strPobDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCPDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCodProDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strTlfDes"
minOccurs="1" maxOccurs="1" type="xs:int"/>	<xs:element name="intDoc"
minOccurs="1" maxOccurs="1" type="xs:int"/>	<xs:element name="intPaq"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dPesoOri"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dAltoOri"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dAnchoOri"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dLargoOri"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dReembolso"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dValor"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dAnticipo"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dCobCli"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="strObs"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="boSabado"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boRetorno"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boGestOri"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boGestDes"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boAnulado"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boAcuse"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strRef"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCodSalRuta"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dBaseImp"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dImpuesto"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boPorteDebCli"

```

name="strPersContacto" minOccurs="1" maxOccurs="1" type="xs:string"/>
name="boDesSMS"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
name="boDesEmail"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
name="strDesMoviles"
minOccurs="1" maxOccurs="1" type="xs:string"/>
name="strDesDirEmails" minOccurs="1" maxOccurs="1" type="xs:string"/>
name="dtHoraEntrIni"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
name="dtHoraEntrFin"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
name="dValorFactInt"
minOccurs="1" maxOccurs="1" type="xs:double"/>
name="boInsert"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
name="strAlbaran"
minOccurs="1" maxOccurs="1" type="xs:string"/>
name="strCargosAduaneros" minOccurs="1" maxOccurs="1" type="xs:string"/>
name="boSeguroFranquicia" minOccurs="1" maxOccurs="1" type="xs:boolean"/>
name="strCodPuntoRec" minOccurs="1" maxOccurs="1" type="xs:string"/>
name="strCodPuntoConveniencia" minOccurs="1" maxOccurs="1" type="xs:string"/>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element
name="WebServiceService___GrabaEnvioPendiente3Response">
<xs:complexType>
<xs:sequence>
<xs:element name="strAlbaranOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="dPesoVolOriOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
<xs:element
name="dPesoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
<xs:element
name="dAltoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
<xs:element
name="dAnchoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
<xs:element
name="dLargoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
<xs:element
name="dPesoVolVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
<xs:element name="dtFecEntrOut"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
<xs:element name="strTipoEnvOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element

```

```

name="dtFecHoraAltaOut" minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
<xs:element name="dKmsManOut"
minOccurs="1" maxOccurs="1" type="xs:double"/>
<xs:element name="boTecleDesOut"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
<xs:element
name="strCodAgeDesOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="strCodProDesOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="dPorteDebOut"
minOccurs="1" maxOccurs="1" type="xs:double"/>
<xs:element name="strGuidOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="strCodSalRutaOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strCPDesOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strCodPaisOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="boEnvioAgrupadoOut" minOccurs="1" maxOccurs="1" type="xs:boolean"/>
<xs:element
name="strCargosAduanerosOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="dtFechaOut"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
<xs:element
name="strCodDirAgrupDesOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="strCodPuntoRecOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="strCodPuntoConvenienciaOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element
name="WebServiceService___GrabaEnvioPendiente4">
<xs:complexType>
<xs:sequence>
<xs:element
name="strCodAgeCargo" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strCodAgeOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="dtFecha"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
<xs:element name="strCodAgeDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strCodCli"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strCodCliDep"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strNomOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strTipoViaOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>

```

minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strDirOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strNumOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strPisoOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strPobOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCPOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCodProOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strTlfOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strNomDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strTipoViaDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strDirDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strNumDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strPisoDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strPobDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCPDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCodProDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strTlfDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="intDoc"
minOccurs="1" maxOccurs="1" type="xs:int"/>	<xs:element name="intPaq"
minOccurs="1" maxOccurs="1" type="xs:int"/>	<xs:element name="dPesoOri"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dAltoOri"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dAnchoOri"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dLargoOri"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dReembolso"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dValor"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dAnticipo"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dCobCli"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="strObs"

```

minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
name="strPersContacto" minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
name="strDesDirEmails" minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
name="strCargosAduaneros" minOccurs="1" maxOccurs="1" type="xs:string"/>
name="boSeguroFranquicia" minOccurs="1" maxOccurs="1" type="xs:boolean"/>
name="strCodPuntoRec" minOccurs="1" maxOccurs="1" type="xs:string"/>
name="strCodPuntoConveniencia" minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
</xs:sequence>
</xs:complexType>
<xs:element name="boSabado"
<xs:element name="boRetorno"
<xs:element name="boGestOri"
<xs:element name="boGestDes"
<xs:element name="boAnulado"
<xs:element name="boAcuse"
<xs:element name="strRef"
<xs:element name="strCodSalRuta"
<xs:element name="dBaseImp"
<xs:element name="dImpuesto"
<xs:element name="boPorteDebCli"
<xs:element
name="strPersContacto" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="boDesSMS"
<xs:element name="boDesEmail"
<xs:element name="strDesMoviles"
<xs:element
name="strDesDirEmails" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="dtHoraEntrIni"
<xs:element name="dtHoraEntrFin"
<xs:element name="dValorFactInt"
<xs:element name="boInsert"
<xs:element name="strAlbaran"
<xs:element
name="strCargosAduaneros" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="boSeguroFranquicia" minOccurs="1" maxOccurs="1" type="xs:boolean"/>
<xs:element
name="strCodPuntoRec" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="strCodPuntoConveniencia" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strDNIDes"

```

```

        </xs:element>
        <xs:element
name="WebServService___GrabaEnvioPendiente4Response">
            <xs:complexType>
                <xs:sequence>
                    <xs:element name="strAlbaranOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                    <xs:element
name="dPesoVolOriOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
                    <xs:element
name="dPesoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
                    <xs:element
name="dAltoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
                    <xs:element
name="dAnchoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
                    <xs:element
name="dLargoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
                    <xs:element
name="dPesoVolVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
                    <xs:element name="dtFecEntrOut"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
                    <xs:element name="strTipoEnvOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                    <xs:element
name="dtFecHoraAltaOut" minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
                    <xs:element name="dKmsManOut"
minOccurs="1" maxOccurs="1" type="xs:double"/>
                    <xs:element name="boTecleDesOut"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
                    <xs:element
name="strCodAgeDesOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
                    <xs:element
name="strCodProDesOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
                    <xs:element name="dPorteDebOut"
minOccurs="1" maxOccurs="1" type="xs:double"/>
                    <xs:element name="strGuidOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                    <xs:element
name="strCodSalRutaOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
                    <xs:element name="strCPDesOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                    <xs:element name="strCodPaisOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                    <xs:element
name="boEnvioAgrupadoOut" minOccurs="1" maxOccurs="1" type="xs:boolean"/>
                    <xs:element
name="strCargosAduanerosOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
                    <xs:element name="dtFechaOut"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
                    <xs:element
name="strCodDirAgrupDesOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
                    <xs:element
name="strCodPuntoRecOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
                    <xs:element

```

```

name="strCodPuntoConvenienciaOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
        </xs:sequence>
    </xs:complexType>
</xs:element>
<xs:element
name="WebServService___GrabaEnvioPendiente5">
    <xs:complexType>
        <xs:sequence>
            <xs:element
name="strCodAgeCargo" minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strCodAgeOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="dtFecha"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
            <xs:element name="strCodAgeDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strCodCli"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strCodCliDep"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strNomOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strTipoViaOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strDirOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strNumOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strPisoOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strPobOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strCPOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strCodProOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strTlfOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strNomDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strTipoViaDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strDirDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strNumDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strPisoDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strPobDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strCPDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strCodProDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>

```

minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strTlfDes"
minOccurs="1" maxOccurs="1" type="xs:int"/>	<xs:element name="intDoc"
minOccurs="1" maxOccurs="1" type="xs:int"/>	<xs:element name="intPaq"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dPesoOri"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dAltoOri"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dAnchoOri"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dLargoOri"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dReembolso"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dValor"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dAnticipo"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dCobCli"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strObs"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boSabado"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boRetorno"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boGestOri"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boGestDes"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boAnulado"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boAcuse"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strRef"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCodSalRuta"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dBaseImp"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dImpuesto"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boPorteDebCli"
name="strPersContacto" minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boDesSMS"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boDesEmail"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strDesMoviles"

```

<xs:element
name="strDesDirEmails" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="dtHoraEntrIni"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
<xs:element name="dtHoraEntrFin"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
<xs:element name="dValorFactInt"
minOccurs="1" maxOccurs="1" type="xs:double"/>
<xs:element name="boInsert"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
<xs:element name="strAlbaran"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="strCargosAduaneros" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="boSeguroFranquicia" minOccurs="1" maxOccurs="1" type="xs:boolean"/>
<xs:element
name="strCodPuntoRec" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="strCodPuntoConveniencia" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strDNIDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strPINDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element
name="WebServService___GrabaEnvioPendiente5Response">
<xs:complexType>
<xs:sequence>
<xs:element name="strAlbaranOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="dPesoVolOriOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
<xs:element
name="dPesoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
<xs:element
name="dAltoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
<xs:element
name="dAnchoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
<xs:element
name="dLargoVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
<xs:element
name="dPesoVolVolpesOut" minOccurs="1" maxOccurs="1" type="xs:double"/>
<xs:element name="dtFecEntrOut"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
<xs:element name="strTipoEnvOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="dtFecHoraAltaOut" minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
<xs:element name="dKmsManOut"
minOccurs="1" maxOccurs="1" type="xs:double"/>
<xs:element name="boTecleDesOut"

```

```

minOccurs="1" maxOccurs="1" type="xs:boolean"/>
<xs:element
name="strCodAgeDesOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="strCodProDesOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="dPorteDebOut"
minOccurs="1" maxOccurs="1" type="xs:double"/>
<xs:element name="strGuidOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="strCodSalRutaOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strCPDesOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strCodPaisOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="boEnvioAgrupadoOut" minOccurs="1" maxOccurs="1" type="xs:boolean"/>
<xs:element
name="strCargosAduanerosOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="dtFechaOut"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
<xs:element
name="strCodDirAgrupDesOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="strCodPuntoRecOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="strCodPuntoConvenienciaOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element name="WebServiceService___GrabaRecogida">
<xs:complexType>
<xs:sequence>
<xs:element name="strCod"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strCodAgeOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strCodAgeSol"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strCodAgeDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="strCodAgeCargo" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="dtFecRec"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
<xs:element name="dtHoraRecIni"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
<xs:element
name="dtHoraRecIniTarde" minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
<xs:element name="dtHoraRecFin"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
<xs:element
name="dtHoraRecFinTarde" minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
<xs:element name="intBul"

```

```
minOccurs="1" maxOccurs="1" type="xs:int"/>
minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
name="strPersContacto" minOccurs="1" maxOccurs="1" type="xs:string"/>
```

```

minOccurs="1" maxOccurs="1" type="xs:boolean"/>
<xs:element
name="strCodTipoServ" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="boSabado"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
<xs:element name="strCodRep"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strCodEnv"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strRef"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strTipoRecOld"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strObsDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="dReembolso"
minOccurs="1" maxOccurs="1" type="xs:double"/>
<xs:element name="dCobCli"
minOccurs="1" maxOccurs="1" type="xs:double"/>
<xs:element name="dImpuesto"
minOccurs="1" maxOccurs="1" type="xs:double"/>
<xs:element name="dBaseImp"
minOccurs="1" maxOccurs="1" type="xs:double"/>
<xs:element name="boAcuse"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
<xs:element name="boRetorno"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
<xs:element name="boGestOri"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
<xs:element name="boGestDes"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element
name="WebServiceService___GrabaRecogidaResponse">
<xs:complexType>
<xs:sequence>
<xs:element name="strCodOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strTipoRecOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="dtFecHoraAltaOut" minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
<xs:element
name="strCodAgeOriOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="strCodProOriOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="strCodAgeDesOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="strCodProDesOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="fPorteDebOut"
minOccurs="1" maxOccurs="1" type="xs:double"/>

```

```

        </xs:sequence>
    </xs:complexType>
</xs:element>
<xs:element name="WebServiceService___GrabaRecogida2">
    <xs:complexType>
        <xs:sequence>
            <xs:element name="strCod"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strCodAgeOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strCodAgeSol"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strCodAgeDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element
name="strCodAgeCargo" minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="dtFecRec"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
            <xs:element name="dtHoraRecIni"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
            <xs:element
name="dtHoraRecIniTarde" minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
            <xs:element name="dtHoraRecFin"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
            <xs:element
name="dtHoraRecFinTarde" minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
            <xs:element name="intBul"
minOccurs="1" maxOccurs="1" type="xs:int"/>
            <xs:element name="dPeso"
minOccurs="1" maxOccurs="1" type="xs:double"/>
            <xs:element name="dValor"
minOccurs="1" maxOccurs="1" type="xs:double"/>
            <xs:element name="dAnticipo"
minOccurs="1" maxOccurs="1" type="xs:double"/>
            <xs:element name="strCodVeh"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strNomOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strTipoViaOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strDirOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strNumOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strPisoOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strPobOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strCPOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strTlfOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strCodProOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>

```

minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strNomDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strTipoViaDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strDirDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strNumDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strPisoDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strPobDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCPDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strTlfDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCodProDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strObs"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCodCli"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCodCliDep"
name="strPersContacto" minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boAutKM"
name="strCodTipoServ" minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boSabado"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCodRep"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCodEnv"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strRef"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strTipoRecOld"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strObsDes"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dReembolso"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dCobCli"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dImpuesto"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dBaseImp"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boAcuse"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boRetorno"

```

minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
name="strRemDirEmails" minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element
name="WebServiceService___GrabaRecogida2Response">
<xs:complexType>
<xs:sequence>
<xs:element name="strCodOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strTipoRecOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="dtFecHoraAltaOut" minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
<xs:element
name="strCodAgeOriOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="strCodProOriOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="strCodAgeDesOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="strCodProDesOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="fPorteDebOut"
minOccurs="1" maxOccurs="1" type="xs:double"/>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element name="WebServiceService___GrabaRecogida3">
<xs:complexType>
<xs:sequence>
<xs:element name="strCod"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strCodAgeOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strCodAgeSol"

```

```
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strCodAgeDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="strCodAgeCargo" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="dtFecRec"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
<xs:element name="dtHoraRecIni"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
<xs:element
name="dtHoraRecIniTarde" minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
<xs:element name="dtHoraRecFin"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
<xs:element
name="dtHoraRecFinTarde" minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
<xs:element name="intBul"
minOccurs="1" maxOccurs="1" type="xs:int"/>
<xs:element name="dPeso"
minOccurs="1" maxOccurs="1" type="xs:double"/>
<xs:element name="dValor"
minOccurs="1" maxOccurs="1" type="xs:double"/>
<xs:element name="dAnticipo"
minOccurs="1" maxOccurs="1" type="xs:double"/>
<xs:element name="strCodVeh"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strNomOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strTipoViaOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strDirOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strNumOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strPisoOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strPobOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strCPOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strTlfOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strCodProOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strNomDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strTipoViaDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strDirDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strNumDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strPisoDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strPobDes"
```

minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCPDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strTlfDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCodProDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strObs"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCodCli"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCodCliDep"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element
name="strPersContacto" minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="boAutKM"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element
name="strCodTipoServ" minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="boSabado"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="strCodRep"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCodEnv"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strRef"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strTipoRecOld"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strObsDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="dReembolso"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dCobCli"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dImpuesto"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dBaseImp"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="boAcuse"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boRetorno"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boGestOri"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boGestDes"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boRemSms"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boRemEmail"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="strRemMoviles"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element

```

name="strRemDirEmails" minOccurs="1" maxOccurs="1" type="xs:string"/>
    <xs:element name="boRemAlta"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
    <xs:element name="boRemInci"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
    <xs:element name="boRemResInci"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
    <xs:element name="boRemRep"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
    <xs:element
name="boSeguroFranquicia" minOccurs="1" maxOccurs="1" type="xs:boolean"/>
    </xs:sequence>
    </xs:complexType>
    </xs:element>
    <xs:element
name="WebServiceService___GrabaRecogida3Response">
    <xs:complexType>
    <xs:sequence>
        <xs:element name="strCodOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
        <xs:element name="strTipoRecOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
        <xs:element
name="dtFecHoraAltaOut" minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
        <xs:element
name="strCodAgeOriOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
        <xs:element
name="strCodProOriOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
        <xs:element
name="strCodAgeDesOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
        <xs:element
name="strCodProDesOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
        <xs:element name="fPorteDebOut"
minOccurs="1" maxOccurs="1" type="xs:double"/>
    </xs:sequence>
    </xs:complexType>
    </xs:element>
    <xs:element name="WebServiceService___GrabaRecogida4">
    <xs:complexType>
    <xs:sequence>
        <xs:element name="strCod"
minOccurs="1" maxOccurs="1" type="xs:string"/>
        <xs:element name="strCodAgeOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
        <xs:element name="strCodAgeSol"
minOccurs="1" maxOccurs="1" type="xs:string"/>
        <xs:element name="strCodAgeDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
        <xs:element
name="strCodAgeCargo" minOccurs="1" maxOccurs="1" type="xs:string"/>
        <xs:element name="dtFecRec"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
        <xs:element name="dtHoraRecIni"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>

```

```

name="dtHoraRecIniTarde" minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
<xs:element name="dtHoraRecFin"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
<xs:element
name="dtHoraRecFinTarde" minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
<xs:element name="intBul"
minOccurs="1" maxOccurs="1" type="xs:int"/>
<xs:element name="dPeso"
minOccurs="1" maxOccurs="1" type="xs:double"/>
<xs:element name="dValor"
minOccurs="1" maxOccurs="1" type="xs:double"/>
<xs:element name="dAnticipo"
minOccurs="1" maxOccurs="1" type="xs:double"/>
<xs:element name="strCodVeh"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strNomOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strTipoViaOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strDirOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strNumOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strPisoOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strPobOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strCPOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strTlfOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strCodProOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strNomDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strTipoViaDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strDirDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strNumDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strPisoDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strPobDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strCPDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strTlfDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strCodProDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strObs"

```

minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCodCli"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCodCliDep"
name="strPersContacto" minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boAutKM"
name="strCodTipoServ" minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boSabado"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCodRep"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCodEnv"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strRef"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strTipoRecOld"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strObsDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="dReembolso"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dCobCli"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dImpuesto"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dBaseImp"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="boAcuse"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boRetorno"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boGestOri"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boGestDes"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boRemSms"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boRemEmail"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strRemMoviles"
name="strRemDirEmails" minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boRemAlta"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boRemInci"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boRemResInci"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boRemRep"

```

<xs:element
name="boSeguroFranquicia" minOccurs="1" maxOccurs="1" type="xs:boolean"/>
<xs:element
name="strCodEnvPendiente" minOccurs="1" maxOccurs="1" type="xs:string"/>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element
name="WebServiceService___GrabaRecogida4Response">
<xs:complexType>
<xs:sequence>
<xs:element name="strCodOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strTipoRecOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="dtFecHoraAltaOut" minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
<xs:element
name="strCodAgeOriOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="strCodProOriOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="strCodAgeDesOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="strCodProDesOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="fPorteDebOut"
minOccurs="1" maxOccurs="1" type="xs:double"/>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element name="WebServiceService___GrabaRecogida5">
<xs:complexType>
<xs:sequence>
<xs:element name="strCod"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strCodAgeOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strCodAgeSol"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strCodAgeDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="strCodAgeCargo" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="dtFecRec"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
<xs:element name="dtHoraRecIni"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
<xs:element
name="dtHoraRecIniTarde" minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
<xs:element name="dtHoraRecFin"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
<xs:element
name="dtHoraRecFinTarde" minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
<xs:element name="intBul"

```

```
minOccurs="1" maxOccurs="1" type="xs:int"/>
minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
name="strPersContacto" minOccurs="1" maxOccurs="1" type="xs:string"/>
```

```

minOccurs="1" maxOccurs="1" type="xs:boolean"/>
<xs:element
name="strCodTipoServ" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="boSabado"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
<xs:element name="strCodRep"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strCodEnv"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strRef"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strTipoRecOld"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strObsDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="dReembolso"
minOccurs="1" maxOccurs="1" type="xs:double"/>
<xs:element name="dCobCli"
minOccurs="1" maxOccurs="1" type="xs:double"/>
<xs:element name="dImpuesto"
minOccurs="1" maxOccurs="1" type="xs:double"/>
<xs:element name="dBaseImp"
minOccurs="1" maxOccurs="1" type="xs:double"/>
<xs:element name="boAcuse"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
<xs:element name="boRetorno"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
<xs:element name="boGestOri"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
<xs:element name="boGestDes"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
<xs:element name="boRemSms"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
<xs:element name="boRemEmail"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
<xs:element name="strRemMoviles"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="strRemDirEmails" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="boRemAlta"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
<xs:element name="boRemInci"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
<xs:element name="boRemResInci"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
<xs:element name="boRemRep"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
<xs:element
name="boSeguroFranquicia" minOccurs="1" maxOccurs="1" type="xs:boolean"/>
<xs:element
name="strCodEnvPendiente" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="dtHoraEntrIni"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
<xs:element name="dtHoraEntrFin"

```

```

minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
        </xs:sequence>
    </xs:complexType>
</xs:element>
<xs:element
name="WebServService___GrabaRecogida5Response">
    <xs:complexType>
        <xs:sequence>
            <xs:element name="strCodOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strTipoRecOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element
name="dtFecHoraAltaOut" minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
            <xs:element
name="strCodAgeOriOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element
name="strCodProOriOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element
name="strCodAgeDesOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element
name="strCodProDesOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="fPorteDebOut"
minOccurs="1" maxOccurs="1" type="xs:double"/>
        </xs:sequence>
    </xs:complexType>
</xs:element>
<xs:element name="WebServService___GrabaRecogida6">
    <xs:complexType>
        <xs:sequence>
            <xs:element name="strCod"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strCodAgeOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strCodAgeSol"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strCodAgeDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element
name="strCodAgeCargo" minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="dtFecRec"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
            <xs:element name="dtHoraRecIni"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
            <xs:element
name="dtHoraRecIniTarde" minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
            <xs:element name="dtHoraRecFin"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
            <xs:element
name="dtHoraRecFinTarde" minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
            <xs:element name="intBul"
minOccurs="1" maxOccurs="1" type="xs:int"/>
            <xs:element name="dPeso"
minOccurs="1" maxOccurs="1" type="xs:double"/>

```

minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dValor"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dAnticipo"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCodVeh"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strNomOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strTipoViaOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strDirOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strNumOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strPisoOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strPobOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCPOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strTlfOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCodProOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strNomDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strTipoViaDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strDirDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strNumDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strPisoDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strPobDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCPDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strTlfDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCodProDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strObs"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCodCli"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCodCliDep"
name="strPersContacto" minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boAutKM"
name="strCodTipoServ" minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element

```

minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
name="strRemDirEmails" minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
name="boSeguroFranquicia" minOccurs="1" maxOccurs="1" type="xs:boolean"/>
name="strCodEnvPendiente" minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
</xs:sequence>
</xs:complexType>
<xs:element name="boSabado"
<xs:element name="strCodRep"
<xs:element name="strCodEnv"
<xs:element name="strRef"
<xs:element name="strTipoRecOld"
<xs:element name="strObsDes"
<xs:element name="dReembolso"
<xs:element name="dCobCli"
<xs:element name="dImpuesto"
<xs:element name="dBaseImp"
<xs:element name="boAcuse"
<xs:element name="boRetorno"
<xs:element name="boGestOri"
<xs:element name="boGestDes"
<xs:element name="boRemSms"
<xs:element name="boRemEmail"
<xs:element name="strRemMoviles"
<xs:element
name="strRemDirEmails" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="boRemAlta"
<xs:element name="boRemInci"
<xs:element name="boRemResInci"
<xs:element name="boRemRep"
<xs:element
name="boSeguroFranquicia" minOccurs="1" maxOccurs="1" type="xs:boolean"/>
<xs:element
name="strCodEnvPendiente" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="dtHoraEntrIni"
<xs:element name="dtHoraEntrFin"

```

```

        </xs:element>
        <xs:element
name="WebServService___GrabaRecogida6Response">
            <xs:complexType>
                <xs:sequence>
                    <xs:element name="strCodOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                    <xs:element name="strTipoRecOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                    <xs:element
name="dtFecHoraAltaOut" minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
                    <xs:element
name="strCodAgeOriOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
                    <xs:element
name="strCodProOriOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
                    <xs:element
name="strCodAgeDesOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
                    <xs:element
name="strCodProDesOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
                    <xs:element name="fPorteDebOut"
minOccurs="1" maxOccurs="1" type="xs:double"/>
                    <xs:element name="dtFecRecOut"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
                </xs:sequence>
            </xs:complexType>
        </xs:element>
        <xs:element name="WebServService___GrabaRecogida7">
            <xs:complexType>
                <xs:sequence>
                    <xs:element name="strCod"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                    <xs:element name="strCodAgeOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                    <xs:element name="strCodAgeSol"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                    <xs:element name="strCodAgeDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                    <xs:element
name="strCodAgeCargo" minOccurs="1" maxOccurs="1" type="xs:string"/>
                    <xs:element name="dtFecRec"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
                    <xs:element name="dtHoraRecIni"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
                    <xs:element
name="dtHoraRecIniTarde" minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
                    <xs:element name="dtHoraRecFin"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
                    <xs:element
name="dtHoraRecFinTarde" minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
                    <xs:element name="intBul"
minOccurs="1" maxOccurs="1" type="xs:int"/>
                    <xs:element name="dPeso"
minOccurs="1" maxOccurs="1" type="xs:double"/>
                    <xs:element name="dValor"

```

[illegible]

```

minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
name="strRemDirEmails" minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
name="boSeguroFranquicia" minOccurs="1" maxOccurs="1" type="xs:boolean"/>
name="strCodEnvPendiente" minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
name="strCodPuntoRec" minOccurs="1" maxOccurs="1" type="xs:string"/>
</xs:sequence>
<xs:element name="strCodRep"
<xs:element name="strCodEnv"
<xs:element name="strRef"
<xs:element name="strTipoRecOld"
<xs:element name="strObsDes"
<xs:element name="dReembolso"
<xs:element name="dCobCli"
<xs:element name="dImpuesto"
<xs:element name="dBaseImp"
<xs:element name="boAcuse"
<xs:element name="boRetorno"
<xs:element name="boGestOri"
<xs:element name="boGestDes"
<xs:element name="boRemSms"
<xs:element name="boRemEmail"
<xs:element name="strRemMoviles"
<xs:element
name="strRemDirEmails" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="boRemAlta"
<xs:element name="boRemInci"
<xs:element name="boRemResInci"
<xs:element name="boRemRep"
<xs:element
name="boSeguroFranquicia" minOccurs="1" maxOccurs="1" type="xs:boolean"/>
<xs:element
name="strCodEnvPendiente" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="dtHoraEntrIni"
<xs:element name="dtHoraEntrFin"
<xs:element
name="strCodPuntoRec" minOccurs="1" maxOccurs="1" type="xs:string"/>
</xs:sequence>

```

```

        </xs:complexType>
    </xs:element>
    <xs:element
name="WebServService___GrabaRecogida7Response">
        <xs:complexType>
            <xs:sequence>
                <xs:element name="strCodOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                <xs:element name="strTipoRecOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                <xs:element
name="dtFecHoraAltaOut" minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
                <xs:element
name="strCodAgeOriOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
                <xs:element
name="strCodProOriOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
                <xs:element
name="strCodAgeDesOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
                <xs:element
name="strCodProDesOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
                <xs:element name="fPorteDebOut"
minOccurs="1" maxOccurs="1" type="xs:double"/>
                <xs:element name="dtFecRecOut"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
                <xs:element
name="strCodPuntoRecOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
            </xs:sequence>
        </xs:complexType>
    </xs:element>
    <xs:element name="WebServService___GrabaRecogida8">
        <xs:complexType>
            <xs:sequence>
                <xs:element name="strCod"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                <xs:element name="strCodAgeOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                <xs:element name="strCodAgeSol"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                <xs:element name="strCodAgeDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                <xs:element
name="strCodAgeCargo" minOccurs="1" maxOccurs="1" type="xs:string"/>
                <xs:element name="dtFecRec"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
                <xs:element name="dtHoraRecIni"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
                <xs:element
name="dtHoraRecIniTarde" minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
                <xs:element name="dtHoraRecFin"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
                <xs:element
name="dtHoraRecFinTarde" minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
                <xs:element name="intBul"
minOccurs="1" maxOccurs="1" type="xs:int"/>
            </xs:sequence>
        </xs:complexType>
    </xs:element>

```



```

name="strCodTipoServ" minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:double"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
name="strRemDirEmails" minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
name="boSeguroFranquicia" minOccurs="1" maxOccurs="1" type="xs:boolean"/>
name="strCodEnvPendiente" minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>

```

```

name="strCodPuntoRec" minOccurs="1" maxOccurs="1" type="xs:string"/>
name="boDesSms" minOccurs="1" maxOccurs="1" type="xs:boolean"/>
name="boDesEmail" minOccurs="1" maxOccurs="1" type="xs:boolean"/>
name="strDesMoviles" minOccurs="1" maxOccurs="1" type="xs:string"/>
name="strDesDirEmails" minOccurs="1" maxOccurs="1" type="xs:string"/>
name="boDesAlta" minOccurs="1" maxOccurs="1" type="xs:boolean"/>
name="boDesRealizada" minOccurs="1" maxOccurs="1" type="xs:boolean"/>
name="boDesInci" minOccurs="1" maxOccurs="1" type="xs:boolean"/>
name="boDesResInci" minOccurs="1" maxOccurs="1" type="xs:boolean"/>
name="boDesRep" minOccurs="1" maxOccurs="1" type="xs:boolean"/>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element
name="WebServiceService___GrabaRecogida8Response">
<xs:complexType>
<xs:sequence>
<xs:element name="strCodOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strTipoRecOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="dtFecHoraAltaOut" minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
<xs:element
name="strCodAgeOriOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="strCodProOriOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="strCodAgeDesOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="strCodProDesOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="fPorteDebOut"
minOccurs="1" maxOccurs="1" type="xs:double"/>
<xs:element name="dtFecRecOut"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
<xs:element
name="strCodPuntoRecOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strGuidOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element name="WebServiceService___GrabaRecogida9">
<xs:complexType>

```

```

<xs:sequence>
  minOccurs="1" maxOccurs="1" type="xs:string"/>
  minOccurs="1" maxOccurs="1" type="xs:string"/>
  minOccurs="1" maxOccurs="1" type="xs:string"/>
  minOccurs="1" maxOccurs="1" type="xs:string"/>
  <xs:element
name="strCodAgeCargo" minOccurs="1" maxOccurs="1" type="xs:string"/>
  <xs:element name="dtFecRec"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
  <xs:element name="dtHoraRecIni"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
  <xs:element
name="dtHoraRecIniTarde" minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
  <xs:element name="dtHoraRecFin"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
  <xs:element
name="dtHoraRecFinTarde" minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
  <xs:element name="intBul"
minOccurs="1" maxOccurs="1" type="xs:int"/>
  <xs:element name="dPeso"
minOccurs="1" maxOccurs="1" type="xs:double"/>
  <xs:element name="dValor"
minOccurs="1" maxOccurs="1" type="xs:double"/>
  <xs:element name="dAnticipo"
minOccurs="1" maxOccurs="1" type="xs:double"/>
  <xs:element name="strCodVeh"
minOccurs="1" maxOccurs="1" type="xs:string"/>
  <xs:element name="strNomOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
  <xs:element name="strTipoViaOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
  <xs:element name="strDirOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
  <xs:element name="strNumOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
  <xs:element name="strPisoOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
  <xs:element name="strPobOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
  <xs:element name="strCPOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
  <xs:element name="strTlfOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
  <xs:element name="strCodProOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
  <xs:element name="strNomDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
  <xs:element name="strTipoViaDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
  <xs:element name="strDirDes"

```

minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strNumDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strPisoDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strPobDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCPDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strTlfDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCodProDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strObs"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCodCli"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCodCliDep"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element
name="strPersContacto" minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="boAutKM"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element
name="strCodTipoServ" minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="boSabado"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="strCodRep"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCodEnv"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strRef"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strTipoRecOld"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strObsDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="dReembolso"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dCobCli"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dImpuesto"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dBaseImp"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="boAcuse"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boRetorno"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boGestOri"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boGestDes"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boRemSms"

```

minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
name="strRemDirEmails" minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
name="boSeguroFranquicia" minOccurs="1" maxOccurs="1" type="xs:boolean"/>
name="strCodEnvPendiente" minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
name="strCodPuntoRec" minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
name="strDesDirEmails" minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
name="boDesRealizada" minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element
name="WebServiceService___GrabaRecogida9Response">
<xs:complexType>
<xs:sequence>
<xs:element name="strCodOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strTipoRecOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>

```

```

<xs:element
name="dtFecHoraAltaOut" minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
<xs:element
name="strCodAgeOriOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="strCodProOriOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="strCodAgeDesOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="strCodProDesOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="fPorteDebOut"
minOccurs="1" maxOccurs="1" type="xs:double"/>
<xs:element name="dtFecRecOut"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
<xs:element
name="strCodPuntoRecOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strGuidOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="strCodEnvioReservadoOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element name="WebService___GrabaRecogida10">
<xs:complexType>
<xs:sequence>
<xs:element name="strCod"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strCodAgeOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strCodAgeSol"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strCodAgeDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="strCodAgeCargo" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="dtFecRec"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
<xs:element name="dtHoraRecIni"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
<xs:element
name="dtHoraRecIniTarde" minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
<xs:element name="dtHoraRecFin"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
<xs:element
name="dtHoraRecFinTarde" minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
<xs:element name="intBul"
minOccurs="1" maxOccurs="1" type="xs:int"/>
<xs:element name="dPeso"
minOccurs="1" maxOccurs="1" type="xs:double"/>
<xs:element name="dValor"
minOccurs="1" maxOccurs="1" type="xs:double"/>
<xs:element name="dAnticipo"
minOccurs="1" maxOccurs="1" type="xs:double"/>

```

minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCodVeh"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strNomOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strTipoViaOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strDirOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strNumOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strPisoOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strPobOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCPOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strTlfOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCodProOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strNomDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strTipoViaDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strDirDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strNumDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strPisoDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strPobDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCPDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strTlfDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCodProDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strObs"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCodCli"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCodCliDep"
name="strPersContacto" minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boAutKM"
name="strCodTipoServ" minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boSabado"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCodRep"

minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCodEnv"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strRef"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strTipoRecOld"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strObsDes"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dReembolso"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dCobCli"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dImpuesto"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dBaseImp"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boAcuse"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boRetorno"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boGestOri"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boGestDes"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boRemSms"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boRemEmail"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strRemMoviles"
name="strRemDirEmails" minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boRemAlta"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boRemInci"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boRemResInci"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boRemRep"
name="boSeguroFranquicia" minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element
name="strCodEnvPendiente" minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>	<xs:element name="dtHoraEntrIni"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>	<xs:element name="dtHoraEntrFin"
name="strCodPuntoRec" minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boDesSms"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boDesEmail"

```

minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strDesMoviles"
name="strDesDirEmails" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="boDesAlta"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
<xs:element
name="boDesRealizada" minOccurs="1" maxOccurs="1" type="xs:boolean"/>
<xs:element name="boDesInci"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
<xs:element name="boDesResInci"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
<xs:element name="boDesRep"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
<xs:element name="strContenido"
minOccurs="1" maxOccurs="1" type="xs:string"/>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element
name="WebServiceService___GrabaRecogida10Response">
<xs:complexType>
<xs:sequence>
<xs:element name="strCodOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strTipoRecOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="dtFecHoraAltaOut" minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
<xs:element
name="strCodAgeOriOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="strCodProOriOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="strCodAgeDesOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="strCodProDesOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="fPorteDebOut"
minOccurs="1" maxOccurs="1" type="xs:double"/>
<xs:element name="dtFecRecOut"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
<xs:element
name="strCodPuntoRecOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strGuidOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="strCodEnvioReservadoOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="strContenidoOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element name="WebServiceService___GrabaRecogida11">
<xs:complexType>

```

```

<xs:sequence>
  minOccurs="1" maxOccurs="1" type="xs:string"/>
  minOccurs="1" maxOccurs="1" type="xs:string"/>
  minOccurs="1" maxOccurs="1" type="xs:string"/>
  minOccurs="1" maxOccurs="1" type="xs:string"/>
  <xs:element
name="strCodAgeCargo" minOccurs="1" maxOccurs="1" type="xs:string"/>
  <xs:element name="dtFecRec"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
  <xs:element name="dtHoraRecIni"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
  <xs:element
name="dtHoraRecIniTarde" minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
  <xs:element name="dtHoraRecFin"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
  <xs:element
name="dtHoraRecFinTarde" minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
  <xs:element name="intBul"
minOccurs="1" maxOccurs="1" type="xs:int"/>
  <xs:element name="dPeso"
minOccurs="1" maxOccurs="1" type="xs:double"/>
  <xs:element name="dValor"
minOccurs="1" maxOccurs="1" type="xs:double"/>
  <xs:element name="dAnticipo"
minOccurs="1" maxOccurs="1" type="xs:double"/>
  <xs:element name="strCodVeh"
minOccurs="1" maxOccurs="1" type="xs:string"/>
  <xs:element name="strNomOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
  <xs:element name="strTipoViaOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
  <xs:element name="strDirOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
  <xs:element name="strNumOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
  <xs:element name="strPisoOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
  <xs:element name="strPobOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
  <xs:element name="strCPOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
  <xs:element name="strTlfOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
  <xs:element name="strCodProOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
  <xs:element name="strNomDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
  <xs:element name="strTipoViaDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>
  <xs:element name="strDirDes"

```

minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strNumDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strPisoDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strPobDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCPDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strTlfDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCodProDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strObs"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCodCli"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strCodCliDep"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element
name="strPersContacto" minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="boAutKM"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element
name="strCodTipoServ" minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="boSabado"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="strRef"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strTipoRecOld"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="strObsDes"
minOccurs="1" maxOccurs="1" type="xs:string"/>	<xs:element name="dReembolso"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dCobCli"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dImpuesto"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="dBaseImp"
minOccurs="1" maxOccurs="1" type="xs:double"/>	<xs:element name="boAcuse"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boRetorno"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boGestOri"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boGestDes"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boRemSms"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="boRemEmail"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>	<xs:element name="strRemMoviles"

```

minOccurs="1" maxOccurs="1" type="xs:string"/>
                                <xs:element
name="strRemDirEmails" minOccurs="1" maxOccurs="1" type="xs:string"/>
                                <xs:element name="boRemAlta"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
                                <xs:element name="boRemInci"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
                                <xs:element name="boRemResInci"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
                                <xs:element name="boRemRep"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
                                <xs:element
name="boSeguroFranquicia" minOccurs="1" maxOccurs="1" type="xs:boolean"/>
                                <xs:element
name="strCodEnvPendiente" minOccurs="1" maxOccurs="1" type="xs:string"/>
                                <xs:element name="dtHoraEntrIni"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
                                <xs:element name="dtHoraEntrFin"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
                                <xs:element
name="strCodPuntoRec" minOccurs="1" maxOccurs="1" type="xs:string"/>
                                <xs:element name="boDesSms"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
                                <xs:element name="boDesEmail"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
                                <xs:element name="strDesMoviles"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                                <xs:element
name="strDesDirEmails" minOccurs="1" maxOccurs="1" type="xs:string"/>
                                <xs:element name="boDesAlta"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
                                <xs:element
name="boDesRealizada" minOccurs="1" maxOccurs="1" type="xs:boolean"/>
                                <xs:element name="boDesInci"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
                                <xs:element name="boDesResInci"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
                                <xs:element name="boDesRep"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
                                <xs:element name="strContenido"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                                </xs:sequence>
                                </xs:complexType>
                                </xs:element>
                                <xs:element
name="WebServiceService___GrabaRecogida11Response">
                                <xs:complexType>
                                <xs:sequence>
                                <xs:element name="strCodOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                                <xs:element name="strTipoRecOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                                <xs:element
name="dtFecHoraAltaOut" minOccurs="1" maxOccurs="1" type="xs:dateTime"/>

```

```

<xs:element
name="strCodAgeOriOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="strCodProOriOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="strCodAgeDesOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="strCodProDesOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="fPorteDebOut"
minOccurs="1" maxOccurs="1" type="xs:double"/>
<xs:element name="dtFecRecOut"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
<xs:element
name="strCodPuntoRecOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strGuidOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="strCodEnvioReservadoOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element
name="strContenidoOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element name="WebServiceService___InfEnvios">
<xs:complexType>
<xs:sequence>
<xs:element name="dtFecha"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element name="WebServiceService___InfEnviosResponse">
<xs:complexType>
<xs:sequence>
<xs:element name="strInfEnvios"
minOccurs="1" maxOccurs="1" type="xs:string"/>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element name="WebServiceService___ConsEtiquetaEnvio">
<xs:complexType>
<xs:sequence>
<xs:element name="strAlbaran"
minOccurs="1" maxOccurs="1" type="xs:string"/>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element
name="WebServiceService___ConsEtiquetaEnvioResponse">
<xs:complexType>
<xs:sequence>
<xs:element name="strEtiqueta"
minOccurs="1" maxOccurs="1" type="xs:string"/>
</xs:sequence>

```

```

        </xs:complexType>
    </xs:element>
    <xs:element name="WebService___ConsEtiquetaEnvio2">
        <xs:complexType>
            <xs:sequence>
                <xs:element name="strAlbaran"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                <xs:element name="intIdRepDet"
minOccurs="1" maxOccurs="1" type="xs:int"/>
            </xs:sequence>
        </xs:complexType>
    </xs:element>
    <xs:element
name="WebService___ConsEtiquetaEnvio2Response">
        <xs:complexType>
            <xs:sequence>
                <xs:element name="strEtiqueta"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            </xs:sequence>
        </xs:complexType>
    </xs:element>
    <xs:element name="WebService___ConsEtiquetaEnvio3">
        <xs:complexType>
            <xs:sequence>
                <xs:element name="strCodAgeOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                <xs:element name="strAlbaran"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                <xs:element name="intIdRepDet"
minOccurs="1" maxOccurs="1" type="xs:int"/>
            </xs:sequence>
        </xs:complexType>
    </xs:element>
    <xs:element
name="WebService___ConsEtiquetaEnvio3Response">
        <xs:complexType>
            <xs:sequence>
                <xs:element name="strEtiqueta"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            </xs:sequence>
        </xs:complexType>
    </xs:element>
    <xs:element name="WebService___ConsEtiquetaEnvio4">
        <xs:complexType>
            <xs:sequence>
                <xs:element name="strCodAgeOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                <xs:element name="strAlbaran"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                <xs:element name="intIdRepDet"
minOccurs="1" maxOccurs="1" type="xs:int"/>
                <xs:element name="strFormato"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            </xs:sequence>
        </xs:complexType>
    </xs:element>

```

```

        </xs:complexType>
    </xs:element>
    <xs:element
name="WebServService___ConsEtiquetaEnvio4Response">
        <xs:complexType>
            <xs:sequence>
                <xs:element name="strEtiqueta"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            </xs:sequence>
        </xs:complexType>
    </xs:element>
    <xs:element name="WebServService___ConsEtiquetaEnvio5">
        <xs:complexType>
            <xs:sequence>
                <xs:element name="strCodAgeOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                <xs:element name="strAlbaran"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                <xs:element name="intIdRepDet"
minOccurs="1" maxOccurs="1" type="xs:int"/>
                <xs:element name="strFormato"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                <xs:element name="strNumBulto"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            </xs:sequence>
        </xs:complexType>
    </xs:element>
    <xs:element
name="WebServService___ConsEtiquetaEnvio5Response">
        <xs:complexType>
            <xs:sequence>
                <xs:element name="strEtiqueta"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            </xs:sequence>
        </xs:complexType>
    </xs:element>
    <xs:element name="WebServService___ConsEtiquetaEnvio6">
        <xs:complexType>
            <xs:sequence>
                <xs:element name="strCodAgeOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                <xs:element name="StrAlbaran"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                <xs:element name="intIdRepDet"
minOccurs="1" maxOccurs="1" type="xs:int"/>
                <xs:element name="strFormato"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                <xs:element name="strNumBulto"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                <xs:element name="intPosIni"
minOccurs="1" maxOccurs="1" type="xs:int"/>
            </xs:sequence>
        </xs:complexType>
    </xs:element>

```

```

        <xs:element
name="WebServService___ConsEtiquetaEnvio6Response">
        <xs:complexType>
            <xs:sequence>
                <xs:element name="strEtiqueta"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            </xs:sequence>
        </xs:complexType>
    </xs:element>
    <xs:element name="WebServService___ConsEtiquetaEnvio7">
        <xs:complexType>
            <xs:sequence>
                <xs:element name="strCodAgeOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                <xs:element name="StrAlbaran"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                <xs:element name="intIdRepDet"
minOccurs="1" maxOccurs="1" type="xs:int"/>
                <xs:element name="strFormato"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                <xs:element
name="strNumBultoDesde" minOccurs="1" maxOccurs="1" type="xs:string"/>
                <xs:element
name="strNumBultoHasta" minOccurs="1" maxOccurs="1" type="xs:string"/>
                <xs:element name="intPosIni"
minOccurs="1" maxOccurs="1" type="xs:int"/>
            </xs:sequence>
        </xs:complexType>
    </xs:element>
    <xs:element
name="WebServService___ConsEtiquetaEnvio7Response">
        <xs:complexType>
            <xs:sequence>
                <xs:element name="strEtiqueta"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            </xs:sequence>
        </xs:complexType>
    </xs:element>
    <xs:element name="WebServService___ConsEtiquetaEnvio8">
        <xs:complexType>
            <xs:sequence>
                <xs:element name="strCodAgeOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                <xs:element name="strAlbaran"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                <xs:element name="intIdRepDet"
minOccurs="1" maxOccurs="1" type="xs:int"/>
                <xs:element name="strFormato"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                <xs:element
name="strNumBultoDesde" minOccurs="1" maxOccurs="1" type="xs:string"/>
                <xs:element
name="strNumBultoHasta" minOccurs="1" maxOccurs="1" type="xs:string"/>
                <xs:element name="intPosIni"

```

```

minOccurs="1" maxOccurs="1" type="xs:int"/>
                                <xs:element
name="boPrintOptimized" minOccurs="1" maxOccurs="1" type="xs:boolean"/>
                                </xs:sequence>
                                </xs:complexType>
                                </xs:element>
                                <xs:element
name="WebServService___ConsEtiquetaEnvio8Response">
                                <xs:complexType>
                                <xs:sequence>
                                <xs:element name="strEtiqueta"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                                </xs:sequence>
                                </xs:complexType>
                                </xs:element>
                                <xs:element
name="WebServService___ConsEnvEstadosUltimo">
                                <xs:complexType>
                                <xs:sequence>
                                <xs:element name="strEnvios"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                                <xs:element name="intUltVersion"
minOccurs="1" maxOccurs="1" type="xs:long"/>
                                </xs:sequence>
                                </xs:complexType>
                                </xs:element>
                                <xs:element
name="WebServService___ConsEnvEstadosUltimoResponse">
                                <xs:complexType>
                                <xs:sequence>
                                <xs:element name="strEnvEstados"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                                </xs:sequence>
                                </xs:complexType>
                                </xs:element>
                                <xs:element
name="WebServService___ConsUltimoEstadoEnvio">
                                <xs:complexType>
                                <xs:sequence>
                                <xs:element
name="strCodAgeCargo" minOccurs="1" maxOccurs="1" type="xs:string"/>
                                <xs:element name="strCodAgeOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                                <xs:element name="strAlbaran"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                                </xs:sequence>
                                </xs:complexType>
                                </xs:element>
                                <xs:element
name="WebServService___ConsUltimoEstadoEnvioResponse">
                                <xs:complexType>
                                <xs:sequence>
                                <xs:element
name="strUltimoEstadoEnvio" minOccurs="1" maxOccurs="1" type="xs:string"/>

```

```

        </xs:sequence>
    </xs:complexType>
</xs:element>
<xs:element name="WebService___ConsEnvIncidencias">
    <xs:complexType>
        <xs:sequence>
            <xs:element
name="strCodAgeCargo" minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strCodAgeOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strAlbaran"
minOccurs="1" maxOccurs="1" type="xs:string"/>
        </xs:sequence>
    </xs:complexType>
</xs:element>
<xs:element
name="WebService___ConsEnvIncidenciasResponse">
    <xs:complexType>
        <xs:sequence>
            <xs:element
name="strEnvIncidencias" minOccurs="1" maxOccurs="1" type="xs:string"/>
        </xs:sequence>
    </xs:complexType>
</xs:element>
<xs:element name="WebService___ConsEnvEstadosFecha">
    <xs:complexType>
        <xs:sequence>
            <xs:element name="dtFecha"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
        </xs:sequence>
    </xs:complexType>
</xs:element>
<xs:element
name="WebService___ConsEnvEstadosFechaResponse">
    <xs:complexType>
        <xs:sequence>
            <xs:element name="strEnvEstados"
minOccurs="1" maxOccurs="1" type="xs:string"/>
        </xs:sequence>
    </xs:complexType>
</xs:element>
<xs:element
name="WebService___ConsEnvIncidenciasFecha">
    <xs:complexType>
        <xs:sequence>
            <xs:element name="dtFecha"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
        </xs:sequence>
    </xs:complexType>
</xs:element>
<xs:element
name="WebService___ConsEnvIncidenciasFechaResponse">
    <xs:complexType>
        <xs:sequence>

```

```

        <xs:element
name="strEnvIncidencias" minOccurs="1" maxOccurs="1" type="xs:string"/>
        </xs:sequence>
    </xs:complexType>
</xs:element>
<xs:element
name="WebServiceService___GrabaEnvIncActuacion">
    <xs:complexType>
        <xs:sequence>
            <xs:element
name="strCodAgeCargo" minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strCodAgeOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strAlbaran"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="intIdEnvInc"
minOccurs="1" maxOccurs="1" type="xs:int"/>
            <xs:element
name="strCodTipoActu" minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element
name="boInclEmailCli" minOccurs="1" maxOccurs="1" type="xs:boolean"/>
            <xs:element name="strTipo"
minOccurs="1" maxOccurs="1" type="xs:string"/>
        </xs:sequence>
    </xs:complexType>
</xs:element>
<xs:element
name="WebServiceService___GrabaEnvIncActuacionResponse">
    <xs:complexType/>
</xs:element>
<xs:element name="WebServiceService___ConsEnvTraz">
    <xs:complexType>
        <xs:sequence>
            <xs:element
name="strCodAgeCargo" minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strCodAgeOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strAlbaran"
minOccurs="1" maxOccurs="1" type="xs:string"/>
        </xs:sequence>
    </xs:complexType>
</xs:element>
<xs:element name="WebServiceService___ConsEnvTrazResponse">
    <xs:complexType>
        <xs:sequence>
            <xs:element name="strEnvTraz"
minOccurs="1" maxOccurs="1" type="xs:string"/>
        </xs:sequence>
    </xs:complexType>
</xs:element>
<xs:element name="WebServiceService___ConsEnvTrazFecAge">
    <xs:complexType>
        <xs:sequence>
            <xs:element name="dtFecha"
minOccurs="1" maxOccurs="1" type="xs:string"/>
        </xs:sequence>
    </xs:complexType>
</xs:element>
</xs:schema>

```

```

minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
<xs:element name="strCodAge"
minOccurs="1" maxOccurs="1" type="xs:string"/>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element
name="WebServService___ConsEnvTrazFecAgeResponse">
<xs:complexType>
<xs:sequence>
<xs:element name="strEnvTraz"
minOccurs="1" maxOccurs="1" type="xs:string"/>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element name="WebServService___DigitalizaEnvios">
<xs:complexType>
<xs:sequence>
<xs:element name="strEnviosDig"
minOccurs="1" maxOccurs="1" type="xs:string"/>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element
name="WebServService___DigitalizaEnviosResponse">
<xs:complexType>
<xs:sequence>
<xs:element
name="strEnviosDigError" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="intRegImp"
minOccurs="1" maxOccurs="1" type="xs:int"/>
<xs:element name="intRegNoImp"
minOccurs="1" maxOccurs="1" type="xs:int"/>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element name="WebServService___DigitalizaEnvios2">
<xs:complexType>
<xs:sequence>
<xs:element name="strEnviosDig"
minOccurs="1" maxOccurs="1" type="xs:string"/>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element
name="WebServService___DigitalizaEnvios2Response">
<xs:complexType>
<xs:sequence>
<xs:element
name="strEnviosDigError" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="intRegImp"
minOccurs="1" maxOccurs="1" type="xs:int"/>
<xs:element name="intRegNoImp"
minOccurs="1" maxOccurs="1" type="xs:int"/>

```

```

<xs:element
name="strClientesConTagsRevisables" minOccurs="1" maxOccurs="1"
type="xs:string"/>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element name="WebServiceService___InfEnviosRef">
<xs:complexType>
<xs:sequence>
<xs:element name="dtFecha"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
<xs:element name="strRef"
minOccurs="1" maxOccurs="1" type="xs:string"/>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element
name="WebServiceService___InfEnviosRefResponse">
<xs:complexType>
<xs:sequence>
<xs:element name="strInfEnvios"
minOccurs="1" maxOccurs="1" type="xs:string"/>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element name="WebServiceService___ConsURLDocAgrupados">
<xs:complexType>
<xs:sequence>
<xs:element
name="strCodAgeCargo" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strCodAgeOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strAlbaran"
minOccurs="1" maxOccurs="1" type="xs:string"/>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element
name="WebServiceService___ConsURLDocAgrupadosResponse">
<xs:complexType>
<xs:sequence>
<xs:element name="strURL"
minOccurs="1" maxOccurs="1" type="xs:string"/>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element
name="WebServiceService___ConsURLDocAgrupados2">
<xs:complexType>
<xs:sequence>
<xs:element
name="strCodAgeCargo" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strCodAgeOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>

```

```

minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strAlbaran"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strFormato"
minOccurs="1" maxOccurs="1" type="xs:string"/>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element
name="WebServService___ConsURLDocAgrupados2Response">
<xs:complexType>
<xs:sequence>
<xs:element name="strURL"
minOccurs="1" maxOccurs="1" type="xs:string"/>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element
name="WebServService___GrabaEnvIncActuacionLibre">
<xs:complexType>
<xs:sequence>
<xs:element
name="strCodAgeCargo" minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strCodAgeOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strAlbaran"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="intIdEnvInc"
minOccurs="1" maxOccurs="1" type="xs:int"/>
<xs:element name="strTexto"
minOccurs="1" maxOccurs="1" type="xs:string"/>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element
name="WebServService___GrabaEnvIncActuacionLibreResponse">
<xs:complexType/>
</xs:element>
<xs:element
name="WebServService___GrabaRecIncActuacionLibre">
<xs:complexType>
<xs:sequence>
<xs:element name="strCodRec"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="intIdRecInc"
minOccurs="1" maxOccurs="1" type="xs:int"/>
<xs:element name="strTexto"
minOccurs="1" maxOccurs="1" type="xs:string"/>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element
name="WebServService___GrabaRecIncActuacionLibreResponse">
<xs:complexType/>
</xs:element>

```

```

        <xs:element name="WebServiceService___ConsRecogidasRef">
            <xs:complexType>
                <xs:sequence>
                    <xs:element name="strRef"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                </xs:sequence>
            </xs:complexType>
        </xs:element>
        <xs:element
name="WebServiceService___ConsRecogidasRefResponse">
            <xs:complexType>
                <xs:sequence>
                    <xs:element name="strRecogida"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                </xs:sequence>
            </xs:complexType>
        </xs:element>
        <xs:element name="WebServiceService___ConsKilometros">
            <xs:complexType>
                <xs:sequence>
                    <xs:element name="strPobla"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                    <xs:element name="strCP"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                </xs:sequence>
            </xs:complexType>
        </xs:element>
        <xs:element
name="WebServiceService___ConsKilometrosResponse">
            <xs:complexType>
                <xs:sequence>
                    <xs:element name="dKms"
minOccurs="1" maxOccurs="1" type="xs:double"/>
                    <xs:element name="boKmC"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
                </xs:sequence>
            </xs:complexType>
        </xs:element>
        <xs:element
name="WebServiceService___ConsEtiquetaEnvioMasiva">
            <xs:complexType>
                <xs:sequence>
                    <xs:element name="strEnvios"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                    <xs:element name="intIdRepDet"
minOccurs="1" maxOccurs="1" type="xs:int"/>
                    <xs:element name="strFormato"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                </xs:sequence>
            </xs:complexType>
        </xs:element>
        <xs:element
name="WebServiceService___ConsEtiquetaEnvioMasivaResponse">
            <xs:complexType>

```

```

                <xs:sequence>
                    <xs:element name="strEtiqueta"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                </xs:sequence>
            </xs:complexType>
        </xs:element>
        <xs:element
name="WebServiceService___ConsEtiquetaEnvioMasiva2">
            <xs:complexType>
                <xs:sequence>
                    <xs:element name="strEnvios"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                    <xs:element name="intIdRepDet"
minOccurs="1" maxOccurs="1" type="xs:int"/>
                    <xs:element name="strFormato"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                    <xs:element name="intPosIni"
minOccurs="1" maxOccurs="1" type="xs:int"/>
                </xs:sequence>
            </xs:complexType>
        </xs:element>
        <xs:element
name="WebServiceService___ConsEtiquetaEnvioMasiva2Response">
            <xs:complexType>
                <xs:sequence>
                    <xs:element name="strEtiqueta"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                </xs:sequence>
            </xs:complexType>
        </xs:element>
        <xs:element
name="WebServiceService___ConsEtiquetaEnvioMasiva3">
            <xs:complexType>
                <xs:sequence>
                    <xs:element name="strEnvios"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                    <xs:element name="intIdRepDet"
minOccurs="1" maxOccurs="1" type="xs:int"/>
                    <xs:element name="strFormato"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                    <xs:element name="intPosIni"
minOccurs="1" maxOccurs="1" type="xs:int"/>
                    <xs:element name="strOrden"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                </xs:sequence>
            </xs:complexType>
        </xs:element>
        <xs:element
name="WebServiceService___ConsEtiquetaEnvioMasiva3Response">
            <xs:complexType>
                <xs:sequence>
                    <xs:element name="strEtiqueta"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                </xs:sequence>
            </xs:complexType>
        </xs:element>
    </xs:schema>

```

```

        </xs:complexType>
    </xs:element>
    <xs:element
name="WebServiceService___ConsEtiquetaEnvioMasiva4">
        <xs:complexType>
            <xs:sequence>
                <xs:element name="strEnvios"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                <xs:element name="intIdRepDet"
minOccurs="1" maxOccurs="1" type="xs:int"/>
                <xs:element name="strFormato"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                <xs:element name="intPosIni"
minOccurs="1" maxOccurs="1" type="xs:int"/>
                <xs:element name="strOrden"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                <xs:element
name="boPrintOptimized" minOccurs="1" maxOccurs="1" type="xs:boolean"/>
            </xs:sequence>
        </xs:complexType>
    </xs:element>
    <xs:element
name="WebServiceService___ConsEtiquetaEnvioMasiva4Response">
        <xs:complexType>
            <xs:sequence>
                <xs:element name="strEtiqueta"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            </xs:sequence>
        </xs:complexType>
    </xs:element>
    <xs:element
name="WebServiceService___ConsEtiquetaEnvioMasiva5">
        <xs:complexType>
            <xs:sequence>
                <xs:element name="strEnvios"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                <xs:element name="intIdRepDet"
minOccurs="1" maxOccurs="1" type="xs:int"/>
                <xs:element name="strFormato"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                <xs:element name="intPosIni"
minOccurs="1" maxOccurs="1" type="xs:int"/>
                <xs:element name="strOrden"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                <xs:element
name="boPrintOptimized" minOccurs="1" maxOccurs="1" type="xs:boolean"/>
                <xs:element name="strRef"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            </xs:sequence>
        </xs:complexType>
    </xs:element>
    <xs:element
name="WebServiceService___ConsEtiquetaEnvioMasiva5Response">
        <xs:complexType>

```

```

                <xs:sequence>
                    <xs:element name="strEtiqueta"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                </xs:sequence>
            </xs:complexType>
        </xs:element>
        <xs:element
name="WebServiceService___ConsUltimoEnvEstadosFecha">
            <xs:complexType>
                <xs:sequence>
                    <xs:element name="dtFecha"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
                </xs:sequence>
            </xs:complexType>
        </xs:element>
        <xs:element
name="WebServiceService___ConsUltimoEnvEstadosFechaResponse">
            <xs:complexType>
                <xs:sequence>
                    <xs:element name="strEnvEstados"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                </xs:sequence>
            </xs:complexType>
        </xs:element>
        <xs:element name="WebServiceService___ConsAgeCanaliza">
            <xs:complexType>
                <xs:sequence>
                    <xs:element name="strPobla"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                    <xs:element name="strCP"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                </xs:sequence>
            </xs:complexType>
        </xs:element>
        <xs:element
name="WebServiceService___ConsAgeCanalizaResponse">
            <xs:complexType>
                <xs:sequence>
                    <xs:element name="strCodAgeCan"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                </xs:sequence>
            </xs:complexType>
        </xs:element>
        <xs:element name="WebServiceService___ValidaEnvio">
            <xs:complexType>
                <xs:sequence>
                    <xs:element
name="strCodAgeCargo" minOccurs="1" maxOccurs="1" type="xs:string"/>
                    <xs:element name="strCodAgeOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                    <xs:element name="strAlbaran"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                </xs:sequence>
            </xs:complexType>

```

```

        </xs:element>
        <xs:element name="WebServService___ValidaEnvioResponse">
            <xs:complexType>
                <xs:sequence>
                    <xs:element name="intCodError"
minOccurs="1" maxOccurs="1" type="xs:int"/>
                </xs:sequence>
            </xs:complexType>
        </xs:element>
        <xs:element
name="WebServService___ConsURLDocAgrupadosRec">
            <xs:complexType>
                <xs:sequence>
                    <xs:element name="strCodRec"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                </xs:sequence>
            </xs:complexType>
        </xs:element>
        <xs:element
name="WebServService___ConsURLDocAgrupadosRecResponse">
            <xs:complexType>
                <xs:sequence>
                    <xs:element name="strURL"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                </xs:sequence>
            </xs:complexType>
        </xs:element>
        <xs:element
name="WebServService___ConsURLDocAgrupadosRec2">
            <xs:complexType>
                <xs:sequence>
                    <xs:element name="strCodRec"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                    <xs:element name="strFormato"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                </xs:sequence>
            </xs:complexType>
        </xs:element>
        <xs:element
name="WebServService___ConsURLDocAgrupadosRec2Response">
            <xs:complexType>
                <xs:sequence>
                    <xs:element name="strURL"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                </xs:sequence>
            </xs:complexType>
        </xs:element>
        <xs:element
name="WebServService___DigitalizaEnviosAcuse">
            <xs:complexType>
                <xs:sequence>
                    <xs:element name="strEtiquetaDig"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                </xs:sequence>
            </xs:complexType>
        </xs:element>
    </xs:sequence>
</xs:complexType>
</xs:element>

```

```

        </xs:complexType>
    </xs:element>
    <xs:element
name="WebServService___DigitalizaEnviosAcuseResponse">
        <xs:complexType>
            <xs:sequence>
                <xs:element
name="strEtiqRetDigOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
                <xs:element name="intEnvDig"
minOccurs="1" maxOccurs="1" type="xs:int"/>
                <xs:element name="intEnvNoDig"
minOccurs="1" maxOccurs="1" type="xs:int"/>
            </xs:sequence>
        </xs:complexType>
    </xs:element>
    <xs:element
name="WebServService___DigitalizaEnviosAcuse2">
        <xs:complexType>
            <xs:sequence>
                <xs:element name="strEtiqRetDig"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            </xs:sequence>
        </xs:complexType>
    </xs:element>
    <xs:element
name="WebServService___DigitalizaEnviosAcuse2Response">
        <xs:complexType>
            <xs:sequence>
                <xs:element
name="strEtiqRetDigOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
                <xs:element name="intEnvDig"
minOccurs="1" maxOccurs="1" type="xs:int"/>
                <xs:element name="intEnvNoDig"
minOccurs="1" maxOccurs="1" type="xs:int"/>
                <xs:element
name="strClientesConTagsRevisables" minOccurs="1" maxOccurs="1"
type="xs:string"/>
            </xs:sequence>
        </xs:complexType>
    </xs:element>
    <xs:element name="WebServService___BorraEnvio">
        <xs:complexType>
            <xs:sequence>
                <xs:element name="strCodAgeCar"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                <xs:element name="strCodAgeOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                <xs:element name="strAlbaran"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            </xs:sequence>
        </xs:complexType>
    </xs:element>
    <xs:element name="WebServService___BorraEnvioResponse">
        <xs:complexType>

```

```

                <xs:sequence>
                    <xs:element
name="intCodErrorOut" minOccurs="1" maxOccurs="1" type="xs:int"/>
                </xs:sequence>
            </xs:complexType>
        </xs:element>
        <xs:element name="WebServiceService___ConsRepPosicionGPS">
            <xs:complexType>
                <xs:sequence>
                    <xs:element name="strEnvio"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                    <xs:element name="dTecHoraDesde"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
                    <xs:element name="dTecHoraHasta"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
                    <xs:element name="iPagina"
minOccurs="1" maxOccurs="1" type="xs:int"/>
                </xs:sequence>
            </xs:complexType>
        </xs:element>
        <xs:element
name="WebServiceService___ConsRepPosicionGPSResponse">
            <xs:complexType>
                <xs:sequence>
                    <xs:element name="strXmlOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                    <xs:element
name="iTotalPaginasOut" minOccurs="1" maxOccurs="1" type="xs:int"/>
                </xs:sequence>
            </xs:complexType>
        </xs:element>
        <xs:element
name="WebServiceService___ConsEnvEstIncCambiosEstados">
            <xs:complexType>
                <xs:sequence>
                    <xs:element
name="dtFecHoraEstadoInicio" minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
                    <xs:element
name="dtFecHoraEstadoFin" minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
                    <xs:element name="iPagina"
minOccurs="1" maxOccurs="1" type="xs:int"/>
                </xs:sequence>
            </xs:complexType>
        </xs:element>
        <xs:element
name="WebServiceService___ConsEnvEstIncCambiosEstadosResponse">
            <xs:complexType>
                <xs:sequence>
                    <xs:element
name="strEnvEstIncCambioEstado" minOccurs="1" maxOccurs="1" type="xs:string"/>
                    <xs:element
name="iTotalPaginasOut" minOccurs="1" maxOccurs="1" type="xs:int"/>
                </xs:sequence>
            </xs:complexType>

```

```

        </xs:element>
        <xs:element
name="WebServService___ConsRecEstIncCambiosEstados">
            <xs:complexType>
                <xs:sequence>
                    <xs:element
name="dtFecHoraEstadoInicio" minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
                    <xs:element
name="dtFecHoraEstadoFin" minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
                    <xs:element name="iPagina"
minOccurs="1" maxOccurs="1" type="xs:int"/>
                </xs:sequence>
            </xs:complexType>
        </xs:element>
        <xs:element
name="WebServService___ConsRecEstIncCambiosEstadosResponse">
            <xs:complexType>
                <xs:sequence>
                    <xs:element
name="strRecEstIncCambioEstado" minOccurs="1" maxOccurs="1" type="xs:string"/>
                    <xs:element
name="iTotalPaginasOut" minOccurs="1" maxOccurs="1" type="xs:int"/>
                </xs:sequence>
            </xs:complexType>
        </xs:element>
        <xs:element
name="WebServService___AsignaCodDevolucionEnvio">
            <xs:complexType>
                <xs:sequence>
                    <xs:element
name="strCodAgeCargo" minOccurs="1" maxOccurs="1" type="xs:string"/>
                    <xs:element name="strCodAgeOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                    <xs:element name="strAlbaran"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                    <xs:element
name="strCodDevolucion" minOccurs="1" maxOccurs="1" type="xs:string"/>
                </xs:sequence>
            </xs:complexType>
        </xs:element>
        <xs:element
name="WebServService___AsignaCodDevolucionEnvioResponse">
            <xs:complexType>
                <xs:sequence>
                    <xs:element
name="intCodErrorOut" minOccurs="1" maxOccurs="1" type="xs:int"/>
                </xs:sequence>
            </xs:complexType>
        </xs:element>
        <xs:element name="WebServService___GrabaEnvSeguimiento">
            <xs:complexType>
                <xs:sequence>
                    <xs:element
name="strCodAgeCargo" minOccurs="1" maxOccurs="1" type="xs:string"/>

```

```

minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:string"/>
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element
name="WebServService___GrabaEnvSeguimientoResponse">
  <xs:complexType>
    <xs:sequence>
      <xs:element name="intIdOut"
minOccurs="1" maxOccurs="1" type="xs:int"/>
      <xs:element
name="dtFecHoraAltaOut" minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
      <xs:element
name="intCodErrorOut" minOccurs="1" maxOccurs="1" type="xs:int"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>
<xs:element
name="WebServService___GrabaEnvSeguimiento2">
  <xs:complexType>
    <xs:sequence>
      <xs:element
name="strCodAgeCargo" minOccurs="1" maxOccurs="1" type="xs:string"/>
      <xs:element name="strCodAgeOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
      <xs:element name="strAlbaran"
minOccurs="1" maxOccurs="1" type="xs:string"/>
      <xs:element name="strObs"
minOccurs="1" maxOccurs="1" type="xs:string"/>
      <xs:element name="boGrave"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
      <xs:element name="boVerificar"
minOccurs="1" maxOccurs="1" type="xs:boolean"/>
    </xs:sequence>
  </xs:complexType>
</xs:element>
<xs:element
name="WebServService___GrabaEnvSeguimiento2Response">
  <xs:complexType>
    <xs:sequence>
      <xs:element name="intIdOut"
minOccurs="1" maxOccurs="1" type="xs:int"/>
      <xs:element
name="dtFecHoraAltaOut" minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
      <xs:element
name="intCodErrorOut" minOccurs="1" maxOccurs="1" type="xs:int"/>
    </xs:sequence>

```

```

        </xs:complexType>
    </xs:element>
    <xs:element
name="WebServService___ImprimeEnvSeguimiento">
        <xs:complexType>
            <xs:sequence>
                <xs:element
name="strCodAgeCargo" minOccurs="1" maxOccurs="1" type="xs:string"/>
                <xs:element name="strCodAgeOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                <xs:element name="strAlbaran"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            </xs:sequence>
        </xs:complexType>
    </xs:element>
    <xs:element
name="WebServService___ImprimeEnvSeguimientoResponse">
        <xs:complexType>
            <xs:sequence>
                <xs:element
name="strEnvSeguimientoOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
            </xs:sequence>
        </xs:complexType>
    </xs:element>
    <xs:element
name="WebServService___ImprimeEnvSeguimiento2">
        <xs:complexType>
            <xs:sequence>
                <xs:element
name="strCodAgeCargo" minOccurs="1" maxOccurs="1" type="xs:string"/>
                <xs:element name="strCodAgeOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                <xs:element name="strAlbaran"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                <xs:element name="dtFecha"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
            </xs:sequence>
        </xs:complexType>
    </xs:element>
    <xs:element
name="WebServService___ImprimeEnvSeguimiento2Response">
        <xs:complexType>
            <xs:sequence>
                <xs:element
name="strEnvSeguimientoOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
            </xs:sequence>
        </xs:complexType>
    </xs:element>
    <xs:element name="WebServService___ConsCargos">
        <xs:complexType>
            <xs:sequence>
                <xs:element name="dtFechaIni"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
                <xs:element name="dtFechaFin"

```

```

minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
        <xs:element name="intNumPagina"
minOccurs="1" maxOccurs="1" type="xs:int"/>
        </xs:sequence>
    </xs:complexType>
</xs:element>
<xs:element name="WebServiceService___ConsCargosResponse">
    <xs:complexType>
        <xs:sequence>
            <xs:element name="strCargosOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element
name="intNumTotalPaginasOut" minOccurs="1" maxOccurs="1" type="xs:int"/>
            </xs:sequence>
        </xs:complexType>
    </xs:element>
<xs:element name="WebServiceService___InfEnviosCli">
    <xs:complexType>
        <xs:sequence>
            <xs:element name="dtFecha"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
            </xs:sequence>
        </xs:complexType>
    </xs:element>
<xs:element
name="WebServiceService___InfEnviosCliResponse">
    <xs:complexType>
        <xs:sequence>
            <xs:element
name="strInfEnviosCliOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
            </xs:sequence>
        </xs:complexType>
    </xs:element>
<xs:element
name="WebServiceService___ImprimeEtiquetaInternacional">
    <xs:complexType>
        <xs:sequence>
            <xs:element
name="strCodAgeCargo" minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strCodAgeOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strAlbaran"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            </xs:sequence>
        </xs:complexType>
    </xs:element>
<xs:element
name="WebServiceService___ImprimeEtiquetaInternacionalResponse">
    <xs:complexType>
        <xs:sequence>
            <xs:element
name="strEtiquetaOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
            </xs:sequence>
        </xs:complexType>

```

```

        </xs:element>
        <xs:element
name="WebServService___ImprimeEtiquetaInternacional2">
            <xs:complexType>
                <xs:sequence>
                    <xs:element
name="strCodAgeCargo" minOccurs="1" maxOccurs="1" type="xs:string"/>
                    <xs:element name="strCodAgeOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                    <xs:element name="strAlbaran"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                    <xs:element name="strFormato"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                </xs:sequence>
            </xs:complexType>
        </xs:element>
        <xs:element
name="WebServService___ImprimeEtiquetaInternacional2Response">
            <xs:complexType>
                <xs:sequence>
                    <xs:element
name="strEtiquetaOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
                </xs:sequence>
            </xs:complexType>
        </xs:element>
        <xs:element
name="WebServService___ImprimeEtiquetaInternacionalMasiva">
            <xs:complexType>
                <xs:sequence>
                    <xs:element name="strEnvios"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                </xs:sequence>
            </xs:complexType>
        </xs:element>
        <xs:element
name="WebServService___ImprimeEtiquetaInternacionalMasivaResponse">
            <xs:complexType>
                <xs:sequence>
                    <xs:element
name="strEtiquetasOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
                </xs:sequence>
            </xs:complexType>
        </xs:element>
        <xs:element
name="WebServService___ImprimeEtiquetaInternacionalMasiva2">
            <xs:complexType>
                <xs:sequence>
                    <xs:element name="strEnvios"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                    <xs:element name="strFormato"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                </xs:sequence>
            </xs:complexType>
        </xs:element>

```

```

        <xs:element
name="WebServService___ImprimeEtiquetaInternacionalMasiva2Response">
            <xs:complexType>
                <xs:sequence>
                    <xs:element
name="strEtiquetasOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
                </xs:sequence>
            </xs:complexType>
        </xs:element>
        <xs:element name="WebServService___ConsEnvTrazFechas">
            <xs:complexType>
                <xs:sequence>
                    <xs:element
name="dtFecHoraAltaTrazaInicio" minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
                    <xs:element
name="dtFecHoraAltaTrazaFin" minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
                    <xs:element name="iPagina"
minOccurs="1" maxOccurs="1" type="xs:int"/>
                </xs:sequence>
            </xs:complexType>
        </xs:element>
        <xs:element
name="WebServService___ConsEnvTrazFechasResponse">
            <xs:complexType>
                <xs:sequence>
                    <xs:element
name="strEnvTrazFechasOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
                    <xs:element
name="iTotalPaginasOut" minOccurs="1" maxOccurs="1" type="xs:int"/>
                </xs:sequence>
            </xs:complexType>
        </xs:element>
        <xs:element name="WebServService___BorraRecogida">
            <xs:complexType>
                <xs:sequence>
                    <xs:element name="strCodRec"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                </xs:sequence>
            </xs:complexType>
        </xs:element>
        <xs:element
name="WebServService___BorraRecogidaResponse">
            <xs:complexType>
                <xs:sequence>
                    <xs:element
name="intCodErrorOut" minOccurs="1" maxOccurs="1" type="xs:int"/>
                </xs:sequence>
            </xs:complexType>
        </xs:element>
        <xs:element
name="WebServService___ImprimeEnvSiniestros">
            <xs:complexType>
                <xs:sequence>
                    <xs:element

```

```

name="strCodAgeCargo" minOccurs="1" maxOccurs="1" type="xs:string"/>
    <xs:element name="strCodAgeOri"
minOccurs="1" maxOccurs="1" type="xs:string"/>
    <xs:element name="strAlbaran"
minOccurs="1" maxOccurs="1" type="xs:string"/>
    <xs:element name="dtFecha"
minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
    </xs:sequence>
    </xs:complexType>
</xs:element>
<xs:element
name="WebService___ImprimeEnvSiniestrosResponse">
    <xs:complexType>
        <xs:sequence>
            <xs:element
name="strEnvSiniestros" minOccurs="1" maxOccurs="1" type="xs:string"/>
        </xs:sequence>
    </xs:complexType>
</xs:element>
<xs:element
name="WebService___ConsConductoresTrackingPOIs">
    <xs:complexType>
        <xs:sequence>
            <xs:element
name="dtFechaHoraIni" minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
            <xs:element
name="dtFechaHoraFin" minOccurs="1" maxOccurs="1" type="xs:dateTime"/>
            <xs:element
name="strIdDispositivo" minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element
name="strIdConductor" minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strIdRuta"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strTipo"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strMatricula"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strNombrePOI"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            <xs:element name="strTipoPOI"
minOccurs="1" maxOccurs="1" type="xs:string"/>
        </xs:sequence>
    </xs:complexType>
</xs:element>
<xs:element
name="WebService___ConsConductoresTrackingPOIsResponse">
    <xs:complexType>
        <xs:sequence>
            <xs:element
name="strConductoresTrackingPOISOut" minOccurs="1" maxOccurs="1"
type="xs:string"/>
        </xs:sequence>
    </xs:complexType>
</xs:element>

```

```

        <xs:element
name="WebServService___ConsultaPuntosConveniencia">
        <xs:complexType>
            <xs:sequence>
                <xs:element name="strCP"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                <xs:element name="strPoblacion"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                <xs:element name="strCodPais"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            </xs:sequence>
        </xs:complexType>
    </xs:element>
    <xs:element
name="WebServService___ConsultaPuntosConvenienciaResponse">
        <xs:complexType>
            <xs:sequence>
                <xs:element
name="strXMLPuntosConvenienciaOut" minOccurs="1" maxOccurs="1"
type="xs:string"/>
            </xs:sequence>
        </xs:complexType>
    </xs:element>
    <xs:element name="WebServService___ConsultaCallesCPDir">
        <xs:complexType>
            <xs:sequence>
                <xs:element name="strCP"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                <xs:element name="strNomVia"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            </xs:sequence>
        </xs:complexType>
    </xs:element>
    <xs:element
name="WebServService___ConsultaCallesCPDirResponse">
        <xs:complexType>
            <xs:sequence>
                <xs:element
name="strXMLCallesOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
            </xs:sequence>
        </xs:complexType>
    </xs:element>
    <xs:element name="WebServService___ConsultaCallesCPPob">
        <xs:complexType>
            <xs:sequence>
                <xs:element name="strCP"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                <xs:element name="strPob"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            </xs:sequence>
        </xs:complexType>
    </xs:element>
    <xs:element
name="WebServService___ConsultaCallesCPPobResponse">

```

```

        <xs:complexType>
            <xs:sequence>
                <xs:element
name="strXMLCallesOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
            </xs:sequence>
        </xs:complexType>
    </xs:element>
    <xs:element
name="WebServService___ConsultaDepartamentos">
        <xs:complexType>
            <xs:sequence>
                <xs:element name="strCodAge"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                <xs:element name="strCodCli"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            </xs:sequence>
        </xs:complexType>
    </xs:element>
    <xs:element
name="WebServService___ConsultaDepartamentosResponse">
        <xs:complexType>
            <xs:sequence>
                <xs:element
name="strXMLCliDepOut" minOccurs="1" maxOccurs="1" type="xs:string"/>
            </xs:sequence>
        </xs:complexType>
    </xs:element>
    <xs:element
name="WebServService___ConsultaTagsRevisables">
        <xs:complexType>
            <xs:sequence>
                <xs:element name="strCodAge"
minOccurs="1" maxOccurs="1" type="xs:string"/>
                <xs:element name="strCodCli"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            </xs:sequence>
        </xs:complexType>
    </xs:element>
    <xs:element
name="WebServService___ConsultaTagsRevisablesResponse">
        <xs:complexType>
            <xs:sequence>
                <xs:element name="strXMLTagsOut"
minOccurs="1" maxOccurs="1" type="xs:string"/>
            </xs:sequence>
        </xs:complexType>
    </xs:element>
    <xs:element
name="WebServService___GrabaEnvDocDigRevisable">
        <xs:complexType>
            <xs:sequence>
                <xs:element
name="strCodAgeCargo" minOccurs="1" maxOccurs="1" type="xs:string"/>
                <xs:element name="strCodAgeOri"

```

```

minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strAlbaran"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strUrlDoc"
minOccurs="1" maxOccurs="1" type="xs:string"/>
<xs:element name="strIdDoc"
minOccurs="1" maxOccurs="1" type="xs:string"/>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element
name="WebServService___GrabaEnvDocDigRevisableResponse">
<xs:complexType>
<xs:sequence>
<xs:element
name="intCodErrorOut" minOccurs="1" maxOccurs="1" type="xs:int"/>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element name="WebServService___ConsRecIncidencias">
<xs:complexType>
<xs:sequence>
<xs:element name="strCodRec"
minOccurs="1" maxOccurs="1" type="xs:string"/>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element
name="WebServService___ConsRecIncidenciasResponse">
<xs:complexType>
<xs:sequence>
<xs:element
name="strRecIncidencias" minOccurs="1" maxOccurs="1" type="xs:string"/>
</xs:sequence>
</xs:complexType>
</xs:element>
<xs:element name="ROClientIDHeader">
<xs:complexType>
<xs:sequence>
<xs:element name="ID"
minOccurs="0" maxOccurs="1" type="xs:string"/>
</xs:sequence>
</xs:complexType>
</xs:element>
</xs:schema>
</wsdl:types>
<wsdl:message name="WebServService___ConsEnvioRequest">
<wsdl:part name="parameters"
element="tns:WebServService___ConsEnvio"/>
</wsdl:message>
<wsdl:message name="WebServService___ConsEnvioResponse">
<wsdl:part name="parameters"
element="tns:WebServService___ConsEnvioResponse"/>
</wsdl:message>

```

```

        <wsdl:message name="WebServiceService__ConsEnvEstadosRequest">
            <wsdl:part name="parameters"
element="tns:WebServiceService__ConsEnvEstados"/>
        </wsdl:message>
        <wsdl:message name="WebServiceService__ConsEnvEstadosResponse">
            <wsdl:part name="parameters"
element="tns:WebServiceService__ConsEnvEstadosResponse"/>
        </wsdl:message>
        <wsdl:message name="WebServiceService__ConsEnvEstadosRefRequest">
            <wsdl:part name="parameters"
element="tns:WebServiceService__ConsEnvEstadosRef"/>
        </wsdl:message>
        <wsdl:message name="WebServiceService__ConsEnvEstadosRefResponse">
            <wsdl:part name="parameters"
element="tns:WebServiceService__ConsEnvEstadosRefResponse"/>
        </wsdl:message>
        <wsdl:message name="WebServiceService__ConsRecogidaRequest">
            <wsdl:part name="parameters"
element="tns:WebServiceService__ConsRecogida"/>
        </wsdl:message>
        <wsdl:message name="WebServiceService__ConsRecogidaResponse">
            <wsdl:part name="parameters"
element="tns:WebServiceService__ConsRecogidaResponse"/>
        </wsdl:message>
        <wsdl:message name="WebServiceService__ConsRecEstadosRequest">
            <wsdl:part name="parameters"
element="tns:WebServiceService__ConsRecEstados"/>
        </wsdl:message>
        <wsdl:message name="WebServiceService__ConsRecEstadosResponse">
            <wsdl:part name="parameters"
element="tns:WebServiceService__ConsRecEstadosResponse"/>
        </wsdl:message>
        <wsdl:message name="WebServiceService__GrabaEnvioRequest">
            <wsdl:part name="parameters"
element="tns:WebServiceService__GrabaEnvio"/>
        </wsdl:message>
        <wsdl:message name="WebServiceService__GrabaEnvioResponse">
            <wsdl:part name="parameters"
element="tns:WebServiceService__GrabaEnvioResponse"/>
        </wsdl:message>
        <wsdl:message name="WebServiceService__GrabaEnvio2Request">
            <wsdl:part name="parameters"
element="tns:WebServiceService__GrabaEnvio2"/>
        </wsdl:message>
        <wsdl:message name="WebServiceService__GrabaEnvio2Response">
            <wsdl:part name="parameters"
element="tns:WebServiceService__GrabaEnvio2Response"/>
        </wsdl:message>
        <wsdl:message name="WebServiceService__GrabaEnvio3Request">
            <wsdl:part name="parameters"
element="tns:WebServiceService__GrabaEnvio3"/>
        </wsdl:message>
        <wsdl:message name="WebServiceService__GrabaEnvio3Response">
            <wsdl:part name="parameters"

```

```

element="tns:WebServiceService__GrabaEnvio3Response"/>
    </wsdl:message>
    <wsdl:message name="WebServiceService__GrabaEnvio4Request">
        <wsdl:part name="parameters"
element="tns:WebServiceService__GrabaEnvio4"/>
    </wsdl:message>
    <wsdl:message name="WebServiceService__GrabaEnvio4Response">
        <wsdl:part name="parameters"
element="tns:WebServiceService__GrabaEnvio4Response"/>
    </wsdl:message>
    <wsdl:message name="WebServiceService__GrabaEnvio5Request">
        <wsdl:part name="parameters"
element="tns:WebServiceService__GrabaEnvio5"/>
    </wsdl:message>
    <wsdl:message name="WebServiceService__GrabaEnvio5Response">
        <wsdl:part name="parameters"
element="tns:WebServiceService__GrabaEnvio5Response"/>
    </wsdl:message>
    <wsdl:message name="WebServiceService__GrabaEnvio6Request">
        <wsdl:part name="parameters"
element="tns:WebServiceService__GrabaEnvio6"/>
    </wsdl:message>
    <wsdl:message name="WebServiceService__GrabaEnvio6Response">
        <wsdl:part name="parameters"
element="tns:WebServiceService__GrabaEnvio6Response"/>
    </wsdl:message>
    <wsdl:message name="WebServiceService__GrabaEnvio7Request">
        <wsdl:part name="parameters"
element="tns:WebServiceService__GrabaEnvio7"/>
    </wsdl:message>
    <wsdl:message name="WebServiceService__GrabaEnvio7Response">
        <wsdl:part name="parameters"
element="tns:WebServiceService__GrabaEnvio7Response"/>
    </wsdl:message>
    <wsdl:message name="WebServiceService__GrabaEnvio8Request">
        <wsdl:part name="parameters"
element="tns:WebServiceService__GrabaEnvio8"/>
    </wsdl:message>
    <wsdl:message name="WebServiceService__GrabaEnvio8Response">
        <wsdl:part name="parameters"
element="tns:WebServiceService__GrabaEnvio8Response"/>
    </wsdl:message>
    <wsdl:message name="WebServiceService__GrabaEnvio9Request">
        <wsdl:part name="parameters"
element="tns:WebServiceService__GrabaEnvio9"/>
    </wsdl:message>
    <wsdl:message name="WebServiceService__GrabaEnvio9Response">
        <wsdl:part name="parameters"
element="tns:WebServiceService__GrabaEnvio9Response"/>
    </wsdl:message>
    <wsdl:message name="WebServiceService__GrabaEnvio10Request">
        <wsdl:part name="parameters"
element="tns:WebServiceService__GrabaEnvio10"/>
    </wsdl:message>

```

```

        <wsdl:message name="WebServService__GrabaEnvio10Response">
            <wsdl:part name="parameters"
element="tns:WebServService__GrabaEnvio10Response"/>
        </wsdl:message>
        <wsdl:message name="WebServService__GrabaEnvio11Request">
            <wsdl:part name="parameters"
element="tns:WebServService__GrabaEnvio11"/>
        </wsdl:message>
        <wsdl:message name="WebServService__GrabaEnvio11Response">
            <wsdl:part name="parameters"
element="tns:WebServService__GrabaEnvio11Response"/>
        </wsdl:message>
        <wsdl:message name="WebServService__GrabaEnvio12Request">
            <wsdl:part name="parameters"
element="tns:WebServService__GrabaEnvio12"/>
        </wsdl:message>
        <wsdl:message name="WebServService__GrabaEnvio12Response">
            <wsdl:part name="parameters"
element="tns:WebServService__GrabaEnvio12Response"/>
        </wsdl:message>
        <wsdl:message name="WebServService__GrabaEnvio13Request">
            <wsdl:part name="parameters"
element="tns:WebServService__GrabaEnvio13"/>
        </wsdl:message>
        <wsdl:message name="WebServService__GrabaEnvio13Response">
            <wsdl:part name="parameters"
element="tns:WebServService__GrabaEnvio13Response"/>
        </wsdl:message>
        <wsdl:message name="WebServService__GrabaEnvio14Request">
            <wsdl:part name="parameters"
element="tns:WebServService__GrabaEnvio14"/>
        </wsdl:message>
        <wsdl:message name="WebServService__GrabaEnvio14Response">
            <wsdl:part name="parameters"
element="tns:WebServService__GrabaEnvio14Response"/>
        </wsdl:message>
        <wsdl:message name="WebServService__GrabaEnvio15Request">
            <wsdl:part name="parameters"
element="tns:WebServService__GrabaEnvio15"/>
        </wsdl:message>
        <wsdl:message name="WebServService__GrabaEnvio15Response">
            <wsdl:part name="parameters"
element="tns:WebServService__GrabaEnvio15Response"/>
        </wsdl:message>
        <wsdl:message name="WebServService__GrabaEnvio16Request">
            <wsdl:part name="parameters"
element="tns:WebServService__GrabaEnvio16"/>
        </wsdl:message>
        <wsdl:message name="WebServService__GrabaEnvio16Response">
            <wsdl:part name="parameters"
element="tns:WebServService__GrabaEnvio16Response"/>
        </wsdl:message>
        <wsdl:message name="WebServService__GrabaEnvio17Request">
            <wsdl:part name="parameters"

```

```
element="tns:WebServiceService__GrabaEnvio17"/>
    </wsdl:message>
    <wsdl:message name="WebServiceService__GrabaEnvio17Response">
        <wsdl:part name="parameters"
element="tns:WebServiceService__GrabaEnvio17Response"/>
    </wsdl:message>
    <wsdl:message name="WebServiceService__GrabaEnvio18Request">
        <wsdl:part name="parameters"
element="tns:WebServiceService__GrabaEnvio18"/>
    </wsdl:message>
    <wsdl:message name="WebServiceService__GrabaEnvio18Response">
        <wsdl:part name="parameters"
element="tns:WebServiceService__GrabaEnvio18Response"/>
    </wsdl:message>
    <wsdl:message name="WebServiceService__GrabaEnvio19Request">
        <wsdl:part name="parameters"
element="tns:WebServiceService__GrabaEnvio19"/>
    </wsdl:message>
    <wsdl:message name="WebServiceService__GrabaEnvio19Response">
        <wsdl:part name="parameters"
element="tns:WebServiceService__GrabaEnvio19Response"/>
    </wsdl:message>
    <wsdl:message name="WebServiceService__GrabaEnvio20Request">
        <wsdl:part name="parameters"
element="tns:WebServiceService__GrabaEnvio20"/>
    </wsdl:message>
    <wsdl:message name="WebServiceService__GrabaEnvio20Response">
        <wsdl:part name="parameters"
element="tns:WebServiceService__GrabaEnvio20Response"/>
    </wsdl:message>
    <wsdl:message name="WebServiceService__GrabaEnvio21Request">
        <wsdl:part name="parameters"
element="tns:WebServiceService__GrabaEnvio21"/>
    </wsdl:message>
    <wsdl:message name="WebServiceService__GrabaEnvio21Response">
        <wsdl:part name="parameters"
element="tns:WebServiceService__GrabaEnvio21Response"/>
    </wsdl:message>
    <wsdl:message name="WebServiceService__GrabaEnvio22Request">
        <wsdl:part name="parameters"
element="tns:WebServiceService__GrabaEnvio22"/>
    </wsdl:message>
    <wsdl:message name="WebServiceService__GrabaEnvio22Response">
        <wsdl:part name="parameters"
element="tns:WebServiceService__GrabaEnvio22Response"/>
    </wsdl:message>
    <wsdl:message name="WebServiceService__GrabaEnvio23Request">
        <wsdl:part name="parameters"
element="tns:WebServiceService__GrabaEnvio23"/>
    </wsdl:message>
    <wsdl:message name="WebServiceService__GrabaEnvio23Response">
        <wsdl:part name="parameters"
element="tns:WebServiceService__GrabaEnvio23Response"/>
    </wsdl:message>
```

```

        <wsdl:message name="WebServService__GrabaEnvio24Request">
            <wsdl:part name="parameters"
element="tns:WebServService__GrabaEnvio24"/>
        </wsdl:message>
        <wsdl:message name="WebServService__GrabaEnvio24Response">
            <wsdl:part name="parameters"
element="tns:WebServService__GrabaEnvio24Response"/>
        </wsdl:message>
        <wsdl:message name="WebServService__GrabaEnvioPendienteRequest">
            <wsdl:part name="parameters"
element="tns:WebServService__GrabaEnvioPendiente"/>
        </wsdl:message>
        <wsdl:message name="WebServService__GrabaEnvioPendienteResponse">
            <wsdl:part name="parameters"
element="tns:WebServService__GrabaEnvioPendienteResponse"/>
        </wsdl:message>
        <wsdl:message name="WebServService__GrabaEnvioPendiente2Request">
            <wsdl:part name="parameters"
element="tns:WebServService__GrabaEnvioPendiente2"/>
        </wsdl:message>
        <wsdl:message name="WebServService__GrabaEnvioPendiente2Response">
            <wsdl:part name="parameters"
element="tns:WebServService__GrabaEnvioPendiente2Response"/>
        </wsdl:message>
        <wsdl:message name="WebServService__GrabaEnvioPendiente3Request">
            <wsdl:part name="parameters"
element="tns:WebServService__GrabaEnvioPendiente3"/>
        </wsdl:message>
        <wsdl:message name="WebServService__GrabaEnvioPendiente3Response">
            <wsdl:part name="parameters"
element="tns:WebServService__GrabaEnvioPendiente3Response"/>
        </wsdl:message>
        <wsdl:message name="WebServService__GrabaEnvioPendiente4Request">
            <wsdl:part name="parameters"
element="tns:WebServService__GrabaEnvioPendiente4"/>
        </wsdl:message>
        <wsdl:message name="WebServService__GrabaEnvioPendiente4Response">
            <wsdl:part name="parameters"
element="tns:WebServService__GrabaEnvioPendiente4Response"/>
        </wsdl:message>
        <wsdl:message name="WebServService__GrabaEnvioPendiente5Request">
            <wsdl:part name="parameters"
element="tns:WebServService__GrabaEnvioPendiente5"/>
        </wsdl:message>
        <wsdl:message name="WebServService__GrabaEnvioPendiente5Response">
            <wsdl:part name="parameters"
element="tns:WebServService__GrabaEnvioPendiente5Response"/>
        </wsdl:message>
        <wsdl:message name="WebServService__GrabaRecogidaRequest">
            <wsdl:part name="parameters"
element="tns:WebServService__GrabaRecogida"/>
        </wsdl:message>
        <wsdl:message name="WebServService__GrabaRecogidaResponse">
            <wsdl:part name="parameters"

```

```

element="tns:WebServService___GrabaRecogidaResponse"/>
    </wsdl:message>
    <wsdl:message name="WebServService___GrabaRecogida2Request">
        <wsdl:part name="parameters"
element="tns:WebServService___GrabaRecogida2"/>
    </wsdl:message>
    <wsdl:message name="WebServService___GrabaRecogida2Response">
        <wsdl:part name="parameters"
element="tns:WebServService___GrabaRecogida2Response"/>
    </wsdl:message>
    <wsdl:message name="WebServService___GrabaRecogida3Request">
        <wsdl:part name="parameters"
element="tns:WebServService___GrabaRecogida3"/>
    </wsdl:message>
    <wsdl:message name="WebServService___GrabaRecogida3Response">
        <wsdl:part name="parameters"
element="tns:WebServService___GrabaRecogida3Response"/>
    </wsdl:message>
    <wsdl:message name="WebServService___GrabaRecogida4Request">
        <wsdl:part name="parameters"
element="tns:WebServService___GrabaRecogida4"/>
    </wsdl:message>
    <wsdl:message name="WebServService___GrabaRecogida4Response">
        <wsdl:part name="parameters"
element="tns:WebServService___GrabaRecogida4Response"/>
    </wsdl:message>
    <wsdl:message name="WebServService___GrabaRecogida5Request">
        <wsdl:part name="parameters"
element="tns:WebServService___GrabaRecogida5"/>
    </wsdl:message>
    <wsdl:message name="WebServService___GrabaRecogida5Response">
        <wsdl:part name="parameters"
element="tns:WebServService___GrabaRecogida5Response"/>
    </wsdl:message>
    <wsdl:message name="WebServService___GrabaRecogida6Request">
        <wsdl:part name="parameters"
element="tns:WebServService___GrabaRecogida6"/>
    </wsdl:message>
    <wsdl:message name="WebServService___GrabaRecogida6Response">
        <wsdl:part name="parameters"
element="tns:WebServService___GrabaRecogida6Response"/>
    </wsdl:message>
    <wsdl:message name="WebServService___GrabaRecogida7Request">
        <wsdl:part name="parameters"
element="tns:WebServService___GrabaRecogida7"/>
    </wsdl:message>
    <wsdl:message name="WebServService___GrabaRecogida7Response">
        <wsdl:part name="parameters"
element="tns:WebServService___GrabaRecogida7Response"/>
    </wsdl:message>
    <wsdl:message name="WebServService___GrabaRecogida8Request">
        <wsdl:part name="parameters"
element="tns:WebServService___GrabaRecogida8"/>
    </wsdl:message>

```

```

        <wsdl:message name="WebServService__GrabaRecogida8Response">
            <wsdl:part name="parameters"
element="tns:WebServService__GrabaRecogida8Response"/>
        </wsdl:message>
        <wsdl:message name="WebServService__GrabaRecogida9Request">
            <wsdl:part name="parameters"
element="tns:WebServService__GrabaRecogida9"/>
        </wsdl:message>
        <wsdl:message name="WebServService__GrabaRecogida9Response">
            <wsdl:part name="parameters"
element="tns:WebServService__GrabaRecogida9Response"/>
        </wsdl:message>
        <wsdl:message name="WebServService__GrabaRecogida10Request">
            <wsdl:part name="parameters"
element="tns:WebServService__GrabaRecogida10"/>
        </wsdl:message>
        <wsdl:message name="WebServService__GrabaRecogida10Response">
            <wsdl:part name="parameters"
element="tns:WebServService__GrabaRecogida10Response"/>
        </wsdl:message>
        <wsdl:message name="WebServService__GrabaRecogida11Request">
            <wsdl:part name="parameters"
element="tns:WebServService__GrabaRecogida11"/>
        </wsdl:message>
        <wsdl:message name="WebServService__GrabaRecogida11Response">
            <wsdl:part name="parameters"
element="tns:WebServService__GrabaRecogida11Response"/>
        </wsdl:message>
        <wsdl:message name="WebServService__InfEnviosRequest">
            <wsdl:part name="parameters"
element="tns:WebServService__InfEnvios"/>
        </wsdl:message>
        <wsdl:message name="WebServService__InfEnviosResponse">
            <wsdl:part name="parameters"
element="tns:WebServService__InfEnviosResponse"/>
        </wsdl:message>
        <wsdl:message name="WebServService__ConsEtiquetaEnvioRequest">
            <wsdl:part name="parameters"
element="tns:WebServService__ConsEtiquetaEnvio"/>
        </wsdl:message>
        <wsdl:message name="WebServService__ConsEtiquetaEnvioResponse">
            <wsdl:part name="parameters"
element="tns:WebServService__ConsEtiquetaEnvioResponse"/>
        </wsdl:message>
        <wsdl:message name="WebServService__ConsEtiquetaEnvio2Request">
            <wsdl:part name="parameters"
element="tns:WebServService__ConsEtiquetaEnvio2"/>
        </wsdl:message>
        <wsdl:message name="WebServService__ConsEtiquetaEnvio2Response">
            <wsdl:part name="parameters"
element="tns:WebServService__ConsEtiquetaEnvio2Response"/>
        </wsdl:message>
        <wsdl:message name="WebServService__ConsEtiquetaEnvio3Request">
            <wsdl:part name="parameters"

```

```

element="tns:WebServService___ConsEtiquetaEnvio3"/>
    </wsdl:message>
    <wsdl:message name="WebServService___ConsEtiquetaEnvio3Response">
        <wsdl:part name="parameters"/>
element="tns:WebServService___ConsEtiquetaEnvio3Response"/>
    </wsdl:message>
    <wsdl:message name="WebServService___ConsEtiquetaEnvio4Request">
        <wsdl:part name="parameters"/>
element="tns:WebServService___ConsEtiquetaEnvio4"/>
    </wsdl:message>
    <wsdl:message name="WebServService___ConsEtiquetaEnvio4Response">
        <wsdl:part name="parameters"/>
element="tns:WebServService___ConsEtiquetaEnvio4Response"/>
    </wsdl:message>
    <wsdl:message name="WebServService___ConsEtiquetaEnvio5Request">
        <wsdl:part name="parameters"/>
element="tns:WebServService___ConsEtiquetaEnvio5"/>
    </wsdl:message>
    <wsdl:message name="WebServService___ConsEtiquetaEnvio5Response">
        <wsdl:part name="parameters"/>
element="tns:WebServService___ConsEtiquetaEnvio5Response"/>
    </wsdl:message>
    <wsdl:message name="WebServService___ConsEtiquetaEnvio6Request">
        <wsdl:part name="parameters"/>
element="tns:WebServService___ConsEtiquetaEnvio6"/>
    </wsdl:message>
    <wsdl:message name="WebServService___ConsEtiquetaEnvio6Response">
        <wsdl:part name="parameters"/>
element="tns:WebServService___ConsEtiquetaEnvio6Response"/>
    </wsdl:message>
    <wsdl:message name="WebServService___ConsEtiquetaEnvio7Request">
        <wsdl:part name="parameters"/>
element="tns:WebServService___ConsEtiquetaEnvio7"/>
    </wsdl:message>
    <wsdl:message name="WebServService___ConsEtiquetaEnvio7Response">
        <wsdl:part name="parameters"/>
element="tns:WebServService___ConsEtiquetaEnvio7Response"/>
    </wsdl:message>
    <wsdl:message name="WebServService___ConsEtiquetaEnvio8Request">
        <wsdl:part name="parameters"/>
element="tns:WebServService___ConsEtiquetaEnvio8"/>
    </wsdl:message>
    <wsdl:message name="WebServService___ConsEtiquetaEnvio8Response">
        <wsdl:part name="parameters"/>
element="tns:WebServService___ConsEtiquetaEnvio8Response"/>
    </wsdl:message>
    <wsdl:message name="WebServService___ConsEnvEstadosUltimoRequest">
        <wsdl:part name="parameters"/>
element="tns:WebServService___ConsEnvEstadosUltimo"/>
    </wsdl:message>
    <wsdl:message name="WebServService___ConsEnvEstadosUltimoResponse">
        <wsdl:part name="parameters"/>
element="tns:WebServService___ConsEnvEstadosUltimoResponse"/>
    </wsdl:message>

```

```

        <wsdl:message name="WebServiceService__ConsUltimoEstadoEnvioRequest">
            <wsdl:part name="parameters"
element="tns:WebServiceService__ConsUltimoEstadoEnvio"/>
        </wsdl:message>
        <wsdl:message name="WebServiceService__ConsUltimoEstadoEnvioResponse">
            <wsdl:part name="parameters"
element="tns:WebServiceService__ConsUltimoEstadoEnvioResponse"/>
        </wsdl:message>
        <wsdl:message name="WebServiceService__ConsEnvIncidenciasRequest">
            <wsdl:part name="parameters"
element="tns:WebServiceService__ConsEnvIncidencias"/>
        </wsdl:message>
        <wsdl:message name="WebServiceService__ConsEnvIncidenciasResponse">
            <wsdl:part name="parameters"
element="tns:WebServiceService__ConsEnvIncidenciasResponse"/>
        </wsdl:message>
        <wsdl:message name="WebServiceService__ConsEnvEstadosFechaRequest">
            <wsdl:part name="parameters"
element="tns:WebServiceService__ConsEnvEstadosFecha"/>
        </wsdl:message>
        <wsdl:message name="WebServiceService__ConsEnvEstadosFechaResponse">
            <wsdl:part name="parameters"
element="tns:WebServiceService__ConsEnvEstadosFechaResponse"/>
        </wsdl:message>
        <wsdl:message name="WebServiceService__ConsEnvIncidenciasFechaRequest">
            <wsdl:part name="parameters"
element="tns:WebServiceService__ConsEnvIncidenciasFecha"/>
        </wsdl:message>
        <wsdl:message name="WebServiceService__ConsEnvIncidenciasFechaResponse">
            <wsdl:part name="parameters"
element="tns:WebServiceService__ConsEnvIncidenciasFechaResponse"/>
        </wsdl:message>
        <wsdl:message name="WebServiceService__GrabaEnvIncActuacionRequest">
            <wsdl:part name="parameters"
element="tns:WebServiceService__GrabaEnvIncActuacion"/>
        </wsdl:message>
        <wsdl:message name="WebServiceService__GrabaEnvIncActuacionResponse">
            <wsdl:part name="parameters"
element="tns:WebServiceService__GrabaEnvIncActuacionResponse"/>
        </wsdl:message>
        <wsdl:message name="WebServiceService__ConsEnvTrazRequest">
            <wsdl:part name="parameters"
element="tns:WebServiceService__ConsEnvTraz"/>
        </wsdl:message>
        <wsdl:message name="WebServiceService__ConsEnvTrazResponse">
            <wsdl:part name="parameters"
element="tns:WebServiceService__ConsEnvTrazResponse"/>
        </wsdl:message>
        <wsdl:message name="WebServiceService__ConsEnvTrazFecAgeRequest">
            <wsdl:part name="parameters"
element="tns:WebServiceService__ConsEnvTrazFecAge"/>
        </wsdl:message>
        <wsdl:message name="WebServiceService__ConsEnvTrazFecAgeResponse">
            <wsdl:part name="parameters"

```

```

element="tns:WebServService___ConsEnvTrazFecAgeResponse"/>
    </wsdl:message>
    <wsdl:message name="WebServService___DigitalizaEnviosRequest">
        <wsdl:part name="parameters"
element="tns:WebServService___DigitalizaEnvios"/>
    </wsdl:message>
    <wsdl:message name="WebServService___DigitalizaEnviosResponse">
        <wsdl:part name="parameters"
element="tns:WebServService___DigitalizaEnviosResponse"/>
    </wsdl:message>
    <wsdl:message name="WebServService___DigitalizaEnvios2Request">
        <wsdl:part name="parameters"
element="tns:WebServService___DigitalizaEnvios2"/>
    </wsdl:message>
    <wsdl:message name="WebServService___DigitalizaEnvios2Response">
        <wsdl:part name="parameters"
element="tns:WebServService___DigitalizaEnvios2Response"/>
    </wsdl:message>
    <wsdl:message name="WebServService___InfEnviosRefRequest">
        <wsdl:part name="parameters"
element="tns:WebServService___InfEnviosRef"/>
    </wsdl:message>
    <wsdl:message name="WebServService___InfEnviosRefResponse">
        <wsdl:part name="parameters"
element="tns:WebServService___InfEnviosRefResponse"/>
    </wsdl:message>
    <wsdl:message name="WebServService___ConsURLDocAgrupadosRequest">
        <wsdl:part name="parameters"
element="tns:WebServService___ConsURLDocAgrupados"/>
    </wsdl:message>
    <wsdl:message name="WebServService___ConsURLDocAgrupadosResponse">
        <wsdl:part name="parameters"
element="tns:WebServService___ConsURLDocAgrupadosResponse"/>
    </wsdl:message>
    <wsdl:message name="WebServService___ConsURLDocAgrupados2Request">
        <wsdl:part name="parameters"
element="tns:WebServService___ConsURLDocAgrupados2"/>
    </wsdl:message>
    <wsdl:message name="WebServService___ConsURLDocAgrupados2Response">
        <wsdl:part name="parameters"
element="tns:WebServService___ConsURLDocAgrupados2Response"/>
    </wsdl:message>
    <wsdl:message name="WebServService___GrabaEnvIncActuacionLibreRequest">
        <wsdl:part name="parameters"
element="tns:WebServService___GrabaEnvIncActuacionLibre"/>
    </wsdl:message>
    <wsdl:message name="WebServService___GrabaEnvIncActuacionLibreResponse">
        <wsdl:part name="parameters"
element="tns:WebServService___GrabaEnvIncActuacionLibreResponse"/>
    </wsdl:message>
    <wsdl:message name="WebServService___GrabaRecIncActuacionLibreRequest">
        <wsdl:part name="parameters"
element="tns:WebServService___GrabaRecIncActuacionLibre"/>
    </wsdl:message>

```

```

        <wsdl:message name="WebServService__GrabaRecIncActuacionLibreResponse">
            <wsdl:part name="parameters"
element="tns:WebServService__GrabaRecIncActuacionLibreResponse"/>
        </wsdl:message>
        <wsdl:message name="WebServService__ConsRecogidasRefRequest">
            <wsdl:part name="parameters"
element="tns:WebServService__ConsRecogidasRef"/>
        </wsdl:message>
        <wsdl:message name="WebServService__ConsRecogidasRefResponse">
            <wsdl:part name="parameters"
element="tns:WebServService__ConsRecogidasRefResponse"/>
        </wsdl:message>
        <wsdl:message name="WebServService__ConsKilometrosRequest">
            <wsdl:part name="parameters"
element="tns:WebServService__ConsKilometros"/>
        </wsdl:message>
        <wsdl:message name="WebServService__ConsKilometrosResponse">
            <wsdl:part name="parameters"
element="tns:WebServService__ConsKilometrosResponse"/>
        </wsdl:message>
        <wsdl:message name="WebServService__ConsEtiquetaEnvioMasivaRequest">
            <wsdl:part name="parameters"
element="tns:WebServService__ConsEtiquetaEnvioMasiva"/>
        </wsdl:message>
        <wsdl:message name="WebServService__ConsEtiquetaEnvioMasivaResponse">
            <wsdl:part name="parameters"
element="tns:WebServService__ConsEtiquetaEnvioMasivaResponse"/>
        </wsdl:message>
        <wsdl:message name="WebServService__ConsEtiquetaEnvioMasiva2Request">
            <wsdl:part name="parameters"
element="tns:WebServService__ConsEtiquetaEnvioMasiva2"/>
        </wsdl:message>
        <wsdl:message name="WebServService__ConsEtiquetaEnvioMasiva2Response">
            <wsdl:part name="parameters"
element="tns:WebServService__ConsEtiquetaEnvioMasiva2Response"/>
        </wsdl:message>
        <wsdl:message name="WebServService__ConsEtiquetaEnvioMasiva3Request">
            <wsdl:part name="parameters"
element="tns:WebServService__ConsEtiquetaEnvioMasiva3"/>
        </wsdl:message>
        <wsdl:message name="WebServService__ConsEtiquetaEnvioMasiva3Response">
            <wsdl:part name="parameters"
element="tns:WebServService__ConsEtiquetaEnvioMasiva3Response"/>
        </wsdl:message>
        <wsdl:message name="WebServService__ConsEtiquetaEnvioMasiva4Request">
            <wsdl:part name="parameters"
element="tns:WebServService__ConsEtiquetaEnvioMasiva4"/>
        </wsdl:message>
        <wsdl:message name="WebServService__ConsEtiquetaEnvioMasiva4Response">
            <wsdl:part name="parameters"
element="tns:WebServService__ConsEtiquetaEnvioMasiva4Response"/>
        </wsdl:message>
        <wsdl:message name="WebServService__ConsEtiquetaEnvioMasiva5Request">
            <wsdl:part name="parameters"

```

```

element="tns:WebServService___ConsEtiquetaEnvioMasiva5"/>
    </wsdl:message>
    <wsdl:message name="WebServService___ConsEtiquetaEnvioMasiva5Response">
        <wsdl:part name="parameters"
element="tns:WebServService___ConsEtiquetaEnvioMasiva5Response"/>
    </wsdl:message>
    <wsdl:message name="WebServService___ConsUltimoEnvEstadosFechaRequest">
        <wsdl:part name="parameters"
element="tns:WebServService___ConsUltimoEnvEstadosFecha"/>
    </wsdl:message>
    <wsdl:message name="WebServService___ConsUltimoEnvEstadosFechaResponse">
        <wsdl:part name="parameters"
element="tns:WebServService___ConsUltimoEnvEstadosFechaResponse"/>
    </wsdl:message>
    <wsdl:message name="WebServService___ConsAgeCanalizaRequest">
        <wsdl:part name="parameters"
element="tns:WebServService___ConsAgeCanaliza"/>
    </wsdl:message>
    <wsdl:message name="WebServService___ConsAgeCanalizaResponse">
        <wsdl:part name="parameters"
element="tns:WebServService___ConsAgeCanalizaResponse"/>
    </wsdl:message>
    <wsdl:message name="WebServService___ValidaEnvioRequest">
        <wsdl:part name="parameters"
element="tns:WebServService___ValidaEnvio"/>
    </wsdl:message>
    <wsdl:message name="WebServService___ValidaEnvioResponse">
        <wsdl:part name="parameters"
element="tns:WebServService___ValidaEnvioResponse"/>
    </wsdl:message>
    <wsdl:message name="WebServService___ConsURLDocAgrupadosRecRequest">
        <wsdl:part name="parameters"
element="tns:WebServService___ConsURLDocAgrupadosRec"/>
    </wsdl:message>
    <wsdl:message name="WebServService___ConsURLDocAgrupadosRecResponse">
        <wsdl:part name="parameters"
element="tns:WebServService___ConsURLDocAgrupadosRecResponse"/>
    </wsdl:message>
    <wsdl:message name="WebServService___ConsURLDocAgrupadosRec2Request">
        <wsdl:part name="parameters"
element="tns:WebServService___ConsURLDocAgrupadosRec2"/>
    </wsdl:message>
    <wsdl:message name="WebServService___ConsURLDocAgrupadosRec2Response">
        <wsdl:part name="parameters"
element="tns:WebServService___ConsURLDocAgrupadosRec2Response"/>
    </wsdl:message>
    <wsdl:message name="WebServService___DigitalizaEnviosAcuseRequest">
        <wsdl:part name="parameters"
element="tns:WebServService___DigitalizaEnviosAcuse"/>
    </wsdl:message>
    <wsdl:message name="WebServService___DigitalizaEnviosAcuseResponse">
        <wsdl:part name="parameters"
element="tns:WebServService___DigitalizaEnviosAcuseResponse"/>
    </wsdl:message>

```

```

        <wsdl:message name="WebServService__DigitalizaEnviosAcuse2Request">
            <wsdl:part name="parameters"
element="tns:WebServService__DigitalizaEnviosAcuse2"/>
        </wsdl:message>
        <wsdl:message name="WebServService__DigitalizaEnviosAcuse2Response">
            <wsdl:part name="parameters"
element="tns:WebServService__DigitalizaEnviosAcuse2Response"/>
        </wsdl:message>
        <wsdl:message name="WebServService__BorraEnvioRequest">
            <wsdl:part name="parameters"
element="tns:WebServService__BorraEnvio"/>
        </wsdl:message>
        <wsdl:message name="WebServService__BorraEnvioResponse">
            <wsdl:part name="parameters"
element="tns:WebServService__BorraEnvioResponse"/>
        </wsdl:message>
        <wsdl:message name="WebServService__ConsRepPosicionGPSRequest">
            <wsdl:part name="parameters"
element="tns:WebServService__ConsRepPosicionGPS"/>
        </wsdl:message>
        <wsdl:message name="WebServService__ConsRepPosicionGPSResponse">
            <wsdl:part name="parameters"
element="tns:WebServService__ConsRepPosicionGPSResponse"/>
        </wsdl:message>
        <wsdl:message
name="WebServService__ConsEnvEstIncCambiosEstadosRequest">
            <wsdl:part name="parameters"
element="tns:WebServService__ConsEnvEstIncCambiosEstados"/>
        </wsdl:message>
        <wsdl:message
name="WebServService__ConsEnvEstIncCambiosEstadosResponse">
            <wsdl:part name="parameters"
element="tns:WebServService__ConsEnvEstIncCambiosEstadosResponse"/>
        </wsdl:message>
        <wsdl:message
name="WebServService__ConsRecEstIncCambiosEstadosRequest">
            <wsdl:part name="parameters"
element="tns:WebServService__ConsRecEstIncCambiosEstados"/>
        </wsdl:message>
        <wsdl:message
name="WebServService__ConsRecEstIncCambiosEstadosResponse">
            <wsdl:part name="parameters"
element="tns:WebServService__ConsRecEstIncCambiosEstadosResponse"/>
        </wsdl:message>
        <wsdl:message name="WebServService__AsignaCodDevolucionEnvioRequest">
            <wsdl:part name="parameters"
element="tns:WebServService__AsignaCodDevolucionEnvio"/>
        </wsdl:message>
        <wsdl:message name="WebServService__AsignaCodDevolucionEnvioResponse">
            <wsdl:part name="parameters"
element="tns:WebServService__AsignaCodDevolucionEnvioResponse"/>
        </wsdl:message>
        <wsdl:message name="WebServService__GrabaEnvSeguimientoRequest">
            <wsdl:part name="parameters"

```

```

element="tns:WebServService___GrabaEnvSeguimiento"/>
    </wsdl:message>
    <wsdl:message name="WebServService___GrabaEnvSeguimientoResponse">
        <wsdl:part name="parameters"
element="tns:WebServService___GrabaEnvSeguimientoResponse"/>
    </wsdl:message>
    <wsdl:message name="WebServService___GrabaEnvSeguimiento2Request">
        <wsdl:part name="parameters"
element="tns:WebServService___GrabaEnvSeguimiento2"/>
    </wsdl:message>
    <wsdl:message name="WebServService___GrabaEnvSeguimiento2Response">
        <wsdl:part name="parameters"
element="tns:WebServService___GrabaEnvSeguimiento2Response"/>
    </wsdl:message>
    <wsdl:message name="WebServService___ImprimeEnvSeguimientoRequest">
        <wsdl:part name="parameters"
element="tns:WebServService___ImprimeEnvSeguimiento"/>
    </wsdl:message>
    <wsdl:message name="WebServService___ImprimeEnvSeguimientoResponse">
        <wsdl:part name="parameters"
element="tns:WebServService___ImprimeEnvSeguimientoResponse"/>
    </wsdl:message>
    <wsdl:message name="WebServService___ImprimeEnvSeguimiento2Request">
        <wsdl:part name="parameters"
element="tns:WebServService___ImprimeEnvSeguimiento2"/>
    </wsdl:message>
    <wsdl:message name="WebServService___ImprimeEnvSeguimiento2Response">
        <wsdl:part name="parameters"
element="tns:WebServService___ImprimeEnvSeguimiento2Response"/>
    </wsdl:message>
    <wsdl:message name="WebServService___ConsCargosRequest">
        <wsdl:part name="parameters"
element="tns:WebServService___ConsCargos"/>
    </wsdl:message>
    <wsdl:message name="WebServService___ConsCargosResponse">
        <wsdl:part name="parameters"
element="tns:WebServService___ConsCargosResponse"/>
    </wsdl:message>
    <wsdl:message name="WebServService___InfEnviosCliRequest">
        <wsdl:part name="parameters"
element="tns:WebServService___InfEnviosCli"/>
    </wsdl:message>
    <wsdl:message name="WebServService___InfEnviosCliResponse">
        <wsdl:part name="parameters"
element="tns:WebServService___InfEnviosCliResponse"/>
    </wsdl:message>
    <wsdl:message
name="WebServService___ImprimeEtiquetaInternacionalRequest">
        <wsdl:part name="parameters"
element="tns:WebServService___ImprimeEtiquetaInternacional"/>
    </wsdl:message>
    <wsdl:message
name="WebServService___ImprimeEtiquetaInternacionalResponse">
        <wsdl:part name="parameters"

```

```

element="tns:WebServService___ImprimeEtiquetaInternacionalResponse"/>
    </wsdl:message>
    <wsdl:message
name="WebServService___ImprimeEtiquetaInternacional2Request">
    <wsdl:part name="parameters"
element="tns:WebServService___ImprimeEtiquetaInternacional2"/>
    </wsdl:message>
    <wsdl:message
name="WebServService___ImprimeEtiquetaInternacional2Response">
    <wsdl:part name="parameters"
element="tns:WebServService___ImprimeEtiquetaInternacional2Response"/>
    </wsdl:message>
    <wsdl:message
name="WebServService___ImprimeEtiquetaInternacionalMasivaRequest">
    <wsdl:part name="parameters"
element="tns:WebServService___ImprimeEtiquetaInternacionalMasiva"/>
    </wsdl:message>
    <wsdl:message
name="WebServService___ImprimeEtiquetaInternacionalMasivaResponse">
    <wsdl:part name="parameters"
element="tns:WebServService___ImprimeEtiquetaInternacionalMasivaResponse"/>
    </wsdl:message>
    <wsdl:message
name="WebServService___ImprimeEtiquetaInternacionalMasiva2Request">
    <wsdl:part name="parameters"
element="tns:WebServService___ImprimeEtiquetaInternacionalMasiva2"/>
    </wsdl:message>
    <wsdl:message
name="WebServService___ImprimeEtiquetaInternacionalMasiva2Response">
    <wsdl:part name="parameters"
element="tns:WebServService___ImprimeEtiquetaInternacionalMasiva2Response"/>
    </wsdl:message>
    <wsdl:message name="WebServService___ConsEnvTrazFechasRequest">
    <wsdl:part name="parameters"
element="tns:WebServService___ConsEnvTrazFechas"/>
    </wsdl:message>
    <wsdl:message name="WebServService___ConsEnvTrazFechasResponse">
    <wsdl:part name="parameters"
element="tns:WebServService___ConsEnvTrazFechasResponse"/>
    </wsdl:message>
    <wsdl:message name="WebServService___BorraRecogidaRequest">
    <wsdl:part name="parameters"
element="tns:WebServService___BorraRecogida"/>
    </wsdl:message>
    <wsdl:message name="WebServService___BorraRecogidaResponse">
    <wsdl:part name="parameters"
element="tns:WebServService___BorraRecogidaResponse"/>
    </wsdl:message>
    <wsdl:message name="WebServService___ImprimeEnvSiniestrosRequest">
    <wsdl:part name="parameters"
element="tns:WebServService___ImprimeEnvSiniestros"/>
    </wsdl:message>
    <wsdl:message name="WebServService___ImprimeEnvSiniestrosResponse">
    <wsdl:part name="parameters"

```

```

element="tns:WebServService___ImprimeEnvSiniestrosResponse"/>
    </wsdl:message>
    <wsdl:message
name="WebServService___ConsConductoresTrackingPOIsRequest">
    <wsdl:part name="parameters"
element="tns:WebServService___ConsConductoresTrackingPOIs"/>
    </wsdl:message>
    <wsdl:message
name="WebServService___ConsConductoresTrackingPOIsResponse">
    <wsdl:part name="parameters"
element="tns:WebServService___ConsConductoresTrackingPOIsResponse"/>
    </wsdl:message>
    <wsdl:message name="WebServService___ConsultaPuntosConvenienciaRequest">
    <wsdl:part name="parameters"
element="tns:WebServService___ConsultaPuntosConveniencia"/>
    </wsdl:message>
    <wsdl:message
name="WebServService___ConsultaPuntosConvenienciaResponse">
    <wsdl:part name="parameters"
element="tns:WebServService___ConsultaPuntosConvenienciaResponse"/>
    </wsdl:message>
    <wsdl:message name="WebServService___ConsultaCallesCPDirRequest">
    <wsdl:part name="parameters"
element="tns:WebServService___ConsultaCallesCPDir"/>
    </wsdl:message>
    <wsdl:message name="WebServService___ConsultaCallesCPDirResponse">
    <wsdl:part name="parameters"
element="tns:WebServService___ConsultaCallesCPDirResponse"/>
    </wsdl:message>
    <wsdl:message name="WebServService___ConsultaCallesCPPobRequest">
    <wsdl:part name="parameters"
element="tns:WebServService___ConsultaCallesCPPob"/>
    </wsdl:message>
    <wsdl:message name="WebServService___ConsultaCallesCPPobResponse">
    <wsdl:part name="parameters"
element="tns:WebServService___ConsultaCallesCPPobResponse"/>
    </wsdl:message>
    <wsdl:message name="WebServService___ConsultaDepartamentosRequest">
    <wsdl:part name="parameters"
element="tns:WebServService___ConsultaDepartamentos"/>
    </wsdl:message>
    <wsdl:message name="WebServService___ConsultaDepartamentosResponse">
    <wsdl:part name="parameters"
element="tns:WebServService___ConsultaDepartamentosResponse"/>
    </wsdl:message>
    <wsdl:message name="WebServService___ConsultaTagsRevisablesRequest">
    <wsdl:part name="parameters"
element="tns:WebServService___ConsultaTagsRevisables"/>
    </wsdl:message>
    <wsdl:message name="WebServService___ConsultaTagsRevisablesResponse">
    <wsdl:part name="parameters"
element="tns:WebServService___ConsultaTagsRevisablesResponse"/>
    </wsdl:message>
    <wsdl:message name="WebServService___GrabaEnvDocDigRevisableRequest">

```

```

        <wsdl:part name="parameters"
element="tns:WebServService___GrabaEnvDocDigRevisable"/>
    </wsdl:message>
    <wsdl:message name="WebServService___GrabaEnvDocDigRevisableResponse">
        <wsdl:part name="parameters"
element="tns:WebServService___GrabaEnvDocDigRevisableResponse"/>
    </wsdl:message>
    <wsdl:message name="WebServService___ConsRecIncidenciasRequest">
        <wsdl:part name="parameters"
element="tns:WebServService___ConsRecIncidencias"/>
    </wsdl:message>
    <wsdl:message name="WebServService___ConsRecIncidenciasResponse">
        <wsdl:part name="parameters"
element="tns:WebServService___ConsRecIncidenciasResponse"/>
    </wsdl:message>
    <wsdl:message name="ROClientIDHeaderMessage">
        <wsdl:part name="ROClientID" element="tns:ROClientIDHeader"/>
    </wsdl:message>
    <wsdl:portType name="WebServService">
        <wsdl:operation name="ConsEnvio">
            <wsdl:input
message="tns:WebServService___ConsEnvioRequest"/>
            <wsdl:output
message="tns:WebServService___ConsEnvioResponse"/>
        </wsdl:operation>
        <wsdl:operation name="ConsEnvEstados">
            <wsdl:input
message="tns:WebServService___ConsEnvEstadosRequest"/>
            <wsdl:output
message="tns:WebServService___ConsEnvEstadosResponse"/>
        </wsdl:operation>
        <wsdl:operation name="ConsEnvEstadosRef">
            <wsdl:input
message="tns:WebServService___ConsEnvEstadosRefRequest"/>
            <wsdl:output
message="tns:WebServService___ConsEnvEstadosRefResponse"/>
        </wsdl:operation>
        <wsdl:operation name="ConsRecogida">
            <wsdl:input
message="tns:WebServService___ConsRecogidaRequest"/>
            <wsdl:output
message="tns:WebServService___ConsRecogidaResponse"/>
        </wsdl:operation>
        <wsdl:operation name="ConsRecEstados">
            <wsdl:input
message="tns:WebServService___ConsRecEstadosRequest"/>
            <wsdl:output
message="tns:WebServService___ConsRecEstadosResponse"/>
        </wsdl:operation>
        <wsdl:operation name="GrabaEnvio">
            <wsdl:input
message="tns:WebServService___GrabaEnvioRequest"/>
            <wsdl:output
message="tns:WebServService___GrabaEnvioResponse"/>

```

```

        </wsdl:operation>
        <wsdl:operation name="GrabaEnvio2">
            <wsdl:input
message="tns:WebServService__GrabaEnvio2Request"/>
            <wsdl:output
message="tns:WebServService__GrabaEnvio2Response"/>
        </wsdl:operation>
        <wsdl:operation name="GrabaEnvio3">
            <wsdl:input
message="tns:WebServService__GrabaEnvio3Request"/>
            <wsdl:output
message="tns:WebServService__GrabaEnvio3Response"/>
        </wsdl:operation>
        <wsdl:operation name="GrabaEnvio4">
            <wsdl:input
message="tns:WebServService__GrabaEnvio4Request"/>
            <wsdl:output
message="tns:WebServService__GrabaEnvio4Response"/>
        </wsdl:operation>
        <wsdl:operation name="GrabaEnvio5">
            <wsdl:input
message="tns:WebServService__GrabaEnvio5Request"/>
            <wsdl:output
message="tns:WebServService__GrabaEnvio5Response"/>
        </wsdl:operation>
        <wsdl:operation name="GrabaEnvio6">
            <wsdl:input
message="tns:WebServService__GrabaEnvio6Request"/>
            <wsdl:output
message="tns:WebServService__GrabaEnvio6Response"/>
        </wsdl:operation>
        <wsdl:operation name="GrabaEnvio7">
            <wsdl:input
message="tns:WebServService__GrabaEnvio7Request"/>
            <wsdl:output
message="tns:WebServService__GrabaEnvio7Response"/>
        </wsdl:operation>
        <wsdl:operation name="GrabaEnvio8">
            <wsdl:input
message="tns:WebServService__GrabaEnvio8Request"/>
            <wsdl:output
message="tns:WebServService__GrabaEnvio8Response"/>
        </wsdl:operation>
        <wsdl:operation name="GrabaEnvio9">
            <wsdl:input
message="tns:WebServService__GrabaEnvio9Request"/>
            <wsdl:output
message="tns:WebServService__GrabaEnvio9Response"/>
        </wsdl:operation>
        <wsdl:operation name="GrabaEnvio10">
            <wsdl:input
message="tns:WebServService__GrabaEnvio10Request"/>
            <wsdl:output
message="tns:WebServService__GrabaEnvio10Response"/>

```

```

        </wsdl:operation>
        <wsdl:operation name="GrabaEnvio11">
            <wsdl:input
message="tns:WebServService__GrabaEnvio11Request"/>
            <wsdl:output
message="tns:WebServService__GrabaEnvio11Response"/>
        </wsdl:operation>
        <wsdl:operation name="GrabaEnvio12">
            <wsdl:input
message="tns:WebServService__GrabaEnvio12Request"/>
            <wsdl:output
message="tns:WebServService__GrabaEnvio12Response"/>
        </wsdl:operation>
        <wsdl:operation name="GrabaEnvio13">
            <wsdl:input
message="tns:WebServService__GrabaEnvio13Request"/>
            <wsdl:output
message="tns:WebServService__GrabaEnvio13Response"/>
        </wsdl:operation>
        <wsdl:operation name="GrabaEnvio14">
            <wsdl:input
message="tns:WebServService__GrabaEnvio14Request"/>
            <wsdl:output
message="tns:WebServService__GrabaEnvio14Response"/>
        </wsdl:operation>
        <wsdl:operation name="GrabaEnvio15">
            <wsdl:input
message="tns:WebServService__GrabaEnvio15Request"/>
            <wsdl:output
message="tns:WebServService__GrabaEnvio15Response"/>
        </wsdl:operation>
        <wsdl:operation name="GrabaEnvio16">
            <wsdl:input
message="tns:WebServService__GrabaEnvio16Request"/>
            <wsdl:output
message="tns:WebServService__GrabaEnvio16Response"/>
        </wsdl:operation>
        <wsdl:operation name="GrabaEnvio17">
            <wsdl:input
message="tns:WebServService__GrabaEnvio17Request"/>
            <wsdl:output
message="tns:WebServService__GrabaEnvio17Response"/>
        </wsdl:operation>
        <wsdl:operation name="GrabaEnvio18">
            <wsdl:input
message="tns:WebServService__GrabaEnvio18Request"/>
            <wsdl:output
message="tns:WebServService__GrabaEnvio18Response"/>
        </wsdl:operation>
        <wsdl:operation name="GrabaEnvio19">
            <wsdl:input
message="tns:WebServService__GrabaEnvio19Request"/>
            <wsdl:output
message="tns:WebServService__GrabaEnvio19Response"/>

```

```

        </wsdl:operation>
        <wsdl:operation name="GrabaEnvio20">
            <wsdl:input
message="tns:WebServService__GrabaEnvio20Request"/>
            <wsdl:output
message="tns:WebServService__GrabaEnvio20Response"/>
        </wsdl:operation>
        <wsdl:operation name="GrabaEnvio21">
            <wsdl:input
message="tns:WebServService__GrabaEnvio21Request"/>
            <wsdl:output
message="tns:WebServService__GrabaEnvio21Response"/>
        </wsdl:operation>
        <wsdl:operation name="GrabaEnvio22">
            <wsdl:input
message="tns:WebServService__GrabaEnvio22Request"/>
            <wsdl:output
message="tns:WebServService__GrabaEnvio22Response"/>
        </wsdl:operation>
        <wsdl:operation name="GrabaEnvio23">
            <wsdl:input
message="tns:WebServService__GrabaEnvio23Request"/>
            <wsdl:output
message="tns:WebServService__GrabaEnvio23Response"/>
        </wsdl:operation>
        <wsdl:operation name="GrabaEnvio24">
            <wsdl:input
message="tns:WebServService__GrabaEnvio24Request"/>
            <wsdl:output
message="tns:WebServService__GrabaEnvio24Response"/>
        </wsdl:operation>
        <wsdl:operation name="GrabaEnvioPendiente">
            <wsdl:input
message="tns:WebServService__GrabaEnvioPendienteRequest"/>
            <wsdl:output
message="tns:WebServService__GrabaEnvioPendienteResponse"/>
        </wsdl:operation>
        <wsdl:operation name="GrabaEnvioPendiente2">
            <wsdl:input
message="tns:WebServService__GrabaEnvioPendiente2Request"/>
            <wsdl:output
message="tns:WebServService__GrabaEnvioPendiente2Response"/>
        </wsdl:operation>
        <wsdl:operation name="GrabaEnvioPendiente3">
            <wsdl:input
message="tns:WebServService__GrabaEnvioPendiente3Request"/>
            <wsdl:output
message="tns:WebServService__GrabaEnvioPendiente3Response"/>
        </wsdl:operation>
        <wsdl:operation name="GrabaEnvioPendiente4">
            <wsdl:input
message="tns:WebServService__GrabaEnvioPendiente4Request"/>
            <wsdl:output
message="tns:WebServService__GrabaEnvioPendiente4Response"/>

```

```

        </wsdl:operation>
        <wsdl:operation name="GrabaEnvioPendiente5">
            <wsdl:input
message="tns:WebServService__GrabaEnvioPendiente5Request"/>
            <wsdl:output
message="tns:WebServService__GrabaEnvioPendiente5Response"/>
        </wsdl:operation>
        <wsdl:operation name="GrabaRecogida">
            <wsdl:input
message="tns:WebServService__GrabaRecogidaRequest"/>
            <wsdl:output
message="tns:WebServService__GrabaRecogidaResponse"/>
        </wsdl:operation>
        <wsdl:operation name="GrabaRecogida2">
            <wsdl:input
message="tns:WebServService__GrabaRecogida2Request"/>
            <wsdl:output
message="tns:WebServService__GrabaRecogida2Response"/>
        </wsdl:operation>
        <wsdl:operation name="GrabaRecogida3">
            <wsdl:input
message="tns:WebServService__GrabaRecogida3Request"/>
            <wsdl:output
message="tns:WebServService__GrabaRecogida3Response"/>
        </wsdl:operation>
        <wsdl:operation name="GrabaRecogida4">
            <wsdl:input
message="tns:WebServService__GrabaRecogida4Request"/>
            <wsdl:output
message="tns:WebServService__GrabaRecogida4Response"/>
        </wsdl:operation>
        <wsdl:operation name="GrabaRecogida5">
            <wsdl:input
message="tns:WebServService__GrabaRecogida5Request"/>
            <wsdl:output
message="tns:WebServService__GrabaRecogida5Response"/>
        </wsdl:operation>
        <wsdl:operation name="GrabaRecogida6">
            <wsdl:input
message="tns:WebServService__GrabaRecogida6Request"/>
            <wsdl:output
message="tns:WebServService__GrabaRecogida6Response"/>
        </wsdl:operation>
        <wsdl:operation name="GrabaRecogida7">
            <wsdl:input
message="tns:WebServService__GrabaRecogida7Request"/>
            <wsdl:output
message="tns:WebServService__GrabaRecogida7Response"/>
        </wsdl:operation>
        <wsdl:operation name="GrabaRecogida8">
            <wsdl:input
message="tns:WebServService__GrabaRecogida8Request"/>
            <wsdl:output
message="tns:WebServService__GrabaRecogida8Response"/>

```

```

        </wsdl:operation>
        <wsdl:operation name="GrabaRecogida9">
            <wsdl:input
message="tns:WebServService__GrabaRecogida9Request"/>
            <wsdl:output
message="tns:WebServService__GrabaRecogida9Response"/>
        </wsdl:operation>
        <wsdl:operation name="GrabaRecogida10">
            <wsdl:input
message="tns:WebServService__GrabaRecogida10Request"/>
            <wsdl:output
message="tns:WebServService__GrabaRecogida10Response"/>
        </wsdl:operation>
        <wsdl:operation name="GrabaRecogida11">
            <wsdl:input
message="tns:WebServService__GrabaRecogida11Request"/>
            <wsdl:output
message="tns:WebServService__GrabaRecogida11Response"/>
        </wsdl:operation>
        <wsdl:operation name="InfEnvios">
            <wsdl:input
message="tns:WebServService__InfEnviosRequest"/>
            <wsdl:output
message="tns:WebServService__InfEnviosResponse"/>
        </wsdl:operation>
        <wsdl:operation name="ConsEtiquetaEnvio">
            <wsdl:input
message="tns:WebServService__ConsEtiquetaEnvioRequest"/>
            <wsdl:output
message="tns:WebServService__ConsEtiquetaEnvioResponse"/>
        </wsdl:operation>
        <wsdl:operation name="ConsEtiquetaEnvio2">
            <wsdl:input
message="tns:WebServService__ConsEtiquetaEnvio2Request"/>
            <wsdl:output
message="tns:WebServService__ConsEtiquetaEnvio2Response"/>
        </wsdl:operation>
        <wsdl:operation name="ConsEtiquetaEnvio3">
            <wsdl:input
message="tns:WebServService__ConsEtiquetaEnvio3Request"/>
            <wsdl:output
message="tns:WebServService__ConsEtiquetaEnvio3Response"/>
        </wsdl:operation>
        <wsdl:operation name="ConsEtiquetaEnvio4">
            <wsdl:input
message="tns:WebServService__ConsEtiquetaEnvio4Request"/>
            <wsdl:output
message="tns:WebServService__ConsEtiquetaEnvio4Response"/>
        </wsdl:operation>
        <wsdl:operation name="ConsEtiquetaEnvio5">
            <wsdl:input
message="tns:WebServService__ConsEtiquetaEnvio5Request"/>
            <wsdl:output
message="tns:WebServService__ConsEtiquetaEnvio5Response"/>

```

```

        </wsdl:operation>
        <wsdl:operation name="ConsEtiquetaEnvio6">
            <wsdl:input
message="tns:WebServService__ConsEtiquetaEnvio6Request"/>
            <wsdl:output
message="tns:WebServService__ConsEtiquetaEnvio6Response"/>
        </wsdl:operation>
        <wsdl:operation name="ConsEtiquetaEnvio7">
            <wsdl:input
message="tns:WebServService__ConsEtiquetaEnvio7Request"/>
            <wsdl:output
message="tns:WebServService__ConsEtiquetaEnvio7Response"/>
        </wsdl:operation>
        <wsdl:operation name="ConsEtiquetaEnvio8">
            <wsdl:input
message="tns:WebServService__ConsEtiquetaEnvio8Request"/>
            <wsdl:output
message="tns:WebServService__ConsEtiquetaEnvio8Response"/>
        </wsdl:operation>
        <wsdl:operation name="ConsEnvEstadosUltimo">
            <wsdl:input
message="tns:WebServService__ConsEnvEstadosUltimoRequest"/>
            <wsdl:output
message="tns:WebServService__ConsEnvEstadosUltimoResponse"/>
        </wsdl:operation>
        <wsdl:operation name="ConsUltimoEstadoEnvio">
            <wsdl:input
message="tns:WebServService__ConsUltimoEstadoEnvioRequest"/>
            <wsdl:output
message="tns:WebServService__ConsUltimoEstadoEnvioResponse"/>
        </wsdl:operation>
        <wsdl:operation name="ConsEnvIncidencias">
            <wsdl:input
message="tns:WebServService__ConsEnvIncidenciasRequest"/>
            <wsdl:output
message="tns:WebServService__ConsEnvIncidenciasResponse"/>
        </wsdl:operation>
        <wsdl:operation name="ConsEnvEstadosFecha">
            <wsdl:input
message="tns:WebServService__ConsEnvEstadosFechaRequest"/>
            <wsdl:output
message="tns:WebServService__ConsEnvEstadosFechaResponse"/>
        </wsdl:operation>
        <wsdl:operation name="ConsEnvIncidenciasFecha">
            <wsdl:input
message="tns:WebServService__ConsEnvIncidenciasFechaRequest"/>
            <wsdl:output
message="tns:WebServService__ConsEnvIncidenciasFechaResponse"/>
        </wsdl:operation>
        <wsdl:operation name="GrabaEnvIncActuacion">
            <wsdl:input
message="tns:WebServService__GrabaEnvIncActuacionRequest"/>
            <wsdl:output
message="tns:WebServService__GrabaEnvIncActuacionResponse"/>

```

```

        </wsdl:operation>
        <wsdl:operation name="ConsEnvTraz">
            <wsdl:input
message="tns:WebServService__ConsEnvTrazRequest"/>
            <wsdl:output
message="tns:WebServService__ConsEnvTrazResponse"/>
        </wsdl:operation>
        <wsdl:operation name="ConsEnvTrazFecAge">
            <wsdl:input
message="tns:WebServService__ConsEnvTrazFecAgeRequest"/>
            <wsdl:output
message="tns:WebServService__ConsEnvTrazFecAgeResponse"/>
        </wsdl:operation>
        <wsdl:operation name="DigitalizaEnvios">
            <wsdl:input
message="tns:WebServService__DigitalizaEnviosRequest"/>
            <wsdl:output
message="tns:WebServService__DigitalizaEnviosResponse"/>
        </wsdl:operation>
        <wsdl:operation name="DigitalizaEnvios2">
            <wsdl:input
message="tns:WebServService__DigitalizaEnvios2Request"/>
            <wsdl:output
message="tns:WebServService__DigitalizaEnvios2Response"/>
        </wsdl:operation>
        <wsdl:operation name="InfEnviosRef">
            <wsdl:input
message="tns:WebServService__InfEnviosRefRequest"/>
            <wsdl:output
message="tns:WebServService__InfEnviosRefResponse"/>
        </wsdl:operation>
        <wsdl:operation name="ConsURLDocAgrupados">
            <wsdl:input
message="tns:WebServService__ConsURLDocAgrupadosRequest"/>
            <wsdl:output
message="tns:WebServService__ConsURLDocAgrupadosResponse"/>
        </wsdl:operation>
        <wsdl:operation name="ConsURLDocAgrupados2">
            <wsdl:input
message="tns:WebServService__ConsURLDocAgrupados2Request"/>
            <wsdl:output
message="tns:WebServService__ConsURLDocAgrupados2Response"/>
        </wsdl:operation>
        <wsdl:operation name="GrabaEnvIncActuacionLibre">
            <wsdl:input
message="tns:WebServService__GrabaEnvIncActuacionLibreRequest"/>
            <wsdl:output
message="tns:WebServService__GrabaEnvIncActuacionLibreResponse"/>
        </wsdl:operation>
        <wsdl:operation name="GrabaRecIncActuacionLibre">
            <wsdl:input
message="tns:WebServService__GrabaRecIncActuacionLibreRequest"/>
            <wsdl:output
message="tns:WebServService__GrabaRecIncActuacionLibreResponse"/>

```

```

        </wsdl:operation>
        <wsdl:operation name="ConsRecogidasRef">
            <wsdl:input
message="tns:WebServService___ConsRecogidasRefRequest"/>
            <wsdl:output
message="tns:WebServService___ConsRecogidasRefResponse"/>
        </wsdl:operation>
        <wsdl:operation name="ConsKilometros">
            <wsdl:input
message="tns:WebServService___ConsKilometrosRequest"/>
            <wsdl:output
message="tns:WebServService___ConsKilometrosResponse"/>
        </wsdl:operation>
        <wsdl:operation name="ConsEtiquetaEnvioMasiva">
            <wsdl:input
message="tns:WebServService___ConsEtiquetaEnvioMasivaRequest"/>
            <wsdl:output
message="tns:WebServService___ConsEtiquetaEnvioMasivaResponse"/>
        </wsdl:operation>
        <wsdl:operation name="ConsEtiquetaEnvioMasiva2">
            <wsdl:input
message="tns:WebServService___ConsEtiquetaEnvioMasiva2Request"/>
            <wsdl:output
message="tns:WebServService___ConsEtiquetaEnvioMasiva2Response"/>
        </wsdl:operation>
        <wsdl:operation name="ConsEtiquetaEnvioMasiva3">
            <wsdl:input
message="tns:WebServService___ConsEtiquetaEnvioMasiva3Request"/>
            <wsdl:output
message="tns:WebServService___ConsEtiquetaEnvioMasiva3Response"/>
        </wsdl:operation>
        <wsdl:operation name="ConsEtiquetaEnvioMasiva4">
            <wsdl:input
message="tns:WebServService___ConsEtiquetaEnvioMasiva4Request"/>
            <wsdl:output
message="tns:WebServService___ConsEtiquetaEnvioMasiva4Response"/>
        </wsdl:operation>
        <wsdl:operation name="ConsEtiquetaEnvioMasiva5">
            <wsdl:input
message="tns:WebServService___ConsEtiquetaEnvioMasiva5Request"/>
            <wsdl:output
message="tns:WebServService___ConsEtiquetaEnvioMasiva5Response"/>
        </wsdl:operation>
        <wsdl:operation name="ConsUltimoEnvEstadosFecha">
            <wsdl:input
message="tns:WebServService___ConsUltimoEnvEstadosFechaRequest"/>
            <wsdl:output
message="tns:WebServService___ConsUltimoEnvEstadosFechaResponse"/>
        </wsdl:operation>
        <wsdl:operation name="ConsAgeCanaliza">
            <wsdl:input
message="tns:WebServService___ConsAgeCanalizaRequest"/>
            <wsdl:output
message="tns:WebServService___ConsAgeCanalizaResponse"/>

```

```

        </wsdl:operation>
        <wsdl:operation name="ValidaEnvio">
            <wsdl:input
message="tns:WebServService__ValidaEnvioRequest"/>
            <wsdl:output
message="tns:WebServService__ValidaEnvioResponse"/>
        </wsdl:operation>
        <wsdl:operation name="ConsURLDocAgrupadosRec">
            <wsdl:input
message="tns:WebServService__ConsURLDocAgrupadosRecRequest"/>
            <wsdl:output
message="tns:WebServService__ConsURLDocAgrupadosRecResponse"/>
        </wsdl:operation>
        <wsdl:operation name="ConsURLDocAgrupadosRec2">
            <wsdl:input
message="tns:WebServService__ConsURLDocAgrupadosRec2Request"/>
            <wsdl:output
message="tns:WebServService__ConsURLDocAgrupadosRec2Response"/>
        </wsdl:operation>
        <wsdl:operation name="DigitalizaEnviosAcuse">
            <wsdl:input
message="tns:WebServService__DigitalizaEnviosAcuseRequest"/>
            <wsdl:output
message="tns:WebServService__DigitalizaEnviosAcuseResponse"/>
        </wsdl:operation>
        <wsdl:operation name="DigitalizaEnviosAcuse2">
            <wsdl:input
message="tns:WebServService__DigitalizaEnviosAcuse2Request"/>
            <wsdl:output
message="tns:WebServService__DigitalizaEnviosAcuse2Response"/>
        </wsdl:operation>
        <wsdl:operation name="BorraEnvio">
            <wsdl:input
message="tns:WebServService__BorraEnvioRequest"/>
            <wsdl:output
message="tns:WebServService__BorraEnvioResponse"/>
        </wsdl:operation>
        <wsdl:operation name="ConsRepPosicionGPS">
            <wsdl:input
message="tns:WebServService__ConsRepPosicionGPSRequest"/>
            <wsdl:output
message="tns:WebServService__ConsRepPosicionGPSResponse"/>
        </wsdl:operation>
        <wsdl:operation name="ConsEnvEstIncCambiosEstados">
            <wsdl:input
message="tns:WebServService__ConsEnvEstIncCambiosEstadosRequest"/>
            <wsdl:output
message="tns:WebServService__ConsEnvEstIncCambiosEstadosResponse"/>
        </wsdl:operation>
        <wsdl:operation name="ConsRecEstIncCambiosEstados">
            <wsdl:input
message="tns:WebServService__ConsRecEstIncCambiosEstadosRequest"/>
            <wsdl:output
message="tns:WebServService__ConsRecEstIncCambiosEstadosResponse"/>

```

```

        </wsdl:operation>
        <wsdl:operation name="AsignaCodDevolucionEnvio">
            <wsdl:input
message="tns:WebServService___AsignaCodDevolucionEnvioRequest"/>
            <wsdl:output
message="tns:WebServService___AsignaCodDevolucionEnvioResponse"/>
        </wsdl:operation>
        <wsdl:operation name="GrabaEnvSeguimiento">
            <wsdl:input
message="tns:WebServService___GrabaEnvSeguimientoRequest"/>
            <wsdl:output
message="tns:WebServService___GrabaEnvSeguimientoResponse"/>
        </wsdl:operation>
        <wsdl:operation name="GrabaEnvSeguimiento2">
            <wsdl:input
message="tns:WebServService___GrabaEnvSeguimiento2Request"/>
            <wsdl:output
message="tns:WebServService___GrabaEnvSeguimiento2Response"/>
        </wsdl:operation>
        <wsdl:operation name="ImprimeEnvSeguimiento">
            <wsdl:input
message="tns:WebServService___ImprimeEnvSeguimientoRequest"/>
            <wsdl:output
message="tns:WebServService___ImprimeEnvSeguimientoResponse"/>
        </wsdl:operation>
        <wsdl:operation name="ImprimeEnvSeguimiento2">
            <wsdl:input
message="tns:WebServService___ImprimeEnvSeguimiento2Request"/>
            <wsdl:output
message="tns:WebServService___ImprimeEnvSeguimiento2Response"/>
        </wsdl:operation>
        <wsdl:operation name="ConsCargos">
            <wsdl:input
message="tns:WebServService___ConsCargosRequest"/>
            <wsdl:output
message="tns:WebServService___ConsCargosResponse"/>
        </wsdl:operation>
        <wsdl:operation name="InfEnviosCli">
            <wsdl:input
message="tns:WebServService___InfEnviosCliRequest"/>
            <wsdl:output
message="tns:WebServService___InfEnviosCliResponse"/>
        </wsdl:operation>
        <wsdl:operation name="ImprimeEtiquetaInternacional">
            <wsdl:input
message="tns:WebServService___ImprimeEtiquetaInternacionalRequest"/>
            <wsdl:output
message="tns:WebServService___ImprimeEtiquetaInternacionalResponse"/>
        </wsdl:operation>
        <wsdl:operation name="ImprimeEtiquetaInternacional2">
            <wsdl:input
message="tns:WebServService___ImprimeEtiquetaInternacional2Request"/>
            <wsdl:output
message="tns:WebServService___ImprimeEtiquetaInternacional2Response"/>

```

```

        </wsdl:operation>
        <wsdl:operation name="ImprimeEtiquetaInternacionalMasiva">
            <wsdl:input
message="tns:WebServService__ImprimeEtiquetaInternacionalMasivaRequest"/>
            <wsdl:output
message="tns:WebServService__ImprimeEtiquetaInternacionalMasivaResponse"/>
        </wsdl:operation>
        <wsdl:operation name="ImprimeEtiquetaInternacionalMasiva2">
            <wsdl:input
message="tns:WebServService__ImprimeEtiquetaInternacionalMasiva2Request"/>
            <wsdl:output
message="tns:WebServService__ImprimeEtiquetaInternacionalMasiva2Response"/>
        </wsdl:operation>
        <wsdl:operation name="ConsEnvTrazFechas">
            <wsdl:input
message="tns:WebServService__ConsEnvTrazFechasRequest"/>
            <wsdl:output
message="tns:WebServService__ConsEnvTrazFechasResponse"/>
        </wsdl:operation>
        <wsdl:operation name="BorraRecogida">
            <wsdl:input
message="tns:WebServService__BorraRecogidaRequest"/>
            <wsdl:output
message="tns:WebServService__BorraRecogidaResponse"/>
        </wsdl:operation>
        <wsdl:operation name="ImprimeEnvSiniestros">
            <wsdl:input
message="tns:WebServService__ImprimeEnvSiniestrosRequest"/>
            <wsdl:output
message="tns:WebServService__ImprimeEnvSiniestrosResponse"/>
        </wsdl:operation>
        <wsdl:operation name="ConsConductoresTrackingPOIs">
            <wsdl:input
message="tns:WebServService__ConsConductoresTrackingPOIsRequest"/>
            <wsdl:output
message="tns:WebServService__ConsConductoresTrackingPOIsResponse"/>
        </wsdl:operation>
        <wsdl:operation name="ConsultaPuntosConveniencia">
            <wsdl:input
message="tns:WebServService__ConsultaPuntosConvenienciaRequest"/>
            <wsdl:output
message="tns:WebServService__ConsultaPuntosConvenienciaResponse"/>
        </wsdl:operation>
        <wsdl:operation name="ConsultaCallesCPDir">
            <wsdl:input
message="tns:WebServService__ConsultaCallesCPDirRequest"/>
            <wsdl:output
message="tns:WebServService__ConsultaCallesCPDirResponse"/>
        </wsdl:operation>
        <wsdl:operation name="ConsultaCallesCPPob">
            <wsdl:input
message="tns:WebServService__ConsultaCallesCPPobRequest"/>
            <wsdl:output
message="tns:WebServService__ConsultaCallesCPPobResponse"/>

```

```

        </wsdl:operation>
        <wsdl:operation name="ConsultaDepartamentos">
            <wsdl:input
message="tns:WebServService__ConsultaDepartamentosRequest"/>
            <wsdl:output
message="tns:WebServService__ConsultaDepartamentosResponse"/>
        </wsdl:operation>
        <wsdl:operation name="ConsultaTagsRevisables">
            <wsdl:input
message="tns:WebServService__ConsultaTagsRevisablesRequest"/>
            <wsdl:output
message="tns:WebServService__ConsultaTagsRevisablesResponse"/>
        </wsdl:operation>
        <wsdl:operation name="GrabaEnvDocDigRevisable">
            <wsdl:input
message="tns:WebServService__GrabaEnvDocDigRevisableRequest"/>
            <wsdl:output
message="tns:WebServService__GrabaEnvDocDigRevisableResponse"/>
        </wsdl:operation>
        <wsdl:operation name="ConsRecIncidencias">
            <wsdl:input
message="tns:WebServService__ConsRecIncidenciasRequest"/>
            <wsdl:output
message="tns:WebServService__ConsRecIncidenciasResponse"/>
        </wsdl:operation>
    </wsdl:portType>
    <wsdl:binding name="WebServServiceBinding" type="tns:WebServService">
        <soap:binding transport="http://schemas.xmlsoap.org/soap/http"/>
        <wsdl:operation name="ConsEnvio">
            <soap:operation
soapAction="urn:DinaPaq-WebServService#ConsEnvio" style="document"/>
            <wsdl:input>
                <soap:body use="literal"/>
                <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
            </wsdl:input>
            <wsdl:output>
                <soap:body use="literal"/>
                <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
            </wsdl:output>
        </wsdl:operation>
        <wsdl:operation name="ConsEnvEstados">
            <soap:operation
soapAction="urn:DinaPaq-WebServService#ConsEnvEstados" style="document"/>
            <wsdl:input>
                <soap:body use="literal"/>
                <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
            </wsdl:input>
            <wsdl:output>
                <soap:body use="literal"/>
                <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
            </wsdl:output>
        </wsdl:operation>
    </wsdl:binding>

```

```

        </wsdl:output>
    </wsdl:operation>
    <wsdl:operation name="ConsEnvEstadosRef">
        <soap:operation
soapAction="urn:DinaPaq-WebServService#ConsEnvEstadosRef" style="document"/>
        <wsdl:input>
            <soap:body use="literal"/>
            <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
        </wsdl:input>
        <wsdl:output>
            <soap:body use="literal"/>
            <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
        </wsdl:output>
    </wsdl:operation>
    <wsdl:operation name="ConsRecogida">
        <soap:operation
soapAction="urn:DinaPaq-WebServService#ConsRecogida" style="document"/>
        <wsdl:input>
            <soap:body use="literal"/>
            <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
        </wsdl:input>
        <wsdl:output>
            <soap:body use="literal"/>
            <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
        </wsdl:output>
    </wsdl:operation>
    <wsdl:operation name="ConsRecEstados">
        <soap:operation
soapAction="urn:DinaPaq-WebServService#ConsRecEstados" style="document"/>
        <wsdl:input>
            <soap:body use="literal"/>
            <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
        </wsdl:input>
        <wsdl:output>
            <soap:body use="literal"/>
            <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
        </wsdl:output>
    </wsdl:operation>
    <wsdl:operation name="GrabaEnvio">
        <soap:operation
soapAction="urn:DinaPaq-WebServService#GrabaEnvio" style="document"/>
        <wsdl:input>
            <soap:body use="literal"/>
            <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
        </wsdl:input>
        <wsdl:output>
            <soap:body use="literal"/>

```

```
<soap:header  
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>  
    </wsdl:output>  
    </wsdl:operation>  
    <wsdl:operation name="GrabaEnvio2">  
        <soap:operation  
soapAction="urn:DinaPaq-WebServService#GrabaEnvio2" style="document"/>  
            <wsdl:input>  
                <soap:body use="literal"/>  
            <soap:header  
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>  
                </wsdl:input>  
            <wsdl:output>  
                <soap:body use="literal"/>  
            <soap:header  
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>  
                </wsdl:output>  
    </wsdl:operation>  
    <wsdl:operation name="GrabaEnvio3">  
        <soap:operation  
soapAction="urn:DinaPaq-WebServService#GrabaEnvio3" style="document"/>  
            <wsdl:input>  
                <soap:body use="literal"/>  
            <soap:header  
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>  
                </wsdl:input>  
            <wsdl:output>  
                <soap:body use="literal"/>  
            <soap:header  
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>  
                </wsdl:output>  
    </wsdl:operation>  
    <wsdl:operation name="GrabaEnvio4">  
        <soap:operation  
soapAction="urn:DinaPaq-WebServService#GrabaEnvio4" style="document"/>  
            <wsdl:input>  
                <soap:body use="literal"/>  
            <soap:header  
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>  
                </wsdl:input>  
            <wsdl:output>  
                <soap:body use="literal"/>  
            <soap:header  
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>  
                </wsdl:output>  
    </wsdl:operation>  
    <wsdl:operation name="GrabaEnvio5">  
        <soap:operation  
soapAction="urn:DinaPaq-WebServService#GrabaEnvio5" style="document"/>  
            <wsdl:input>  
                <soap:body use="literal"/>  
            <soap:header  
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>  
                </wsdl:input>
```

```

        <wsdl:output>
            <soap:body use="literal"/>
            <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
            </wsdl:output>
        </wsdl:operation>
        <wsdl:operation name="GrabaEnvio6">
            <soap:operation
soapAction="urn:DinaPaq-WebServService#GrabaEnvio6" style="document"/>
            <wsdl:input>
                <soap:body use="literal"/>
                <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
            </wsdl:input>
            <wsdl:output>
                <soap:body use="literal"/>
                <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
            </wsdl:output>
        </wsdl:operation>
        <wsdl:operation name="GrabaEnvio7">
            <soap:operation
soapAction="urn:DinaPaq-WebServService#GrabaEnvio7" style="document"/>
            <wsdl:input>
                <soap:body use="literal"/>
                <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
            </wsdl:input>
            <wsdl:output>
                <soap:body use="literal"/>
                <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
            </wsdl:output>
        </wsdl:operation>
        <wsdl:operation name="GrabaEnvio8">
            <soap:operation
soapAction="urn:DinaPaq-WebServService#GrabaEnvio8" style="document"/>
            <wsdl:input>
                <soap:body use="literal"/>
                <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
            </wsdl:input>
            <wsdl:output>
                <soap:body use="literal"/>
                <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
            </wsdl:output>
        </wsdl:operation>
        <wsdl:operation name="GrabaEnvio9">
            <soap:operation
soapAction="urn:DinaPaq-WebServService#GrabaEnvio9" style="document"/>
            <wsdl:input>
                <soap:body use="literal"/>
                <soap:header

```

```

message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
    </wsdl:input>
    <wsdl:output>
        <soap:body use="literal"/>
        <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
    </wsdl:output>
</wsdl:operation>
<wsdl:operation name="GrabaEnvio10">
    <soap:operation
soapAction="urn:DinaPaq-WebServService#GrabaEnvio10" style="document"/>
    <wsdl:input>
        <soap:body use="literal"/>
        <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
    </wsdl:input>
    <wsdl:output>
        <soap:body use="literal"/>
        <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
    </wsdl:output>
</wsdl:operation>
<wsdl:operation name="GrabaEnvio11">
    <soap:operation
soapAction="urn:DinaPaq-WebServService#GrabaEnvio11" style="document"/>
    <wsdl:input>
        <soap:body use="literal"/>
        <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
    </wsdl:input>
    <wsdl:output>
        <soap:body use="literal"/>
        <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
    </wsdl:output>
</wsdl:operation>
<wsdl:operation name="GrabaEnvio12">
    <soap:operation
soapAction="urn:DinaPaq-WebServService#GrabaEnvio12" style="document"/>
    <wsdl:input>
        <soap:body use="literal"/>
        <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
    </wsdl:input>
    <wsdl:output>
        <soap:body use="literal"/>
        <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
    </wsdl:output>
</wsdl:operation>
<wsdl:operation name="GrabaEnvio13">
    <soap:operation
soapAction="urn:DinaPaq-WebServService#GrabaEnvio13" style="document"/>
    <wsdl:input>

```

```

        <soap:body use="literal"/>
        <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
        </wsdl:input>
        <wsdl:output>
        <soap:body use="literal"/>
        <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
        </wsdl:output>
    </wsdl:operation>
    <wsdl:operation name="GrabaEnvio14">
        <soap:operation
soapAction="urn:DinaPaq-WebServiceService#GrabaEnvio14" style="document"/>
        <wsdl:input>
        <soap:body use="literal"/>
        <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
        </wsdl:input>
        <wsdl:output>
        <soap:body use="literal"/>
        <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
        </wsdl:output>
    </wsdl:operation>
    <wsdl:operation name="GrabaEnvio15">
        <soap:operation
soapAction="urn:DinaPaq-WebServiceService#GrabaEnvio15" style="document"/>
        <wsdl:input>
        <soap:body use="literal"/>
        <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
        </wsdl:input>
        <wsdl:output>
        <soap:body use="literal"/>
        <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
        </wsdl:output>
    </wsdl:operation>
    <wsdl:operation name="GrabaEnvio16">
        <soap:operation
soapAction="urn:DinaPaq-WebServiceService#GrabaEnvio16" style="document"/>
        <wsdl:input>
        <soap:body use="literal"/>
        <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
        </wsdl:input>
        <wsdl:output>
        <soap:body use="literal"/>
        <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
        </wsdl:output>
    </wsdl:operation>
    <wsdl:operation name="GrabaEnvio17">
        <soap:operation

```

```

soapAction="urn:DinaPaq-WebService#GrabaEnvio17" style="document"/>
        <wsdl:input>
            <soap:body use="literal"/>
            <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
            </wsdl:input>
            <wsdl:output>
                <soap:body use="literal"/>
                <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
                </wsdl:output>
            </wsdl:operation>
            <wsdl:operation name="GrabaEnvio18">
                <soap:operation
soapAction="urn:DinaPaq-WebService#GrabaEnvio18" style="document"/>
                <wsdl:input>
                    <soap:body use="literal"/>
                    <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
                    </wsdl:input>
                    <wsdl:output>
                        <soap:body use="literal"/>
                        <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
                        </wsdl:output>
                    </wsdl:operation>
                    <wsdl:operation name="GrabaEnvio19">
                        <soap:operation
soapAction="urn:DinaPaq-WebService#GrabaEnvio19" style="document"/>
                        <wsdl:input>
                            <soap:body use="literal"/>
                            <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
                            </wsdl:input>
                            <wsdl:output>
                                <soap:body use="literal"/>
                                <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
                                </wsdl:output>
                            </wsdl:operation>
                            <wsdl:operation name="GrabaEnvio20">
                                <soap:operation
soapAction="urn:DinaPaq-WebService#GrabaEnvio20" style="document"/>
                                <wsdl:input>
                                    <soap:body use="literal"/>
                                    <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
                                    </wsdl:input>
                                    <wsdl:output>
                                        <soap:body use="literal"/>
                                        <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
                                        </wsdl:output>
                                    </wsdl:operation>
                                </wsdl:operation>
                            </wsdl:operation>
                        </wsdl:operation>
                    </wsdl:operation>
                </wsdl:operation>
            </wsdl:operation>
        </wsdl:operation>
    </wsdl:operation>
</wsdl:operation>

```

```
<wsdl:operation name="GrabaEnvio21">  
    <soap:operation  
soapAction="urn:DinaPaq-WebService#GrabaEnvio21" style="document"/>  
    <wsdl:input>  
        <soap:body use="literal"/>  
        <soap:header  
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>  
    </wsdl:input>  
    <wsdl:output>  
        <soap:body use="literal"/>  
        <soap:header  
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>  
    </wsdl:output>  
</wsdl:operation>  
<wsdl:operation name="GrabaEnvio22">  
    <soap:operation  
soapAction="urn:DinaPaq-WebServService#GrabaEnvio22" style="document"/>  
    <wsdl:input>  
        <soap:body use="literal"/>  
        <soap:header  
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>  
    </wsdl:input>  
    <wsdl:output>  
        <soap:body use="literal"/>  
        <soap:header  
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>  
    </wsdl:output>  
</wsdl:operation>  
<wsdl:operation name="GrabaEnvio23">  
    <soap:operation  
soapAction="urn:DinaPaq-WebServService#GrabaEnvio23" style="document"/>  
    <wsdl:input>  
        <soap:body use="literal"/>  
        <soap:header  
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>  
    </wsdl:input>  
    <wsdl:output>  
        <soap:body use="literal"/>  
        <soap:header  
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>  
    </wsdl:output>  
</wsdl:operation>  
<wsdl:operation name="GrabaEnvio24">  
    <soap:operation  
soapAction="urn:DinaPaq-WebServService#GrabaEnvio24" style="document"/>  
    <wsdl:input>  
        <soap:body use="literal"/>  
        <soap:header  
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>  
    </wsdl:input>  
    <wsdl:output>  
        <soap:body use="literal"/>  
        <soap:header  
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
```

```

        </wsdl:output>
    </wsdl:operation>
    <wsdl:operation name="GrabaEnvioPendiente">
        <soap:operation
soapAction="urn:DinaPaq-WebServService#GrabaEnvioPendiente" style="document"/>
        <wsdl:input>
            <soap:body use="literal"/>
            <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
        </wsdl:input>
        <wsdl:output>
            <soap:body use="literal"/>
            <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
        </wsdl:output>
    </wsdl:operation>
    <wsdl:operation name="GrabaEnvioPendiente2">
        <soap:operation
soapAction="urn:DinaPaq-WebServService#GrabaEnvioPendiente2" style="document"/>
        <wsdl:input>
            <soap:body use="literal"/>
            <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
        </wsdl:input>
        <wsdl:output>
            <soap:body use="literal"/>
            <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
        </wsdl:output>
    </wsdl:operation>
    <wsdl:operation name="GrabaEnvioPendiente3">
        <soap:operation
soapAction="urn:DinaPaq-WebServService#GrabaEnvioPendiente3" style="document"/>
        <wsdl:input>
            <soap:body use="literal"/>
            <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
        </wsdl:input>
        <wsdl:output>
            <soap:body use="literal"/>
            <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
        </wsdl:output>
    </wsdl:operation>
    <wsdl:operation name="GrabaEnvioPendiente4">
        <soap:operation
soapAction="urn:DinaPaq-WebServService#GrabaEnvioPendiente4" style="document"/>
        <wsdl:input>
            <soap:body use="literal"/>
            <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
        </wsdl:input>
        <wsdl:output>
            <soap:body use="literal"/>

```

```
<soap:header  
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>  
    </wsdl:output>  
    </wsdl:operation>  
    <wsdl:operation name="GrabaEnvioPendiente5">  
        <soap:operation  
soapAction="urn:DinaPaq-WebServService#GrabaEnvioPendiente5" style="document"/>  
            <wsdl:input>  
                <soap:body use="literal"/>  
            <soap:header  
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>  
                </wsdl:input>  
            <wsdl:output>  
                <soap:body use="literal"/>  
            <soap:header  
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>  
                </wsdl:output>  
        </wsdl:operation>  
        <wsdl:operation name="GrabaRecogida">  
            <soap:operation  
soapAction="urn:DinaPaq-WebServService#GrabaRecogida" style="document"/>  
                <wsdl:input>  
                    <soap:body use="literal"/>  
                <soap:header  
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>  
                    </wsdl:input>  
                <wsdl:output>  
                    <soap:body use="literal"/>  
                <soap:header  
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>  
                    </wsdl:output>  
            </wsdl:operation>  
            <wsdl:operation name="GrabaRecogida2">  
                <soap:operation  
soapAction="urn:DinaPaq-WebServService#GrabaRecogida2" style="document"/>  
                    <wsdl:input>  
                        <soap:body use="literal"/>  
                    <soap:header  
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>  
                        </wsdl:input>  
                    <wsdl:output>  
                        <soap:body use="literal"/>  
                    <soap:header  
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>  
                        </wsdl:output>  
                </wsdl:operation>  
                <wsdl:operation name="GrabaRecogida3">  
                    <soap:operation  
soapAction="urn:DinaPaq-WebServService#GrabaRecogida3" style="document"/>  
                        <wsdl:input>  
                            <soap:body use="literal"/>  
                        <soap:header  
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>  
                            </wsdl:input>
```

```

        <wsdl:output>
            <soap:body use="literal"/>
            <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
            </wsdl:output>
        </wsdl:operation>
        <wsdl:operation name="GrabaRecogida4">
            <soap:operation
soapAction="urn:DinaPaq-WebServService#GrabaRecogida4" style="document"/>
            <wsdl:input>
                <soap:body use="literal"/>
                <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
                </wsdl:input>
            <wsdl:output>
                <soap:body use="literal"/>
                <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
                </wsdl:output>
            </wsdl:operation>
            <wsdl:operation name="GrabaRecogida5">
                <soap:operation
soapAction="urn:DinaPaq-WebServService#GrabaRecogida5" style="document"/>
                <wsdl:input>
                    <soap:body use="literal"/>
                    <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
                    </wsdl:input>
                <wsdl:output>
                    <soap:body use="literal"/>
                    <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
                    </wsdl:output>
                </wsdl:operation>
                <wsdl:operation name="GrabaRecogida6">
                    <soap:operation
soapAction="urn:DinaPaq-WebServService#GrabaRecogida6" style="document"/>
                    <wsdl:input>
                        <soap:body use="literal"/>
                        <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
                        </wsdl:input>
                    <wsdl:output>
                        <soap:body use="literal"/>
                        <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
                        </wsdl:output>
                    </wsdl:operation>
                    <wsdl:operation name="GrabaRecogida7">
                        <soap:operation
soapAction="urn:DinaPaq-WebServService#GrabaRecogida7" style="document"/>
                        <wsdl:input>
                            <soap:body use="literal"/>
                            <soap:header

```

```

message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
    </wsdl:input>
    <wsdl:output>
        <soap:body use="literal"/>
        <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
    </wsdl:output>
</wsdl:operation>
<wsdl:operation name="GrabaRecogida8">
    <soap:operation
soapAction="urn:DinaPaq-WebServService#GrabaRecogida8" style="document"/>
    <wsdl:input>
        <soap:body use="literal"/>
        <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
    </wsdl:input>
    <wsdl:output>
        <soap:body use="literal"/>
        <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
    </wsdl:output>
</wsdl:operation>
<wsdl:operation name="GrabaRecogida9">
    <soap:operation
soapAction="urn:DinaPaq-WebServService#GrabaRecogida9" style="document"/>
    <wsdl:input>
        <soap:body use="literal"/>
        <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
    </wsdl:input>
    <wsdl:output>
        <soap:body use="literal"/>
        <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
    </wsdl:output>
</wsdl:operation>
<wsdl:operation name="GrabaRecogida10">
    <soap:operation
soapAction="urn:DinaPaq-WebServService#GrabaRecogida10" style="document"/>
    <wsdl:input>
        <soap:body use="literal"/>
        <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
    </wsdl:input>
    <wsdl:output>
        <soap:body use="literal"/>
        <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
    </wsdl:output>
</wsdl:operation>
<wsdl:operation name="GrabaRecogida11">
    <soap:operation
soapAction="urn:DinaPaq-WebServService#GrabaRecogida11" style="document"/>
    <wsdl:input>

```

```

                <soap:body use="literal"/>
                <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
                </wsdl:input>
                <wsdl:output>
                <soap:body use="literal"/>
                <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
                </wsdl:output>
            </wsdl:operation>
            <wsdl:operation name="InfEnvios">
                <soap:operation
soapAction="urn:DinaPaq-WebServService#InfEnvios" style="document"/>
                <wsdl:input>
                <soap:body use="literal"/>
                <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
                </wsdl:input>
                <wsdl:output>
                <soap:body use="literal"/>
                <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
                </wsdl:output>
            </wsdl:operation>
            <wsdl:operation name="ConsEtiquetaEnvio">
                <soap:operation
soapAction="urn:DinaPaq-WebServService#ConsEtiquetaEnvio" style="document"/>
                <wsdl:input>
                <soap:body use="literal"/>
                <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
                </wsdl:input>
                <wsdl:output>
                <soap:body use="literal"/>
                <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
                </wsdl:output>
            </wsdl:operation>
            <wsdl:operation name="ConsEtiquetaEnvio2">
                <soap:operation
soapAction="urn:DinaPaq-WebServService#ConsEtiquetaEnvio2" style="document"/>
                <wsdl:input>
                <soap:body use="literal"/>
                <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
                </wsdl:input>
                <wsdl:output>
                <soap:body use="literal"/>
                <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
                </wsdl:output>
            </wsdl:operation>
            <wsdl:operation name="ConsEtiquetaEnvio3">
                <soap:operation

```

```

soapAction="urn:DinaPaq-WebServService#ConsEtiquetaEnvio3" style="document"/>
    <wsdl:input>
        <soap:body use="literal"/>
        <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
        </wsdl:input>
    <wsdl:output>
        <soap:body use="literal"/>
        <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
        </wsdl:output>
    </wsdl:operation>
    <wsdl:operation name="ConsEtiquetaEnvio4">
        <soap:operation
soapAction="urn:DinaPaq-WebServService#ConsEtiquetaEnvio4" style="document"/>
        <wsdl:input>
            <soap:body use="literal"/>
            <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
            </wsdl:input>
        <wsdl:output>
            <soap:body use="literal"/>
            <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
            </wsdl:output>
        </wsdl:operation>
        <wsdl:operation name="ConsEtiquetaEnvio5">
            <soap:operation
soapAction="urn:DinaPaq-WebServService#ConsEtiquetaEnvio5" style="document"/>
            <wsdl:input>
                <soap:body use="literal"/>
                <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
                </wsdl:input>
            <wsdl:output>
                <soap:body use="literal"/>
                <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
                </wsdl:output>
            </wsdl:operation>
            <wsdl:operation name="ConsEtiquetaEnvio6">
                <soap:operation
soapAction="urn:DinaPaq-WebServService#ConsEtiquetaEnvio6" style="document"/>
                <wsdl:input>
                    <soap:body use="literal"/>
                    <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
                    </wsdl:input>
                <wsdl:output>
                    <soap:body use="literal"/>
                    <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
                    </wsdl:output>
                </wsdl:operation>

```

```

        <wsdl:operation name="ConsEtiquetaEnvio7">
            <soap:operation
soapAction="urn:DinaPaq-WebServService#ConsEtiquetaEnvio7" style="document"/>
            <wsdl:input>
                <soap:body use="literal"/>
                <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
            </wsdl:input>
            <wsdl:output>
                <soap:body use="literal"/>
                <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
            </wsdl:output>
        </wsdl:operation>
        <wsdl:operation name="ConsEtiquetaEnvio8">
            <soap:operation
soapAction="urn:DinaPaq-WebServService#ConsEtiquetaEnvio8" style="document"/>
            <wsdl:input>
                <soap:body use="literal"/>
                <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
            </wsdl:input>
            <wsdl:output>
                <soap:body use="literal"/>
                <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
            </wsdl:output>
        </wsdl:operation>
        <wsdl:operation name="ConsEnvEstadosUltimo">
            <soap:operation
soapAction="urn:DinaPaq-WebServService#ConsEnvEstadosUltimo" style="document"/>
            <wsdl:input>
                <soap:body use="literal"/>
                <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
            </wsdl:input>
            <wsdl:output>
                <soap:body use="literal"/>
                <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
            </wsdl:output>
        </wsdl:operation>
        <wsdl:operation name="ConsUltimoEstadoEnvio">
            <soap:operation
soapAction="urn:DinaPaq-WebServService#ConsUltimoEstadoEnvio" style="document"/>
            <wsdl:input>
                <soap:body use="literal"/>
                <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
            </wsdl:input>
            <wsdl:output>
                <soap:body use="literal"/>
                <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
            </wsdl:output>
        </wsdl:operation>

```

```

        </wsdl:output>
    </wsdl:operation>
    <wsdl:operation name="ConsEnvIncidencias">
        <soap:operation
soapAction="urn:DinaPaq-WebServService#ConsEnvIncidencias" style="document"/>
        <wsdl:input>
            <soap:body use="literal"/>
            <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
        </wsdl:input>
        <wsdl:output>
            <soap:body use="literal"/>
            <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
        </wsdl:output>
    </wsdl:operation>
    <wsdl:operation name="ConsEnvEstadosFecha">
        <soap:operation
soapAction="urn:DinaPaq-WebServService#ConsEnvEstadosFecha" style="document"/>
        <wsdl:input>
            <soap:body use="literal"/>
            <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
        </wsdl:input>
        <wsdl:output>
            <soap:body use="literal"/>
            <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
        </wsdl:output>
    </wsdl:operation>
    <wsdl:operation name="ConsEnvIncidenciasFecha">
        <soap:operation
soapAction="urn:DinaPaq-WebServService#ConsEnvIncidenciasFecha"
style="document"/>
        <wsdl:input>
            <soap:body use="literal"/>
            <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
        </wsdl:input>
        <wsdl:output>
            <soap:body use="literal"/>
            <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
        </wsdl:output>
    </wsdl:operation>
    <wsdl:operation name="GrabaEnvIncActuacion">
        <soap:operation
soapAction="urn:DinaPaq-WebServService#GrabaEnvIncActuacion" style="document"/>
        <wsdl:input>
            <soap:body use="literal"/>
            <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
        </wsdl:input>
        <wsdl:output>

```

```

        <soap:body use="literal"/>
        <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
        </wsdl:output>
    </wsdl:operation>
    <wsdl:operation name="ConsEnvTraz">
        <soap:operation
soapAction="urn:DinaPaq-WebServService#ConsEnvTraz" style="document"/>
        <wsdl:input>
            <soap:body use="literal"/>
            <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
            </wsdl:input>
            <wsdl:output>
                <soap:body use="literal"/>
                <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
                </wsdl:output>
            </wsdl:operation>
            <wsdl:operation name="ConsEnvTrazFecAge">
                <soap:operation
soapAction="urn:DinaPaq-WebServService#ConsEnvTrazFecAge" style="document"/>
                <wsdl:input>
                    <soap:body use="literal"/>
                    <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
                    </wsdl:input>
                    <wsdl:output>
                        <soap:body use="literal"/>
                        <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
                        </wsdl:output>
                    </wsdl:operation>
                    <wsdl:operation name="DigitalizaEnvios">
                        <soap:operation
soapAction="urn:DinaPaq-WebServService#DigitalizaEnvios" style="document"/>
                        <wsdl:input>
                            <soap:body use="literal"/>
                            <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
                            </wsdl:input>
                            <wsdl:output>
                                <soap:body use="literal"/>
                                <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
                                </wsdl:output>
                            </wsdl:operation>
                            <wsdl:operation name="DigitalizaEnvios2">
                                <soap:operation
soapAction="urn:DinaPaq-WebServService#DigitalizaEnvios2" style="document"/>
                                <wsdl:input>
                                    <soap:body use="literal"/>
                                    <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>

```

```

        </wsdl:input>
        <wsdl:output>
            <soap:body use="literal"/>
            <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
            </wsdl:output>
        </wsdl:operation>
        <wsdl:operation name="InfEnviosRef">
            <soap:operation
soapAction="urn:DinaPaq-WebServService#InfEnviosRef" style="document"/>
            <wsdl:input>
                <soap:body use="literal"/>
                <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
            </wsdl:input>
            <wsdl:output>
                <soap:body use="literal"/>
                <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
            </wsdl:output>
        </wsdl:operation>
        <wsdl:operation name="ConsURLDocAgrupados">
            <soap:operation
soapAction="urn:DinaPaq-WebServService#ConsURLDocAgrupados" style="document"/>
            <wsdl:input>
                <soap:body use="literal"/>
                <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
            </wsdl:input>
            <wsdl:output>
                <soap:body use="literal"/>
                <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
            </wsdl:output>
        </wsdl:operation>
        <wsdl:operation name="ConsURLDocAgrupados2">
            <soap:operation
soapAction="urn:DinaPaq-WebServService#ConsURLDocAgrupados2" style="document"/>
            <wsdl:input>
                <soap:body use="literal"/>
                <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
            </wsdl:input>
            <wsdl:output>
                <soap:body use="literal"/>
                <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
            </wsdl:output>
        </wsdl:operation>
        <wsdl:operation name="GrabaEnvIncActuacionLibre">
            <soap:operation
soapAction="urn:DinaPaq-WebServService#GrabaEnvIncActuacionLibre"
style="document"/>
            <wsdl:input>

```

```

        <soap:body use="literal"/>
        <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
        </wsdl:input>
        <wsdl:output>
            <soap:body use="literal"/>
            <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
            </wsdl:output>
        </wsdl:operation>
        <wsdl:operation name="GrabaRecIncActuacionLibre">
            <soap:operation
soapAction="urn:DinaPaq-WebServService#GrabaRecIncActuacionLibre"
style="document"/>
            <wsdl:input>
                <soap:body use="literal"/>
                <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
                </wsdl:input>
                <wsdl:output>
                    <soap:body use="literal"/>
                    <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
                    </wsdl:output>
                </wsdl:operation>
                <wsdl:operation name="ConsRecogidasRef">
                    <soap:operation
soapAction="urn:DinaPaq-WebServService#ConsRecogidasRef" style="document"/>
                    <wsdl:input>
                        <soap:body use="literal"/>
                        <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
                        </wsdl:input>
                        <wsdl:output>
                            <soap:body use="literal"/>
                            <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
                            </wsdl:output>
                        </wsdl:operation>
                        <wsdl:operation name="ConsKilometros">
                            <soap:operation
soapAction="urn:DinaPaq-WebServService#ConsKilometros" style="document"/>
                            <wsdl:input>
                                <soap:body use="literal"/>
                                <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
                                </wsdl:input>
                                <wsdl:output>
                                    <soap:body use="literal"/>
                                    <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
                                    </wsdl:output>
                                </wsdl:operation>
                                <wsdl:operation name="ConsEtiquetaEnvioMasiva">

```

```

        <soap:operation
soapAction="urn:DinaPaq-WebServService#ConsEtiquetaEnvioMasiva"
style="document"/>
        <wsdl:input>
            <soap:body use="literal"/>
            <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
            </wsdl:input>
            <wsdl:output>
                <soap:body use="literal"/>
                <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
                </wsdl:output>
            </wsdl:operation>
        <wsdl:operation name="ConsEtiquetaEnvioMasiva2">
            <soap:operation
soapAction="urn:DinaPaq-WebServService#ConsEtiquetaEnvioMasiva2"
style="document"/>
            <wsdl:input>
                <soap:body use="literal"/>
                <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
                </wsdl:input>
                <wsdl:output>
                    <soap:body use="literal"/>
                    <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
                    </wsdl:output>
                </wsdl:operation>
            <wsdl:operation name="ConsEtiquetaEnvioMasiva3">
                <soap:operation
soapAction="urn:DinaPaq-WebServService#ConsEtiquetaEnvioMasiva3"
style="document"/>
                <wsdl:input>
                    <soap:body use="literal"/>
                    <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
                    </wsdl:input>
                    <wsdl:output>
                        <soap:body use="literal"/>
                        <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
                        </wsdl:output>
                    </wsdl:operation>
                <wsdl:operation name="ConsEtiquetaEnvioMasiva4">
                    <soap:operation
soapAction="urn:DinaPaq-WebServService#ConsEtiquetaEnvioMasiva4"
style="document"/>
                    <wsdl:input>
                        <soap:body use="literal"/>
                        <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
                        </wsdl:input>
                        <wsdl:output>

```

[illegible]

```

        <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
        </wsdl:input>
        <wsdl:output>
            <soap:body use="literal"/>
            <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
            </wsdl:output>
        </wsdl:operation>
        <wsdl:operation name="ConsURLDocAgrupadosRec">
            <soap:operation
soapAction="urn:DinaPaq-WebServService#ConsURLDocAgrupadosRec"
style="document"/>
            <wsdl:input>
                <soap:body use="literal"/>
                <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
                </wsdl:input>
                <wsdl:output>
                    <soap:body use="literal"/>
                    <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
                    </wsdl:output>
                </wsdl:operation>
                <wsdl:operation name="ConsURLDocAgrupadosRec2">
                    <soap:operation
soapAction="urn:DinaPaq-WebServService#ConsURLDocAgrupadosRec2"
style="document"/>
                    <wsdl:input>
                        <soap:body use="literal"/>
                        <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
                        </wsdl:input>
                        <wsdl:output>
                            <soap:body use="literal"/>
                            <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
                            </wsdl:output>
                        </wsdl:operation>
                        <wsdl:operation name="DigitalizaEnviosAcuse">
                            <soap:operation
soapAction="urn:DinaPaq-WebServService#DigitalizaEnviosAcuse" style="document"/>
                            <wsdl:input>
                                <soap:body use="literal"/>
                                <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
                                </wsdl:input>
                                <wsdl:output>
                                    <soap:body use="literal"/>
                                    <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
                                    </wsdl:output>
                                </wsdl:operation>
                                <wsdl:operation name="DigitalizaEnviosAcuse2">

```

```

        <soap:operation
soapAction="urn:DinaPaq-WebServService#DigitalizaEnviosAcuse2"
style="document"/>
        <wsdl:input>
            <soap:body use="literal"/>
            <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
            </wsdl:input>
        <wsdl:output>
            <soap:body use="literal"/>
            <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
            </wsdl:output>
        </wsdl:operation>
        <wsdl:operation name="BorraEnvio">
            <soap:operation
soapAction="urn:DinaPaq-WebServService#BorraEnvio" style="document"/>
            <wsdl:input>
                <soap:body use="literal"/>
                <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
                </wsdl:input>
            <wsdl:output>
                <soap:body use="literal"/>
                <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
                </wsdl:output>
            </wsdl:operation>
            <wsdl:operation name="ConsRepPosicionGPS">
                <soap:operation
soapAction="urn:DinaPaq-WebServService#ConsRepPosicionGPS" style="document"/>
                <wsdl:input>
                    <soap:body use="literal"/>
                    <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
                    </wsdl:input>
                <wsdl:output>
                    <soap:body use="literal"/>
                    <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
                    </wsdl:output>
                </wsdl:operation>
                <wsdl:operation name="ConsEnvEstIncCambiosEstados">
                    <soap:operation
soapAction="urn:DinaPaq-WebServService#ConsEnvEstIncCambiosEstados"
style="document"/>
                    <wsdl:input>
                        <soap:body use="literal"/>
                        <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
                        </wsdl:input>
                    <wsdl:output>
                        <soap:body use="literal"/>
                        <soap:header

```

```
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
    </wsdl:output>
</wsdl:operation>
<wsdl:operation name="ConsRecEstIncCambiosEstados">
    <soap:operation
soapAction="urn:DinaPaq-WebServService#ConsRecEstIncCambiosEstados"
style="document"/>
        <wsdl:input>
            <soap:body use="literal"/>
            <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
                </wsdl:input>
                <wsdl:output>
                    <soap:body use="literal"/>
                    <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
                        </wsdl:output>
                    </wsdl:operation>
                    <wsdl:operation name="AsignaCodDevolucionEnvio">
                        <soap:operation
soapAction="urn:DinaPaq-WebServService#AsignaCodDevolucionEnvio"
style="document"/>
                            <wsdl:input>
                                <soap:body use="literal"/>
                                <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
                                    </wsdl:input>
                                    <wsdl:output>
                                        <soap:body use="literal"/>
                                        <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
                                            </wsdl:output>
                                        </wsdl:operation>
                                        <wsdl:operation name="GrabaEnvSeguimiento">
                                            <soap:operation
soapAction="urn:DinaPaq-WebServService#GrabaEnvSeguimiento" style="document"/>
                                                <wsdl:input>
                                                    <soap:body use="literal"/>
                                                    <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
                                                        </wsdl:input>
                                                        <wsdl:output>
                                                            <soap:body use="literal"/>
                                                            <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
                                                                </wsdl:output>
                                                            </wsdl:operation>
                                                            <wsdl:operation name="GrabaEnvSeguimiento2">
                                                                <soap:operation
soapAction="urn:DinaPaq-WebServService#GrabaEnvSeguimiento2" style="document"/>
                                                                    <wsdl:input>
                                                                        <soap:body use="literal"/>
                                                                        <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
```

```

        </wsdl:input>
        <wsdl:output>
            <soap:body use="literal"/>
            <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
            </wsdl:output>
        </wsdl:operation>
        <wsdl:operation name="ImprimeEnvSeguimiento">
            <soap:operation
soapAction="urn:DinaPaq-WebServService#ImprimeEnvSeguimiento" style="document"/>
            <wsdl:input>
                <soap:body use="literal"/>
                <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
            </wsdl:input>
            <wsdl:output>
                <soap:body use="literal"/>
                <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
            </wsdl:output>
        </wsdl:operation>
        <wsdl:operation name="ImprimeEnvSeguimiento2">
            <soap:operation
soapAction="urn:DinaPaq-WebServService#ImprimeEnvSeguimiento2"
style="document"/>
            <wsdl:input>
                <soap:body use="literal"/>
                <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
            </wsdl:input>
            <wsdl:output>
                <soap:body use="literal"/>
                <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
            </wsdl:output>
        </wsdl:operation>
        <wsdl:operation name="ConsCargos">
            <soap:operation
soapAction="urn:DinaPaq-WebServService#ConsCargos" style="document"/>
            <wsdl:input>
                <soap:body use="literal"/>
                <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
            </wsdl:input>
            <wsdl:output>
                <soap:body use="literal"/>
                <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
            </wsdl:output>
        </wsdl:operation>
        <wsdl:operation name="InfEnviosCli">
            <soap:operation
soapAction="urn:DinaPaq-WebServService#InfEnviosCli" style="document"/>
            <wsdl:input>

```

```

                <soap:body use="literal"/>
                <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
                </wsdl:input>
                <wsdl:output>
                <soap:body use="literal"/>
                <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
                </wsdl:output>
            </wsdl:operation>
            <wsdl:operation name="ImprimeEtiquetaInternacional">
                <soap:operation
soapAction="urn:DinaPaq-WebServService#ImprimeEtiquetaInternacional"
style="document"/>
                <wsdl:input>
                <soap:body use="literal"/>
                <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
                </wsdl:input>
                <wsdl:output>
                <soap:body use="literal"/>
                <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
                </wsdl:output>
            </wsdl:operation>
            <wsdl:operation name="ImprimeEtiquetaInternacional2">
                <soap:operation
soapAction="urn:DinaPaq-WebServService#ImprimeEtiquetaInternacional2"
style="document"/>
                <wsdl:input>
                <soap:body use="literal"/>
                <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
                </wsdl:input>
                <wsdl:output>
                <soap:body use="literal"/>
                <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
                </wsdl:output>
            </wsdl:operation>
            <wsdl:operation name="ImprimeEtiquetaInternacionalMasiva">
                <soap:operation
soapAction="urn:DinaPaq-WebServService#ImprimeEtiquetaInternacionalMasiva"
style="document"/>
                <wsdl:input>
                <soap:body use="literal"/>
                <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
                </wsdl:input>
                <wsdl:output>
                <soap:body use="literal"/>
                <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
                </wsdl:output>

```

```

        </wsdl:operation>
        <wsdl:operation name="ImprimeEtiquetaInternacionalMasiva2">
            <soap:operation
soapAction="urn:DinaPaq-WebServService#ImprimeEtiquetaInternacionalMasiva2"
style="document"/>
            <wsdl:input>
                <soap:body use="literal"/>
                <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
            </wsdl:input>
            <wsdl:output>
                <soap:body use="literal"/>
                <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
            </wsdl:output>
        </wsdl:operation>
        <wsdl:operation name="ConsEnvTrazFechas">
            <soap:operation
soapAction="urn:DinaPaq-WebServService#ConsEnvTrazFechas" style="document"/>
            <wsdl:input>
                <soap:body use="literal"/>
                <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
            </wsdl:input>
            <wsdl:output>
                <soap:body use="literal"/>
                <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
            </wsdl:output>
        </wsdl:operation>
        <wsdl:operation name="BorraRecogida">
            <soap:operation
soapAction="urn:DinaPaq-WebServService#BorraRecogida" style="document"/>
            <wsdl:input>
                <soap:body use="literal"/>
                <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
            </wsdl:input>
            <wsdl:output>
                <soap:body use="literal"/>
                <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
            </wsdl:output>
        </wsdl:operation>
        <wsdl:operation name="ImprimeEnvSiniestros">
            <soap:operation
soapAction="urn:DinaPaq-WebServService#ImprimeEnvSiniestros" style="document"/>
            <wsdl:input>
                <soap:body use="literal"/>
                <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
            </wsdl:input>
            <wsdl:output>
                <soap:body use="literal"/>

```

```

        <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
        </wsdl:output>
    </wsdl:operation>
    <wsdl:operation name="ConsConductoresTrackingPOIs">
        <soap:operation
soapAction="urn:DinaPaq-WebServService#ConsConductoresTrackingPOIs"
style="document"/>
        <wsdl:input>
            <soap:body use="literal"/>
            <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
            </wsdl:input>
            <wsdl:output>
                <soap:body use="literal"/>
                <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
                </wsdl:output>
            </wsdl:operation>
            <wsdl:operation name="ConsultaPuntosConveniencia">
                <soap:operation
soapAction="urn:DinaPaq-WebServService#ConsultaPuntosConveniencia"
style="document"/>
                <wsdl:input>
                    <soap:body use="literal"/>
                    <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
                    </wsdl:input>
                    <wsdl:output>
                        <soap:body use="literal"/>
                        <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
                        </wsdl:output>
                    </wsdl:operation>
                    <wsdl:operation name="ConsultaCallesCPDir">
                        <soap:operation
soapAction="urn:DinaPaq-WebServService#ConsultaCallesCPDir" style="document"/>
                        <wsdl:input>
                            <soap:body use="literal"/>
                            <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
                            </wsdl:input>
                            <wsdl:output>
                                <soap:body use="literal"/>
                                <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
                                </wsdl:output>
                            </wsdl:operation>
                            <wsdl:operation name="ConsultaCallesCPPob">
                                <soap:operation
soapAction="urn:DinaPaq-WebServService#ConsultaCallesCPPob" style="document"/>
                                <wsdl:input>
                                    <soap:body use="literal"/>
                                    <soap:header

```

```

message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
    </wsdl:input>
    <wsdl:output>
        <soap:body use="literal"/>
        <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
    </wsdl:output>
</wsdl:operation>
<wsdl:operation name="ConsultaDepartamentos">
    <soap:operation
soapAction="urn:DinaPaq-WebServService#ConsultaDepartamentos" style="document"/>
    <wsdl:input>
        <soap:body use="literal"/>
        <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
    </wsdl:input>
    <wsdl:output>
        <soap:body use="literal"/>
        <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
    </wsdl:output>
</wsdl:operation>
<wsdl:operation name="ConsultaTagsRevisables">
    <soap:operation
soapAction="urn:DinaPaq-WebServService#ConsultaTagsRevisables"
style="document"/>
    <wsdl:input>
        <soap:body use="literal"/>
        <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
    </wsdl:input>
    <wsdl:output>
        <soap:body use="literal"/>
        <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
    </wsdl:output>
</wsdl:operation>
<wsdl:operation name="GrabaEnvDocDigRevisable">
    <soap:operation
soapAction="urn:DinaPaq-WebServService#GrabaEnvDocDigRevisable"
style="document"/>
    <wsdl:input>
        <soap:body use="literal"/>
        <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
    </wsdl:input>
    <wsdl:output>
        <soap:body use="literal"/>
        <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
    </wsdl:output>
</wsdl:operation>
<wsdl:operation name="ConsRecIncidencias">
    <soap:operation

```

```
soapAction="urn:DinaPaq-WebServService#ConsRecIncidencias" style="document"/>
    <wsdl:input>
        <soap:body use="literal"/>
        <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
    </wsdl:input>
    <wsdl:output>
        <soap:body use="literal"/>
        <soap:header
message="tns:ROClientIDHeaderMessage" use="literal" part="ROClientID"/>
    </wsdl:output>
</wsdl:operation>
</wsdl:binding>
<wsdl:service name="WebServService">
    <wsdl:port name="WebServServicePort"
binding="tns:WebServServiceBinding">
    <soap:address
location="https://ws.tipsa-dinapaq.com/SOAP?service=WebServService"/>
    </wsdl:port>
</wsdl:service></wsdl:definitions>
```